

# Package ‘microeco’

January 7, 2025

**Type** Package

**Title** Microbial Community Ecology Data Analysis

**Version** 1.12.0

**Author** Chi Liu [aut, cre],  
Felipe R. P. Mansoldo [ctb],  
Minjie Yao [ctb],  
Xiangzhen Li [ctb]

**Maintainer** Chi Liu <liuchi0426@126.com>

**Description** A series of statistical and plotting approaches in microbial community ecology based on the R6 class. The classes are designed for data preprocessing, taxa abundance plotting, alpha diversity analysis, beta diversity analysis, differential abundance test, null model analysis, network analysis, machine learning, environmental data analysis and functional analysis.

**URL** <https://github.com/ChiLiubio/microeco>

**Depends** R (>= 3.5.0)

**Imports** R6, stats, ape, vegan, rlang, data.table, magrittr, dplyr,  
tibble, scales, grid, ggplot2 (>= 3.5.0), RColorBrewer,  
reshape2, igraph (>= 2.0.0), lifecycle

**Suggests** GUniFrac, MASS, ggpubr, randomForest, ggdendro, ggrepel,  
agricolae, gridExtra, picante, pheatmap, rgexf, mice, GGally

**License** GPL-3

**LazyData** true

**Encoding** UTF-8

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2025-01-07 13:20:02 UTC

**RoxygenNote** 7.3.2

## Contents

clone . . . . .	2
dataset . . . . .	3
dropallfactors . . . . .	4
env_data_16S . . . . .	4
fungi_func_FungalTraits . . . . .	5
fungi_func_FUNGuild . . . . .	5
microeco . . . . .	5
microtable . . . . .	6
otu_table_16S . . . . .	18
otu_table_ITS . . . . .	18
phylo_tree_16S . . . . .	18
prok_func_FAPROTAX . . . . .	19
prok_func_NJC19_list . . . . .	19
sample_info_16S . . . . .	19
sample_info_ITS . . . . .	19
Tax4Fun2_KEGG . . . . .	20
taxonomy_table_16S . . . . .	20
taxonomy_table_ITS . . . . .	20
tidy_taxonomy . . . . .	21
trans_abund . . . . .	22
trans_alpha . . . . .	32
trans_beta . . . . .	39
trans_classifier . . . . .	48
trans_diff . . . . .	58
trans_env . . . . .	68
trans_func . . . . .	84
trans_network . . . . .	90
trans_norm . . . . .	106
trans_nullmodel . . . . .	110
trans_venn . . . . .	121
<b>Index</b>	<b>127</b>

---

clone	<i>Copy an R6 class object</i>
-------	--------------------------------

---

### Description

Copy an R6 class object

### Usage

```
clone(x, deep = TRUE)
```

**Arguments**

x	R6 class object
deep	default TRUE; TRUE means deep copy, i.e. copied object is unlinked with the original one.

**Value**

identical but unlinked R6 object

**Examples**

```
data("dataset")
clone(dataset)
```

---

dataset	<i>The dataset structured with microtable class for the demonstration of examples</i>
---------	---

---

**Description**

The dataset arose from 16S rRNA gene amplicon sequencing of wetland soils in China <doi:10.1016/j.geoderma.2018.09.035>. In `dataset$sample_table`, the 'Group' column means Chinese inland wetlands (IW), coastal wetland (CW) and Tibet plateau wetlands (TW). The column 'Type' denotes the sampling region: northeastern region (NE), northwest region (NW), North China area (NC), middle-lower reaches of the Yangtze River (YML), southern coastal area (SC), upper reaches of the Yangtze River (YU) and Qinghai-Tibet Plateau (QTP). The column 'Saline' represents the saline soils and non-saline soils.

**Usage**

```
data(dataset)
```

**Format**

An R6 class object

**Details**

- `sample_table`: sample information table
- `otu_table`: species-community abundance table
- `tax_table`: taxonomic table
- `phylo_tree`: phylogenetic tree
- `taxa_abund`: taxa abundance list with several tables for Phylum...Genus
- `alpha_diversity`: alpha diversity table
- `beta_diversity`: list with several beta diversity distance matrix

dropallfactors            *Remove all factors in a data frame*

---

**Description**

Remove all factors in a data frame

**Usage**

```
dropallfactors(x, unfac2num = FALSE, char2num = FALSE)
```

**Arguments**

x	data frame
unfac2num	default FALSE; whether try to convert all character columns to numeric; if FALSE, only try to convert column with factor attribute. Note that this can only transform the columns that may be transformed to numeric without using factor.
char2num	default FALSE; whether force all the character to be numeric class by using factor as an intermediate.

**Value**

data frame without factor

**Examples**

```
data("taxonomy_table_16S")
taxonomy_table_16S[, 1] <- as.factor(taxonomy_table_16S[, 1])
str(dropallfactors(taxonomy_table_16S))
```

---

env\_data\_16S            *The environmental factors for the 16S example data*

---

**Description**

The environmental factors for the 16S example data

**Usage**

```
data(env_data_16S)
```

---

 fungi\_func\_FungalTraits

*The FungalTraits database for fungi trait prediction*


---

**Description**

The FungalTraits database for fungi trait prediction

**Usage**

```
data(fungi_func_FungalTraits)
```

---

fungi\_func\_FUNGuild

*The FUNGuild database for fungi trait prediction*


---

**Description**

The FUNGuild database for fungi trait prediction

**Usage**

```
data(fungi_func_FUNGuild)
```

---

microeco

*Introduction to microeco package*  
 (Rhref<https://github.com/ChiLiubio/microeco><https://github.com/ChiLiubio/microeco>)
 

---

**Description**

For the detailed tutorial on microeco package, please follow the links:

Online tutorial website: [https://chiliubio.github.io/microeco\\_tutorial/](https://chiliubio.github.io/microeco_tutorial/)

Download tutorial: [https://github.com/ChiLiubio/microeco\\_tutorial/releases](https://github.com/ChiLiubio/microeco_tutorial/releases)

For each R6 class, please open the help document by searching the class name. For example, to search microtable class, please run the command `help(microtable)` or `?microtable`.

Another way to open the help document of R6 class is to click the following links collected:

[microtable](#)

[trans\\_abund](#)

[trans\\_venn](#)

[trans\\_alpha](#)

[trans\\_beta](#)

[trans\\_diff](#)

[trans\\_network](#)

[trans\\_nullmodel](#)

```
trans_classifier
trans_env
trans_func
trans_norm
```

To report bugs or discuss questions, please use Github Issues (<https://github.com/ChiLiubio/microeco/issues>). Before creating a new issue, please read the guideline ([https://chiliubio.github.io/microeco\\_tutorial/notes.html#github-issues](https://chiliubio.github.io/microeco_tutorial/notes.html#github-issues)).

To cite microeco package in publications, please run the following command to get the reference:  
`citation("microeco")`

Reference:

Chi Liu, Yaoming Cui, Xiangzhen Li and Minjie Yao. 2021. microeco: an R package for data mining in microbial community ecology. FEMS Microbiology Ecology, 97(2): fiae255. DOI:10.1093/femsec/fiae255

---

microtable

*Create microtable object to store and manage all the basic files.*

---

## Description

This class is a wrapper for a series of operations on the input files and basic manipulations, including microtable object creation, data trimming, data filtering, rarefaction based on Paul et al. (2013) <doi:10.1371/journal.pone.0061217>, taxonomic abundance calculation, alpha and beta diversity calculation based on the An et al. (2019) <doi:10.1016/j.geoderma.2018.09.035> and Lozupone et al. (2005) <doi:10.1128/AEM.71.12.8228-8235.2005> and other basic operations.

Online tutorial: [https://chiliubio.github.io/microeco\\_tutorial/](https://chiliubio.github.io/microeco_tutorial/)

Download tutorial: [https://github.com/ChiLiubio/microeco\\_tutorial/releases](https://github.com/ChiLiubio/microeco_tutorial/releases)

## Format

microtable.

## Methods

### Public methods:

- `microtable$new()`
- `microtable$filter_pollution()`
- `microtable$filter_taxa()`
- `microtable$rarefy_samples()`
- `microtable$tidy_dataset()`
- `microtable$add_rownames2taxonomy()`
- `microtable$sample_sums()`
- `microtable$taxa_sums()`
- `microtable$sample_names()`

- `microtable$taxa_names()`
- `microtable$rename_taxa()`
- `microtable$merge_samples()`
- `microtable$merge_taxa()`
- `microtable$save_table()`
- `microtable$cal_abund()`
- `microtable$save_abund()`
- `microtable$cal_alphadiv()`
- `microtable$save_alphadiv()`
- `microtable$cal_betadiv()`
- `microtable$save_betadiv()`
- `microtable$print()`
- `microtable$clone()`

**Method** `new()`:

*Usage:*

```
microtable$new(
  otu_table,
  sample_table = NULL,
  tax_table = NULL,
  phylo_tree = NULL,
  rep_fasta = NULL,
  auto_tidy = FALSE
)
```

*Arguments:*

`otu_table` `data.frame`; The feature abundance table; rownames are features (e.g. OTUs/ASVs/species/genes); column names are samples.

`sample_table` `data.frame`; default `NULL`; The sample information table; rownames are samples; columns are sample metadata; If not provided, the function can generate a table automatically according to the sample names in `otu_table`.

`tax_table` `data.frame`; default `NULL`; The taxonomic information table; rownames are features; column names are taxonomic classes.

`phylo_tree` `phylo`; default `NULL`; The phylogenetic tree that must be read with the `read.tree` function of `ape` package.

`rep_fasta` `DNAStringSet`, `list` or `DNABin` format; default `NULL`; The sequences. The sequences should be read with the `readDNAStringSet` function in `Biostrings` package (`DNAStringSet` class), `read.fasta` function in `seqinr` package (`list` class), or `read.FASTA` function in `ape` package (`DNABin` class).

`auto_tidy` default `FALSE`; Whether tidy the files in the `microtable` object automatically. If `TRUE`, the function can invoke the `tidy_dataset` function.

*Returns:* an object of class `microtable` with the following components:

`sample_table` The sample information table.

`otu_table` The feature table.

`tax_table` The taxonomic table.

phylo\_tree The phylogenetic tree.  
 rep\_fasta The sequence.  
 taxa\_abund default NULL; use cal\_abund function to calculate.  
 alpha\_diversity default NULL; use cal\_alphadiv function to calculate.  
 beta\_diversity default NULL; use cal\_betadiv function to calculate.

*Examples:*

```

data(otu_table_16S)
data(taxonomy_table_16S)
data(sample_info_16S)
data(phylo_tree_16S)
m1 <- microtable$new(otu_table = otu_table_16S)
m1 <- microtable$new(sample_table = sample_info_16S, otu_table = otu_table_16S,
  tax_table = taxonomy_table_16S, phylo_tree = phylo_tree_16S)
# trim the files in the dataset
m1$tidy_dataset()

```

**Method** filter\_pollution(): Filter the features considered pollution in microtable\$tax\_table. This operation will remove any line of the microtable\$tax\_table containing any the word in taxa parameter regardless of word case.

*Usage:*

```
microtable$filter_pollution(taxa = c("mitochondria", "chloroplast"))
```

*Arguments:*

taxa default c("mitochondria", "chloroplast"); filter mitochondria and chloroplast, or others as needed.

*Returns:* None

*Examples:*

```
m1$filter_pollution(taxa = c("mitochondria", "chloroplast"))
```

**Method** filter\_taxa(): Filter the feature with low abundance and/or low occurrence frequency.

*Usage:*

```
microtable$filter_taxa(rel_abund = 0, freq = 1, include_lowest = TRUE)
```

*Arguments:*

rel\_abund default 0; the relative abundance threshold, such as 0.0001.

freq default 1; the occurrence frequency threshold. For example, the number 2 represents filtering the feature that occurs less than 2 times. A number smaller than 1 is also allowable. For instance, the number 0.1 represents filtering the feature that occurs in less than 10% samples.

include\_lowest default TRUE; whether include the feature with the threshold.

*Returns:* None

*Examples:*

```

\donttest{
d1 <- clone(m1)
d1$filter_taxa(rel_abund = 0.0001, freq = 0.2)
}

```



**Method** `rarefy_samples()`: Rarefy communities to make all samples have same count number.

*Usage:*

```
microtable$rarefy_samples(
  method = c("rarefy", "SRS")[1],
  sample.size = NULL,
  ...
)
```

*Arguments:*

`method` default `c("rarefy", "SRS")[1]`; "rarefy" represents the classical resampling like `rrarefy` function of `vegan` package. "SRS" is scaling with ranked subsampling method based on the SRS package provided by Lukas Beule and Petr Karlovsky (2020) <DOI:10.7717/peerj.9593>.  
`sample.size` default `NULL`; library size. If not provided, use the minimum number across all samples. For "SRS" method, this parameter is passed to `Cmin` parameter of SRS function of SRS package.

... parameters pass to `norm` function of `trans_norm` class.

*Returns:* `None`; rarefied dataset.

*Examples:*

```
\donttest{
m1$rarefy_samples(sample.size = min(m1$sample_sums()))
}
```

**Method** `tidy_dataset()`: Trim all the data in the `microtable` object to make taxa and samples consistent. The results are intersections across data.

*Usage:*

```
microtable$tidy_dataset(main_data = FALSE)
```

*Arguments:*

`main_data` default `FALSE`; if `TRUE`, only basic data in `microtable` object is trimmed. Otherwise, all data, including `taxa_abund`, `alpha_diversity` and `beta_diversity`, are all trimmed.

*Returns:* `None`. The data in the object are tidied up. If `tax_table` is in object, its row names are totally same with the row names of `otu_table`.

*Examples:*

```
m1$tidy_dataset(main_data = TRUE)
```

**Method** `add_rownames2taxonomy()`: Add the rownames of `microtable$tax_table` as its last column. This is especially useful when the rownames of `microtable$tax_table` are required as a taxonomic level for the taxonomic abundance calculation and biomarker identification.

*Usage:*

```
microtable$add_rownames2taxonomy(use_name = "OTU")
```

*Arguments:*

`use_name` default "OTU"; The column name used in the `tax_table`.

*Returns:* `NULL`, a new `tax_table` stored in the object.

*Examples:*

```
\donttest{
m1$add_rownames2taxonomy()
}
```

**Method** `sample_sums()`: Sum the species number for each sample.

*Usage:*

```
microtable$sample_sums()
```

*Returns:* species number of samples.

*Examples:*

```
\donttest{
m1$sample_sums()
}
```

**Method** `taxa_sums()`: Sum the species number for each taxa.

*Usage:*

```
microtable$taxa_sums()
```

*Returns:* species number of taxa.

*Examples:*

```
\donttest{
m1$taxa_sums()
}
```

**Method** `sample_names()`: Show sample names.

*Usage:*

```
microtable$sample_names()
```

*Returns:* sample names.

*Examples:*

```
\donttest{
m1$sample_names()
}
```

**Method** `taxa_names()`: Show taxa names of `tax_table`.

*Usage:*

```
microtable$taxa_names()
```

*Returns:* taxa names.

*Examples:*

```
\donttest{
m1$taxa_names()
}
```

**Method** `rename_taxa()`: Rename the features, including the rownames of `otu_table`, rownames of `tax_table`, tip labels of `phylo_tree` and `rep_fasta`.

*Usage:*

```
microtable$rename_taxa(newname_prefix = "ASV_")
```

*Arguments:*

`newname_prefix` default "ASV\_"; the prefix of new names; new names will be `newname_prefix` + numbers according to the `rownames` order of `otu_table`.

*Returns:* None; renamed dataset.

*Examples:*

```
\donttest{
m1$rename_taxa()
}
```

**Method** `merge_samples()`: Merge samples according to specific group to generate a new `microtable`.

*Usage:*

```
microtable$merge_samples(group)
```

*Arguments:*

`group` a column name in `sample_table` of `microtable` object.

*Returns:* a new merged `microtable` object.

*Examples:*

```
\donttest{
m1$merge_samples("Group")
}
```

**Method** `merge_taxa()`: Merge taxa according to specific taxonomic rank to generate a new `microtable`.

*Usage:*

```
microtable$merge_taxa(taxa = "Genus")
```

*Arguments:*

`taxa` default "Genus"; the specific rank in `tax_table`.

*Returns:* a new merged `microtable` object.

*Examples:*

```
\donttest{
m1$merge_taxa(taxa = "Genus")
}
```

**Method** `save_table()`: Save each basic data in `microtable` object as local file.

*Usage:*

```
microtable$save_table(dirpath = "basic_files", sep = ",", ...)
```

*Arguments:*

`dirpath` default "basic\_files"; directory to save the tables, phylogenetic tree and sequences in `microtable` object. It will be created if not found.

`sep` default ","; the field separator string, used to save tables. Same with `sep` parameter in `write.table` function. default ',' correspond to the file name suffix 'csv'. The option '\t' correspond to the file name suffix 'tsv'. For other options, suffix are all 'txt'.

... parameters passed to `write.table`.

*Examples:*

```
\dontrun{
m1$save_table()
}
```

**Method** `cal_abund()`: Calculate the taxonomic abundance at each taxonomic level or selected levels.

*Usage:*

```
microtable$cal_abund(
  select_cols = NULL,
  rel = TRUE,
  merge_by = "|",
  split_group = FALSE,
  split_by = "&",
  split_column = NULL,
  split_special_char = "&&"
)
```

*Arguments:*

`select_cols` default NULL; numeric vector (column sequences) or character vector (column names of `microtable$tax_table`); applied to select columns to calculate abundances according to ordered hierarchical levels. This parameter is very useful when only part of the columns are needed to calculate abundances.

`rel` default TRUE; if TRUE, relative abundance is used; if FALSE, absolute abundance (i.e. raw values) will be summed.

`merge_by` default "|"; the symbol to merge and concatenate taxonomic names of different levels.

`split_group` default FALSE; if TRUE, split the rows to multiple rows according to one or more columns in `tax_table` when there is multiple mapping information.

`split_by` default "&"; Separator delimiting collapsed values; only available when `split_group = TRUE`.

`split_column` default NULL; one column name used for the splitting in `tax_table` for each abundance calculation; only available when `split_group = TRUE`. If not provided, the function will split each column that containing the `split_by` character.

`split_special_char` default "&&"; special character that will be used forcibly to split multiple mapping information in `tax_table` by default no matter `split_group` setting.

*Returns:* `taxa_abund` list in object.

*Examples:*

```
\donttest{
m1$cal_abund()
}
```

**Method** `save_abund()`: Save taxonomic abundance as local file.

*Usage:*

```

microtable$save_abund(
  dirpath = "taxa_abund",
  merge_all = FALSE,
  rm_un = FALSE,
  rm_pattern = "__$",
  sep = ",",
  ...
)

```

**Arguments:**

`dirpath` default "taxa\_abund"; directory to save the taxonomic abundance files. It will be created if not found.

`merge_all` default FALSE; Whether merge all tables into one. The merged file format is generally called 'mpa' style.

`rm_un` default FALSE; Whether remove unclassified taxa in which the name ends with '\_\_\_' generally.

`rm_pattern` default "\_\_\$"; The pattern searched through the merged taxonomic names. See also pattern parameter in `grep1` function. Only available when `rm_un` = TRUE. The default "\_\_\$" means removing the names end with '\_\_\_'.

`sep` default ","; the field separator string. Same with `sep` parameter in `write.table` function. default ' ,' correspond to the file name suffix 'csv'. The option '\t' correspond to the file name suffix 'tsv'. For other options, suffix are all 'txt'.

... parameters passed to `write.table`.

**Examples:**

```

\dontrun{
m1$save_abund(dirpath = "taxa_abund")
m1$save_abund(merge_all = TRUE, rm_un = TRUE, sep = "\t")
}

```

**Method** `cal_alphadiv()`: Calculate alpha diversity.

**Usage:**

```
microtable$cal_alphadiv(measures = NULL, PD = FALSE)
```

**Arguments:**

`measures` default NULL; one or more indexes in `c("Observed", "Coverage", "Chao1", "ACE", "Shannon", "Simpson", "InvSimpson", "Fisher", "Pielou")`; The default NULL represents that all the measures are calculated. 'Shannon', 'Simpson' and 'InvSimpson' are calculated based on `vegan::diversity` function; 'Chao1' and 'ACE' depend on the function `vegan::estimateR`. 'Fisher' index relies on the function `vegan::fisher.alpha`. "Observed" means the observed species number in a community, i.e. richness. "Coverage" represents good's coverage. It is defined:

$$Coverage = 1 - \frac{f1}{n}$$

where  $n$  is the total abundance of a sample, and  $f1$  is the number of singleton (species with abundance 1) in the sample. "Pielou" denotes the Pielou evenness index. It is defined:

$$J = \frac{H'}{\ln(S)}$$

where  $H'$  is Shannon index, and  $S$  is the species number.

PD default FALSE; whether Faith's phylogenetic diversity is calculated. The calculation depends on the function `picante::pd`. Note that the phylogenetic tree (`phylo_tree` object in the data) is required for PD.

*Returns:* `alpha_diversity` stored in the object. The `se.chao1` and `se.ACE` are the standard errors of Chao1 and ACE, respectively.

*Examples:*

```
\donttest{
m1$cal_alphadiv(measures = NULL, PD = FALSE)
class(m1$alpha_diversity)
}
```

**Method** `save_alphadiv()`: Save alpha diversity table to the computer.

*Usage:*

```
microtable$save_alphadiv(dirpath = "alpha_diversity")
```

*Arguments:*

`dirpath` default "alpha\_diversity"; directory name to save the `alpha_diversity.csv` file.

**Method** `cal_betadiv()`: Calculate beta diversity dissimilarity matrix, such as Bray-Curtis, Jaccard, and UniFrac. See An et al. (2019) <doi:10.1016/j.geoderma.2018.09.035> and Lozupone et al. (2005) <doi:10.1128/AEM.71.12.8228-8235.2005>.

*Usage:*

```
microtable$cal_betadiv(method = NULL, unifrac = FALSE, binary = FALSE, ...)
```

*Arguments:*

`method` default NULL; a character vector with one or more elements; `c("bray", "jaccard")` is used when `method = NULL`; See the `method` parameter in `vegdist` function for more available options, such as `'aitchison'` and `'robust.aitchison'`.

`unifrac` default FALSE; whether UniFrac indexes (weighted and unweighted) are calculated. Phylogenetic tree is necessary when `unifrac = TRUE`.

`binary` default FALSE; Whether convert abundance to binary data (presence/absence) when `method` is not "jaccard". TRUE is used for "jaccard" automatically.

... parameters passed to `vegdist` function of `vegan` package.

*Returns:* `beta_diversity` list stored in the object.

*Examples:*

```
\donttest{
m1$cal_betadiv(unifrac = FALSE)
class(m1$beta_diversity)
}
```

**Method** `save_betadiv()`: Save beta diversity matrix to the computer.

*Usage:*

```
microtable$save_betadiv(dirpath = "beta_diversity")
```

*Arguments:*

`dirpath` default "beta\_diversity"; directory name to save the beta diversity matrix files.

**Method** print(): Print the microtable object.

*Usage:*

```
microtable$print()
```

**Method** clone(): The objects of this class are cloneable with this method.

*Usage:*

```
microtable$clone(deep = FALSE)
```

*Arguments:*

deep Whether to make a deep clone.

## Examples

```
## -----
## Method `microtable$new`
## -----

data(otu_table_16S)
data(taxonomy_table_16S)
data(sample_info_16S)
data(phylo_tree_16S)
m1 <- microtable$new(otu_table = otu_table_16S)
m1 <- microtable$new(sample_table = sample_info_16S, otu_table = otu_table_16S,
  tax_table = taxonomy_table_16S, phylo_tree = phylo_tree_16S)
# trim the files in the dataset
m1$tidy_dataset()

## -----
## Method `microtable$filter_pollution`
## -----

m1$filter_pollution(taxa = c("mitochondria", "chloroplast"))

## -----
## Method `microtable$filter_taxa`
## -----

d1 <- clone(m1)
d1$filter_taxa(rel_abund = 0.0001, freq = 0.2)

## -----
## Method `microtable$rarefy_samples`
## -----

m1$rarefy_samples(sample.size = min(m1$sample_sums()))

## -----
## Method `microtable$tidy_dataset`
```

```
## -----  
m1$tidy_dataset(main_data = TRUE)  
  
## -----  
## Method `microtable$add_rownames2taxonomy`  
## -----  
  
m1$add_rownames2taxonomy()  
  
## -----  
## Method `microtable$sample_sums`  
## -----  
  
m1$sample_sums()  
  
## -----  
## Method `microtable$taxa_sums`  
## -----  
  
m1$taxa_sums()  
  
## -----  
## Method `microtable$sample_names`  
## -----  
  
m1$sample_names()  
  
## -----  
## Method `microtable$taxa_names`  
## -----  
  
m1$taxa_names()  
  
## -----  
## Method `microtable$rename_taxa`  
## -----  
  
m1$rename_taxa()  
  
## -----
```



```
## Method `microtable$merge_samples`  
## -----  
  
m1$merge_samples("Group")  
  
## -----  
## Method `microtable$merge_taxa`  
## -----  
  
m1$merge_taxa(taxa = "Genus")  
  
## -----  
## Method `microtable$save_table`  
## -----  
  
## Not run:  
m1$save_table()  
  
## End(Not run)  
  
## -----  
## Method `microtable$scal_abund`  
## -----  
  
m1$scal_abund()  
  
## -----  
## Method `microtable$save_abund`  
## -----  
  
## Not run:  
m1$save_abund(dirpath = "taxa_abund")  
m1$save_abund(merge_all = TRUE, rm_un = TRUE, sep = "\t")  
  
## End(Not run)  
  
## -----  
## Method `microtable$scal_alphadiv`  
## -----  
  
m1$scal_alphadiv(measures = NULL, PD = FALSE)  
class(m1$alpha_diversity)  
  
## -----  
## Method `microtable$scal_betadiv`
```

```
## -----  
  
m1$cal_betadiv(unifrac = FALSE)  
class(m1$beta_diversity)
```

---

otu_table_16S	<i>The OTU table of the 16S example data</i>
---------------	--

---

**Description**

The OTU table of the 16S example data

**Usage**

```
data(otu_table_16S)
```

---

otu_table_ITS	<i>The OTU table of the ITS example data</i>
---------------	--

---

**Description**

The OTU table of the ITS example data

**Usage**

```
data(otu_table_ITS)
```

---

phylo_tree_16S	<i>The phylogenetic tree of 16S example data</i>
----------------	--

---

**Description**

The phylogenetic tree of 16S example data

**Usage**

```
data(phylo_tree_16S)
```

---

prok\_func\_FAPROTAX     *The modified FAPROTAX trait database*

---

**Description**

The modified FAPROTAX trait database

**Usage**

data(prok\_func\_FAPROTAX)

---

prok\_func\_NJC19\_list     *The modified NJC19 database*

---

**Description**

The modified NJC19 database

**Usage**

data(prok\_func\_NJC19\_list)

---

sample\_info\_16S     *The sample information of 16S example data*

---

**Description**

The sample information of 16S example data

**Usage**

data(sample\_info\_16S)

---

sample\_info\_ITS     *The sample information of ITS example data*

---

**Description**

The sample information of ITS example data

**Usage**

data(sample\_info\_ITS)

---

Tax4Fun2_KEGG	<i>The KEGG data files used in the trans_func class</i>
---------------	---

---

**Description**

The KEGG data files used in the trans\_func class

**Usage**

```
data(Tax4Fun2_KEGG)
```

---

taxonomy_table_16S	<i>The taxonomic information of 16S example data</i>
--------------------	--

---

**Description**

The taxonomic information of 16S example data

**Usage**

```
data(taxonomy_table_16S)
```

---

taxonomy_table_ITS	<i>The taxonomic information of ITS example data</i>
--------------------	--

---

**Description**

The taxonomic information of ITS example data

**Usage**

```
data(taxonomy_table_ITS)
```

---

tidy_taxonomy	<i>Clean up the taxonomic table to make taxonomic assignments consistent.</i>
---------------	---

---

## Description

Clean up the taxonomic table to make taxonomic assignments consistent.

## Usage

```
tidy_taxonomy(
  taxonomy_table,
  column = "all",
  pattern = c(".*unassigned.*", ".*uncultur.*", ".*unknown.*", ".*unidentif.*",
    ".*unclassified.*", ".*No blast hit.*", ".*Incertae.sedis.*"),
  replacement = "",
  ignore.case = TRUE,
  na_fill = ""
)
```

## Arguments

taxonomy_table	a data.frame with taxonomic information (rows are features; columns are taxonomic levels); or a microtable object with tax_table in it.
column	default "all"; "all" or a number; 'all' represents cleaning up all the columns; a number represents cleaning up this specific column.
pattern	default c(".*unassigned.*", ".*uncultur.*", ".*unknown.*", ".*unidentif.*", ".*unclassified.*", ".*No blast hit.*", ".*Incertae.sedis.*"); the characters (regular expressions) to be removed or replaced; removed when parameter replacement = "", replaced when parameter replacement has something; Note that the capital and small letters are not distinguished when ignore.case = TRUE.
replacement	default ""; the characters used to replace the character in pattern parameter.
ignore.case	default TRUE; if FALSE, the pattern matching is case sensitive and if TRUE, case is ignored during matching.
na_fill	default ""; used to replace NA.

## Format

[data.frame](#) object.

## Value

data.frame

## Examples

```
data("taxonomy_table_16S")
tidy_taxonomy(taxonomy_table_16S)
```

---

trans_abund	<i>Create trans_abund object for taxonomic abundance visualization.</i>
-------------	---

---

## Description

This class is a wrapper for the taxonomic abundance transformations and visualization (e.g., bar plot, boxplot, heatmap, pie chart and line chart). The converted data style is the long-format for ggplot2 plot.

## Methods

### Public methods:

- [trans\\_abund\\$new\(\)](#)
- [trans\\_abund\\$plot\\_bar\(\)](#)
- [trans\\_abund\\$plot\\_heatmap\(\)](#)
- [trans\\_abund\\$plot\\_box\(\)](#)
- [trans\\_abund\\$plot\\_line\(\)](#)
- [trans\\_abund\\$plot\\_pie\(\)](#)
- [trans\\_abund\\$plot\\_donut\(\)](#)
- [trans\\_abund\\$plot\\_radar\(\)](#)
- [trans\\_abund\\$plot\\_tern\(\)](#)
- [trans\\_abund\\$print\(\)](#)
- [trans\\_abund\\$clone\(\)](#)

### Method new():

*Usage:*

```
trans_abund$new(  
  dataset = NULL,  
  taxrank = "Phylum",  
  show = 0,  
  ntaxa = 10,  
  groupmean = NULL,  
  group_morestats = FALSE,  
  delete_taxonomy_lineage = TRUE,  
  delete_taxonomy_prefix = TRUE,  
  prefix = NULL,  
  use_percentage = TRUE,  
  input_taxaname = NULL,  
  high_level = NULL,  
  high_level_fix_nsub = NULL  
)
```

*Arguments:*

`dataset` default NULL; the object of `microtable` class.

`taxrank` default "Phylum"; taxonomic level, i.e. a column name in `tax_table` of the input object. The function extracts the abundance from the `taxa_abund` list according to the names in the list. If the `taxa_abund` list is NULL, the function can automatically calculate the relative abundance to generate `taxa_abund` list.

`show` default 0; the mean relative abundance threshold for filtering the taxa with low abundance.

`ntaxa` default 10; how many taxa are selected to use. Taxa are ordered by abundance from high to low. This parameter does not conflict with the parameter `show`. Both can be used. `ntaxa = NULL` means the parameter will be invalid.

`groupmean` default NULL; calculate mean abundance for each group. Select a column name in `microtable$sample_table`.

`group_morestats` default FALSE; only available when `groupmean` parameter is provided; Whether output more statistics for each group, including min, max, median and quantile; Thereinto, `quantile25` and `quantile75` denote 25% and 75% quantiles, respectively.

`delete_taxonomy_lineage` default TRUE; whether delete the taxonomy lineage in front of the target level.

`delete_taxonomy_prefix` default TRUE; whether delete the prefix of taxonomy, such as "g\_\_".

`prefix` default NULL; character string; available when `delete_taxonomy_prefix = T`; default NULL represents using the "letter+\_\_", e.g. "k\_\_" for Phylum level; Please provide the customized prefix when it is not standard, otherwise the program can not correctly recognize it.

`use_percentage` default TRUE; show the abundance percentage.

`input_taxaname` default NULL; character vector; input taxa names to select some taxa.

`high_level` default NULL; a taxonomic rank, such as "Phylum", used to add the taxonomic information of higher level. It is required for the legend with nested taxonomic levels in the bar plot or the higher taxonomic level in facets of y axis in the heatmap.

`high_level_fix_nsub` default NULL; an integer, used to fix the number of selected abundant taxa in each taxon from higher taxonomic level. If the total number under one taxon of higher level is less than the `high_level_fix_nsub`, the total number will be used. When `high_level_fix_nsub` is provided, the taxa number of higher level is calculated as:  $\text{ceiling}(\text{ntaxa}/\text{high\_level\_fix\_nsub})$ . Note that `ntaxa` means either the parameter `ntaxa` or the taxonomic number obtained by filtering according to the `show` parameter.

*Returns:* `data_abund` stored in the object. The column 'all\_mean\_abund' represents mean relative abundance across all the samples. So the values in one taxon are all same across all the samples. If the sum of column 'Abundance' in one sample is larger than 1, the 'Abundance', 'SD' and 'SE' has been multiplied by 100.

*Examples:*

```
\donttest{
data(dataset)
t1 <- trans_abund$new(dataset = dataset, taxrank = "Phylum", ntaxa = 10)
}
```

**Method** `plot_bar()`: Bar plot.

*Usage:*

```

trans_abund$plot_bar(
  color_values = RColorBrewer::brewer.pal(8, "Dark2"),
  bar_full = TRUE,
  bar_type = deprecated(),
  others_color = "grey90",
  facet = NULL,
  order_x = NULL,
  x_axis_name = NULL,
  barwidth = NULL,
  use_alluvium = FALSE,
  clustering = FALSE,
  clustering_plot = FALSE,
  cluster_plot_width = 0.2,
  facet_color = "grey95",
  strip_text = 11,
  legend_text_italic = FALSE,
  xtext_angle = 0,
  xtext_size = 10,
  xtext_keep = TRUE,
  xtitle_keep = TRUE,
  ytitle_size = 17,
  coord_flip = FALSE,
  ggnested = FALSE,
  high_level_add_other = FALSE
)

```

*Arguments:*

`color_values` default `RColorBrewer::brewer.pal(8, "Dark2")`; colors palette for the bars.

`bar_full` default `TRUE`; Whether the bar shows all the features (including 'Others'). Default `TRUE` means total abundance are summed to 1 or 100 (percentage). `FALSE` means 'Others' will not be shown.

`bar_type` deprecated. Please use `bar_full` argument instead.

`others_color` default `"grey90"`; the color for "Others" taxa.

`facet` default `NULL`; a character vector for the facet; group column name of `sample_table`, such as, "Group"; If multiple facets are needed, please provide ordered names, such as `c("Group", "Type")`. The latter should have a finer scale than the former one; Please adjust the facet orders in the plot by assigning factors in `sample_table` before creating `trans_abund` object or assigning factors in the `data_abund` table of `trans_abund` object. When multiple facets are used, please first install package `ggh4x` using the command `install.packages("ggh4x")`.

`order_x` default `NULL`; vector; used to order the sample names in x axis; must be the samples vector, such as `c("S1", "S3", "S2")`.

`x_axis_name` `NULL`; a character string; a column name of `sample_table` in dataset; used to show the sample names in x axis.

`barwidth` default `NULL`; bar width, see `width` in `geom_bar`.

`use_alluvium` default `FALSE`; whether add alluvium plot. If `TRUE`, please first install `ggalluvial` package.

`clustering` default `FALSE`; whether order samples by the clustering.



clustering\_plot default FALSE; whether add clustering plot. If clustering\_plot = TRUE, clustering will be also TRUE in any case for the clustering.  
 cluster\_plot\_width default 0.2, the dendrogram plot width; available when clustering\_plot = TRUE.  
 facet\_color default "grey95"; facet background color.  
 strip\_text default 11; facet text size.  
 legend\_text\_italic default FALSE; whether use italic in legend.  
 xtext\_angle default 0; number ranging from 0 to 90; used to adjust x axis text angle to reduce text overlap;  
 xtext\_size default 10; x axis text size.  
 xtext\_keep default TRUE; whether retain x text.  
 xtitle\_keep default TRUE; whether retain x title.  
 ytitle\_size default 17; y axis title size.  
 coord\_flip default FALSE; whether flip cartesian coordinates so that horizontal becomes vertical, and vertical becomes horizontal.  
 ggnested default FALSE; whether use nested legend. Need ggnested package to be installed (<https://github.com/gmteunisse/ggnested>). To make it available, please assign high\_level parameter when creating the object.  
 high\_level\_add\_other default FALSE; whether add 'Others' (all the unknown taxa) in each taxon of higher taxonomic level. Only available when ggnested = TRUE.

*Returns:* ggplot2 object.

*Examples:*

```

\donttest{
t1$plot_bar(facet = "Group", xtext_keep = FALSE)
}

```

**Method** plot\_heatmap(): Plot the heatmap.

*Usage:*

```

trans_abund$plot_heatmap(
  color_values = rev(RColorBrewer::brewer.pal(n = 11, name = "RdYlBu")),
  facet = NULL,
  facet_switch = "y",
  x_axis_name = NULL,
  order_x = NULL,
  withmargin = TRUE,
  plot_numbers = FALSE,
  plot_text_size = 4,
  plot_breaks = NULL,
  margincolor = "white",
  plot_colorscale = "log10",
  min_abundance = 0.01,
  max_abundance = NULL,
  strip_text = 11,
  xtext_size = 10,
  ytext_size = 11,

```

```

xtext_keep = TRUE,
xtitle_keep = TRUE,
grid_clean = TRUE,
xtext_angle = 0,
legend_title = "% Relative\nAbundance",
pheatmap = FALSE,
...
)

```

*Arguments:*

`color_values` default `rev(RColorBrewer::brewer.pal(n = 11, name = "RdYlBu"))`; colors palette for the plotting.

`facet` default `NULL`; a character vector for the facet; a group column name of `sample_table`, such as, "Group"; If multiple facets are needed, please provide ordered names, such as `c("Group", "Type")`. The latter should have a finer scale than the former one; Please adjust the facet orders in the plot by assigning factors in `sample_table` before creating `trans_abund` object or assigning factors in the `data_abund` table of `trans_abund` object. When multiple facets are used, please first install package `ggh4x` using the command `install.packages("ggh4x")`.

`facet_switch` default "y"; By default, the labels in facets are displayed on the top and right of the plot. If "x", the top labels will be displayed to the bottom. If "y", the right-hand side labels will be displayed to the left. Can also be set to "both". When the `high_level` is found in the object, the function will generate facets for the higher taxonomy in y axis. So the default "y" of the parameter is to make the visualization better when `high_level` is found. This parameter will be passed to the `switch` parameter in `ggplot2::facet_grid` or `ggh4x::facet_nested` function.

`x_axis_name` `NULL`; a character string; a column name of `sample_table` used to show the sample names in x axis.

`order_x` default `NULL`; vector; used to order the sample names in x axis; must be the samples vector, such as, `c("S1", "S3", "S2")`.

`withmargin` default `TRUE`; whether retain the tile margin.

`plot_numbers` default `FALSE`; whether plot the number in heatmap.

`plot_text_size` default 4; If `plot_numbers` `TRUE`, text size in plot.

`plot_breaks` default `NULL`; The legend breaks.

`margincolor` default "white"; If `withmargin` `TRUE`, use this as the margin color.

`plot_colorscale` default "log10"; color scale.

`min_abundance` default .01; the minimum abundance percentage in plot.

`max_abundance` default `NULL`; the maximum abundance percentage in plot, `NULL` represent the max percentage.

`strip_text` default 11; facet text size.

`xtext_size` default 10; x axis text size.

`ytext_size` default 11; y axis text size.

`xtext_keep` default `TRUE`; whether retain x text.

`xtitle_keep` default `TRUE`; whether retain x title.

`grid_clean` default `TRUE`; whether remove grid lines.

`xtext_angle` default 0; number ranging from 0 to 90; used to adjust x axis text angle to reduce text overlap;

legend\_title default "% Relative\nAbundance"; legend title text.  
 pheatmap default FALSE; whether use pheatmap package to plot the heatmap.  
 ... parameters pass to pheatmap when pheatmap = TRUE.

Returns: ggplot2 object or grid object based on pheatmap.

Examples:

```
\donttest{
t1 <- trans_abund$new(dataset = dataset, taxrank = "Genus", ntaxa = 40)
t1$plot_heatmap(facet = "Group", xtext_keep = FALSE, withmargin = FALSE)
}
```

**Method plot\_box():** Box plot.

Usage:

```
trans_abund$plot_box(
  color_values = RColorBrewer::brewer.pal(8, "Dark2"),
  group = NULL,
  show_point = FALSE,
  point_color = "black",
  point_size = 3,
  point_alpha = 0.3,
  plot_flip = FALSE,
  boxfill = TRUE,
  middlecolor = "grey95",
  middlesize = 1,
  xtext_angle = 0,
  xtext_size = 10,
  ytitle_size = 17,
  ...
)
```

Arguments:

color\_values default RColorBrewer::brewer.pal(8, "Dark2"); colors palette for the box.  
 group default NULL; a column name of sample table to show abundance across groups.  
 show\_point default FALSE; whether show points in plot.  
 point\_color default "black"; If show\_point TRUE; use the color  
 point\_size default 3; If show\_point TRUE; use the size  
 point\_alpha default .3; If show\_point TRUE; use the transparency.  
 plot\_flip default FALSE; Whether rotate plot.  
 boxfill default TRUE; Whether fill the box with colors.  
 middlecolor default "grey95"; The middle line color.  
 middlesize default 1; The middle line size.  
 xtext\_angle default 0; number ranging from 0 to 90; used to adjust x axis text angle to reduce text overlap;  
 xtext\_size default 10; x axis text size.  
 ytitle\_size default 17; y axis title size.  
 ... parameters pass to geom\_boxplot function.

*Returns:* ggplot2 object.

*Examples:*

```
\donttest{
t1$plot_box(group = "Group")
}
```

**Method** plot\_line(): Plot the line chart.

*Usage:*

```
trans_abund$plot_line(
  color_values = RColorBrewer::brewer.pal(8, "Dark2"),
  plot_SE = TRUE,
  position = position_dodge(0.1),
  errorbar_size = 1,
  errorbar_width = 0.1,
  point_size = 3,
  point_alpha = 0.8,
  line_size = 0.8,
  line_alpha = 0.8,
  line_type = 1,
  xtext_angle = 0,
  xtext_size = 10,
  ytitle_size = 17
)
```

*Arguments:*

color\_values default RColorBrewer::brewer.pal(8, "Dark2"); colors palette for the points and lines.

plot\_SE default TRUE; TRUE: the errorbar is *meanse*; FALSE: the errorbar is *meansd*.

position default position\_dodge(0.1); Position adjustment, either as a string (such as "identity"), or the result of a call to a position adjustment function.

errorbar\_size default 1; errorbar line size.

errorbar\_width default 0.1; errorbar width.

point\_size default 3; point size for taxa.

point\_alpha default 0.8; point transparency.

line\_size default 0.8; line size.

line\_alpha default 0.8; line transparency.

line\_type default 1; an integer; line type.

xtext\_angle default 0; number ranging from 0 to 90; used to adjust x axis text angle to reduce text overlap;

xtext\_size default 10; x axis text size.

ytitle\_size default 17; y axis title size.

*Returns:* ggplot2 object.

*Examples:*

```
\donttest{
t1 <- trans_abund$new(dataset = dataset, taxrank = "Genus", ntaxa = 5)
```

```
t1$plot_line(point_size = 3)
t1 <- trans_abund$new(dataset = dataset, taxrank = "Genus", ntaxa = 5, groupmean = "Group")
t1$plot_line(point_size = 5, errorbar_size = 1, xtext_angle = 30)
}
```

**Method** `plot_pie()`: Pie chart.

*Usage:*

```
trans_abund$plot_pie(
  color_values = RColorBrewer::brewer.pal(8, "Dark2"),
  facet_nrow = 1,
  strip_text = 11,
  add_label = FALSE,
  legend_text_italic = FALSE
)
```

*Arguments:*

`color_values` default `RColorBrewer::brewer.pal(8, "Dark2")`; colors palette for each section.

`facet_nrow` default 1; how many rows in the plot.

`strip_text` default 11; sample title size.

`add_label` default FALSE; Whether add the percentage label in each section of pie chart.

`legend_text_italic` default FALSE; whether use italic in legend.

*Returns:* ggplot2 object.

*Examples:*

```
\donttest{
t1 <- trans_abund$new(dataset = dataset, taxrank = "Phylum", ntaxa = 6, groupmean = "Group")
t1$plot_pie(facet_nrow = 1)
}
```

**Method** `plot_donut()`: Donut chart based on the `ggpubr::ggdonutchart` function.

*Usage:*

```
trans_abund$plot_donut(
  color_values = RColorBrewer::brewer.pal(8, "Dark2"),
  label = TRUE,
  facet_nrow = 1,
  legend_text_italic = FALSE,
  ...
)
```

*Arguments:*

`color_values` default `RColorBrewer::brewer.pal(8, "Dark2")`; colors palette for the donut.

`label` default TRUE; whether show the percentage label.

`facet_nrow` default 1; how many rows in the plot.

`legend_text_italic` default FALSE; whether use italic in legend.

`...` parameters passed to `ggpubr::ggdonutchart`.

*Returns:* combined ggplot2 objects list, generated by `ggpubr::ggarrange` function.

*Examples:*

```
\dontrun{
t1 <- trans_abund$new(dataset = dataset, taxrank = "Phylum", ntaxa = 6, groupmean = "Group")
t1$plot_donut(label = TRUE)
}
```

**Method** `plot_radar()`: Radar chart based on the `ggradar` package (<https://github.com/ricardobion/ggradar>).

*Usage:*

```
trans_abund$plot_radar(
  color_values = RColorBrewer::brewer.pal(8, "Dark2"),
  ...
)
```

*Arguments:*

`color_values` default `RColorBrewer::brewer.pal(8, "Dark2")`; colors palette for samples.  
 ... parameters passed to `ggradar::ggradar` function except `group.colours` parameter.

*Returns:* `ggplot2` object.

*Examples:*

```
\dontrun{
t1 <- trans_abund$new(dataset = dataset, taxrank = "Phylum", ntaxa = 6, groupmean = "Group")
t1$plot_radar()
}
```

**Method** `plot_tern()`: Ternary diagrams based on the `ggtern` package.

*Usage:*

```
trans_abund$plot_tern(
  color_values = RColorBrewer::brewer.pal(8, "Dark2"),
  color_legend_guide_size = 4
)
```

*Arguments:*

`color_values` default `RColorBrewer::brewer.pal(8, "Dark2")`; colors palette for the samples.  
`color_legend_guide_size` default 4; The size of legend guide for color.

*Returns:* `ggplot2` object.

*Examples:*

```
\dontrun{
t1 <- trans_abund$new(dataset = dataset, taxrank = "Phylum", ntaxa = 6, groupmean = "Group")
t1$plot_tern()
}
```

**Method** `print()`: Print the `trans_abund` object.

*Usage:*

```
trans_abund$print()
```

**Method** `clone()`: The objects of this class are cloneable with this method.

*Usage:*

```
trans_abund$clone(deep = FALSE)
```

*Arguments:*

deep Whether to make a deep clone.

**Examples**

```
## -----
## Method `trans_abund$new`
## -----

data(dataset)
t1 <- trans_abund$new(dataset = dataset, taxrank = "Phylum", ntaxa = 10)

## -----
## Method `trans_abund$plot_bar`
## -----

t1$plot_bar(facet = "Group", xtext_keep = FALSE)

## -----
## Method `trans_abund$plot_heatmap`
## -----

t1 <- trans_abund$new(dataset = dataset, taxrank = "Genus", ntaxa = 40)
t1$plot_heatmap(facet = "Group", xtext_keep = FALSE, withmargin = FALSE)

## -----
## Method `trans_abund$plot_box`
## -----

t1$plot_box(group = "Group")

## -----
## Method `trans_abund$plot_line`
## -----

t1 <- trans_abund$new(dataset = dataset, taxrank = "Genus", ntaxa = 5)
t1$plot_line(point_size = 3)
t1 <- trans_abund$new(dataset = dataset, taxrank = "Genus", ntaxa = 5, groupmean = "Group")
t1$plot_line(point_size = 5, errorbar_size = 1, xtext_angle = 30)
```

```

## -----
## Method `trans_abund$plot_pie`
## -----

t1 <- trans_abund$new(dataset = dataset, taxrank = "Phylum", ntaxa = 6, groupmean = "Group")
t1$plot_pie(facet_nrow = 1)

## -----
## Method `trans_abund$plot_donut`
## -----

## Not run:
t1 <- trans_abund$new(dataset = dataset, taxrank = "Phylum", ntaxa = 6, groupmean = "Group")
t1$plot_donut(label = TRUE)

## End(Not run)

## -----
## Method `trans_abund$plot_radar`
## -----

## Not run:
t1 <- trans_abund$new(dataset = dataset, taxrank = "Phylum", ntaxa = 6, groupmean = "Group")
t1$plot_radar()

## End(Not run)

## -----
## Method `trans_abund$plot_tern`
## -----

## Not run:
t1 <- trans_abund$new(dataset = dataset, taxrank = "Phylum", ntaxa = 6, groupmean = "Group")
t1$plot_tern()

## End(Not run)

```

---

trans\_alpha

---

*Create trans\_alpha object for alpha diversity statistics and visualization.*


---

## Description

This class is a wrapper for a series of alpha diversity analysis, including the statistics and visualization.



## Methods

### Public methods:

- `trans_alpha$new()`
- `trans_alpha$cal_diff()`
- `trans_alpha$plot_alpha()`
- `trans_alpha$print()`
- `trans_alpha$clone()`

### Method `new()`:

#### *Usage:*

```
trans_alpha$new(
  dataset = NULL,
  group = NULL,
  by_group = NULL,
  by_ID = NULL,
  order_x = NULL
)
```

#### *Arguments:*

`dataset` `microtable` object.

`group` default `NULL`; a column name of `sample_table` in the input `microtable` object used for the statistics across groups.

`by_group` default `NULL`; a column name of `sample_table` used to perform the differential test among groups (from `group` parameter) for each group (from `by_group` parameter) separately.

`by_ID` default `NULL`; a column name of `sample_table` used to perform paired T test or paired Wilcoxon test for the paired data, such as continuous sampling of individual animals or plant compartments for different plant species (ID). So `by_ID` in `sample_table` should be the smallest unit of sample collection without any repetition in it. When the `by_ID` parameter is provided, the function can automatically perform paired test, and no more parameters is required.

`order_x` default `NULL`; a column name of `sample_table` or a vector with sample names. If provided, sort samples using factor.

*Returns:* `data_alpha` and `data_stat` stored in the object.

#### *Examples:*

```
\donttest{
data(dataset)
t1 <- trans_alpha$new(dataset = dataset, group = "Group")
}
```

### Method `cal_diff()`: Differential test on alpha diversity.

#### *Usage:*

```
trans_alpha$cal_diff(
  measure = NULL,
  method = c("KW", "KW_dunn", "wilcox", "t.test", "anova", "scheirerRayHare", "lm",
```

```

    "lme", "betareg", "glmm", "glmm_beta")[1],
formula = NULL,
p_adjust_method = "fdr",
KW_dunn_letter = TRUE,
alpha = 0.05,
anova_post_test = "duncan.test",
anova_varequal_test = FALSE,
return_model = FALSE,
...
)

```

*Arguments:*

`measure` default NULL; character vector; If NULL, all indexes will be used; see names of `microtable$alpha_diversity`, e.g. `c("Observed", "Chao1", "Shannon")`.

`method` default "KW"; see the following available options:

- '**KW**' Kruskal-Wallis Rank Sum Test for all groups ( $\geq 2$ )
- '**KW\_dunn**' Dunn's Kruskal-Wallis Multiple Comparisons <10.1080/00401706.1964.10490181> based on `dunnTest` function in FSA package
- '**wilcox**' Wilcoxon Rank Sum Test for all paired groups When `by_ID` parameter is provided in creating the object of the class, paired Wilcoxon test will be performed.
- '**t.test**' Student's t-Test for all paired groups. When `by_ID` parameter is provided in creating the object of the class, paired t-test will be performed.
- '**anova**' Variance analysis. For one-way anova, the default post hoc test is Duncan's new multiple range test. Please use `anova_post_test` parameter to change the post hoc method. For multi-way anova, Please use `formula` parameter to specify the model and see [aov](#) for more details
- '**scheirerRayHare**' Scheirer-Ray-Hare test (nonparametric test) for a two-way factorial experiment; see `scheirerRayHare` function of `rcompanion` package
- '**lm**' Linear Model based on the `lm` function
- '**lme**' Linear Mixed Effect Model based on the `lmerTest` package
- '**betareg**' Beta Regression for Rates and Proportions based on the `betareg` package
- '**glmm**' Generalized linear mixed model (GLMM) based on the `glmmTMB` package. A family function can be provided using parameter passing, such as: `family = glmmTMB::lognormal(link = "log")`
- '**glmm\_beta**' Generalized linear mixed model (GLMM) with a family function of beta distribution. This is an extension of the GLMM model in '`glmm`' option. The only difference is in `glmm_beta` the family function is fixed with the beta distribution function, facilitating the fitting for proportional data (ranging from 0 to 1). The link function is fixed with "`logit`".

`formula` default NULL; applied to two-way or multi-factor analysis when `method` is "`anova`", "`scheirerRayHare`", "`lm`", "`lme`", "`betareg`" or "`glmm`"; specified set for independent variables, i.e. the latter part of a general formula, such as '`block + N*P*K`'.

`p_adjust_method` default "fdr" (for "KW", "wilcox", "t.test" methods) or "holm" (for "KW\_dunn"); P value adjustment method; For `method = 'KW', 'wilcox' or 't.test'`, please see `method` parameter of `p.adjust` function for available options; For `method = 'KW_dunn'`, please see `dunn.test::p.adjustment.methods` for available options.

`KW_dunn_letter` default TRUE; For method = 'KW\_dunn', TRUE denotes significances are presented by letters; FALSE means significances are shown by asterisk for paired comparison.

`alpha` default 0.05; Significant level; used for generating significance letters when method is 'anova' or 'KW\_dunn'.

`anova_post_test` default "duncan.test". The post hoc test method for one-way anova. The default option represents the Duncan's new multiple range test. Other available options include "LSD.test" (LSD post hoc test) and "HSD.test" (HSD post hoc test). All those are the function names from agricolae package.

`anova_varequal_test` default FALSE; whether conduct Levene's Test for equality of variances. Only available for one-way anova. Significant P value means the variance among groups is not equal.

`return_model` default FALSE; whether return the original "lm", "lmer" or "glmm" model list in the object.

... parameters passed to `kruskal.test` (when method = "KW") or `wilcox.test` function (when method = "wilcox") or `dunnTest` function of FSA package (when method = "KW\_dunn") or `agricolae::duncan.test/agricolae::LSD.test/agricolae::HSD.test` (when method = "anova", one-way anova) or `rcompanion::scheirerRayHare` (when method = "scheirerRayHare") or `stats::lm` (when method = "lm") or `lmerTest::lmer` (when method = "lme") or `betareg::betareg` (when method = "betareg") or `glmmTMB::glmmTMB` (when method = "glmm").

*Returns:* `res_diff`, stored in object with the format `data.frame`.

When method is "betareg", "lm", "lme" or "glmm", "Estimate" and "Std.Error" columns represent the fitted coefficient and its standard error, respectively.

*Examples:*

```
\donttest{
t1$cal_diff(method = "KW")
t1$cal_diff(method = "anova")
t1 <- trans_alpha$new(dataset = dataset, group = "Type", by_group = "Group")
t1$cal_diff(method = "anova")
}
```

**Method** `plot_alpha()`: Plot the alpha diversity. Box plot (and others for visualizing data in groups of single factor) is used for the visualization of alpha diversity when the group is found in the object. When the formula is found in the `res_diff` table in the object, heatmap is employed automatically to show the significances of differential test for multiple indexes, and errorbar (coefficient and standard errors) can be used for single index.

*Usage:*

```
trans_alpha$plot_alpha(
  plot_type = "ggboxplot",
  color_values = RColorBrewer::brewer.pal(8, "Dark2"),
  measure = "Shannon",
  group = NULL,
  add = NULL,
  add_sig = TRUE,
  add_sig_label = "Significance",
  add_sig_text_size = 3.88,
  add_sig_label_num_dec = 4,
  order_x_mean = FALSE,
```

```

y_start = 0.1,
y_increase = 0.05,
xtext_angle = 30,
xtext_size = 13,
ytitle_size = 17,
bar_width = 0.9,
bar_alpha = 0.8,
dodge_width = 0.9,
plot_SE = TRUE,
errorbar_size = 1,
errorbar_width = 0.2,
errorbar_addpoint = TRUE,
errorbar_color_black = FALSE,
point_size = 3,
point_alpha = 0.8,
add_line = FALSE,
line_size = 0.8,
line_type = 2,
line_color = "grey50",
line_alpha = 0.5,
heatmap_cell = "P.unadj",
heatmap_sig = "Significance",
heatmap_x = "Factors",
heatmap_y = "Measure",
heatmap_lab_fill = "P value",
coefplot_sig_pos = 2,
...
)

```

*Arguments:*

`plot_type` default "ggboxplot"; plot type; available options include "ggboxplot", "ggdotplot", "ggviolin", "ggstripchart", "ggerrorplot", "errorbar" and "bareerrorbar". The options starting with "gg" are function names coming from ggpubr package. All those methods with ggpubr package use the `data_alpha` table in the object. "errorbar" represents Mean±SD or Mean±SE plot based on ggplot2 package by invoking the `data_stat` table in the object. "bareerrorbar" denotes "bar plot + error bar". It is similar with "errorbar" and has a bar plot.

`color_values` default `RColorBrewer::brewer.pal(8, "Dark2")`; color pallete for groups.

`measure` default "Shannon"; one alpha diversity index in the object.

`group` default NULL; group name used for the plot.

`add` default NULL; add another plot element; passed to the `add` parameter of the function (e.g., `ggboxplot`) from ggpubr package when `plot_type` starts with "gg" (functions coming from ggpubr package).

`add_sig` default TRUE; whether add significance label using the result of `cal_diff` function, i.e. `object$res_diff`; This is manily designed to add post hoc test of anova or other significances to make the label mapping easy.

`add_sig_label` default "Significance"; select a colname of `object$res_diff` for the label text when 'Letter' is not in the table, such as 'P.adj' or 'Significance'.

`add_sig_text_size` default 3.88; the size of text in added label.

`add_sig_label_num_dec` default 4; reserved decimal places when the parameter `add_sig_label` use numeric column, like 'P.adj'.

`order_x_mean` default FALSE; whether order x axis by the means of groups from large to small.

`y_start` default 0.1; the y axis value from which to add the significance asterisk label; the default 0.1 means  $\max(\text{values}) + 0.1 * (\max(\text{values}) - \min(\text{values}))$ .

`y_increase` default 0.05; the increasing y axis space to add the label (asterisk or letter); the default 0.05 means  $0.05 * (\max(\text{values}) - \min(\text{values}))$ ; this parameter is also used to label the letters of anova result with the fixed space.

`xtext_angle` default 30; number (e.g. 30). Angle of text in x axis.

`xtext_size` default 13; x axis text size. NULL means the default size in ggplot2.

`ytitle_size` default 17; y axis title size.

`bar_width` default 0.9; the bar width when `plot_type = "barerrorbar"`.

`bar_alpha` default 0.8; the alpha of bar color when `plot_type = "barerrorbar"`.

`dodge_width` default 0.9; the dodge width used in `position_dodge` function of ggplot2 package when `plot_type` is "errorbar" or "barerrorbar".

`plot_SE` default TRUE; TRUE: the errorbar is *meanse*; FALSE: the errorbar is *meansd*. Available when `plot_type` is "errorbar" or "barerrorbar".

`errorbar_size` default 1; errorbar size. Available when `plot_type` is "errorbar" or "barerrorbar".

`errorbar_width` default 0.2; errorbar width. Available when `plot_type` is "errorbar" or "barerrorbar" and `by_group` is NULL.

`errorbar_addpoint` default TRUE; whether add point for mean. Available when `plot_type` is "errorbar" or "barerrorbar" and `by_group` is NULL.

`errorbar_color_black` default FALSE; whether use black for the color of errorbar when `plot_type` is "errorbar" or "barerrorbar".

`point_size` default 3; point size for taxa. Available when `plot_type` is "errorbar" or "barerrorbar".

`point_alpha` default 0.8; point transparency. Available when `plot_type` is "errorbar" or "barerrorbar".

`add_line` default FALSE; whether add line. Available when `plot_type` is "errorbar" or "barerrorbar".

`line_size` default 0.8; line size when `add_line = TRUE`. Available when `plot_type` is "errorbar" or "barerrorbar".

`line_type` default 2; an integer; line type when `add_line = TRUE`. The available case is same with `line_size`.

`line_color` default "grey50"; line color when `add_line = TRUE`. Available when `by_group` is NULL. Other available case is same with `line_size`.

`line_alpha` default 0.5; line transparency when `add_line = TRUE`. The available case is same with `line_size`.

`heatmap_cell` default "P.unadj"; the column of `res_diff` table for the cell of heatmap when formula with multiple factors is found in the method.

`heatmap_sig` default "Significance"; the column of `res_diff` for the significance label of heatmap.

`heatmap_x` default "Factors"; the column of `res_diff` for the x axis of heatmap.

heatmap\_y default "Taxa"; the column of res\_diff for the y axis of heatmap.  
 heatmap\_lab\_fill default "P value"; legend title of heatmap.  
 coefplot\_sig\_pos default 2; Significance label position in the coefficient point and errorbar plot. The formula is Estimate + coefplot\_sig\_pos \* Std.Error. This plot is used when there is only one measure found in the table, and 'Estimate' and 'Std.Error' are both in the column names (such as for lm and lme methods). The x axis is 'Estimate', and y axis denotes 'Factors'. When coefplot\_sig\_pos is a negative value, the label is in the left of the errorbar. Errorbar size and width in the coefficient point plot can be adjusted with the parameters errorbar\_size and errorbar\_width. Point size and alpha can be adjusted with parameters point\_size and point\_alpha. The significance label size can be adjusted with parameter add\_sig\_text\_size. Furthermore, the vertical line around 0 can be adjusted with parameters line\_size, line\_type, line\_color and line\_alpha.  
 ... parameters passing to ggpubr::ggboxplot function (or other functions shown by plot\_type parameter when it starts with "gg") or plot\_cor function in trans\_env class for the heatmap of multiple factors when formula is found in the res\_diff of the object.

*Returns:* ggplot.

*Examples:*

```
\donttest{
t1 <- trans_alpha$new(dataset = dataset, group = "Group")
t1$cal_diff(method = "wilcox")
t1$plot_alpha(measure = "Shannon", add_sig = TRUE)
t1 <- trans_alpha$new(dataset = dataset, group = "Type", by_group = "Group")
t1$cal_diff(method = "wilcox")
t1$plot_alpha(measure = "Shannon", add_sig = TRUE)
}
```

**Method** print(): Print the trans\_alpha object.

*Usage:*

```
trans_alpha$print()
```

**Method** clone(): The objects of this class are cloneable with this method.

*Usage:*

```
trans_alpha$clone(deep = FALSE)
```

*Arguments:*

deep Whether to make a deep clone.

## Examples

```
## -----
## Method `trans_alpha$new`
## -----

data(dataset)
t1 <- trans_alpha$new(dataset = dataset, group = "Group")
```

```

## -----
## Method `trans_alpha$scal_diff`
## -----

t1$scal_diff(method = "KW")
t1$scal_diff(method = "anova")
t1 <- trans_alpha$new(dataset = dataset, group = "Type", by_group = "Group")
t1$scal_diff(method = "anova")

## -----
## Method `trans_alpha$plot_alpha`
## -----

t1 <- trans_alpha$new(dataset = dataset, group = "Group")
t1$scal_diff(method = "wilcox")
t1$plot_alpha(measure = "Shannon", add_sig = TRUE)
t1 <- trans_alpha$new(dataset = dataset, group = "Type", by_group = "Group")
t1$scal_diff(method = "wilcox")
t1$plot_alpha(measure = "Shannon", add_sig = TRUE)

```

---

trans\_beta

---

*Create trans\_beta object for beta-diversity analysis*


---

## Description

This class is a wrapper for a series of beta-diversity related analysis, including ordination analysis based on An et al. (2019) <doi:10.1016/j.geoderma.2018.09.035>, group distance comparison, clustering, perMANOVA based on Anderson al. (2008) <doi:10.1111/j.1442-9993.2001.01070.pp.x>, ANOSIM and PERMDISP. Note that the beta diversity analysis methods related with environmental variables are encapsulated within the trans\_env class.

## Methods

### Public methods:

- `trans_beta$new()`
- `trans_beta$scal_ordination()`
- `trans_beta$plot_ordination()`
- `trans_beta$scal_manova()`
- `trans_beta$scal_anosim()`
- `trans_beta$scal_betadisper()`
- `trans_beta$scal_group_distance()`
- `trans_beta$scal_group_distance_diff()`
- `trans_beta$plot_group_distance()`

- `trans_beta$plot_clustering()`
- `trans_beta$clone()`

**Method** `new()`:

*Usage:*

```
trans_beta$new(dataset = NULL, measure = NULL, group = NULL)
```

*Arguments:*

`dataset` the object of `microtable` class.

`measure` default NULL; a matrix name stored in `microtable$beta_diversity` list, such as "bray" or "jaccard", or a customized matrix; used for ordination, manova, group distance comparison, etc.; Please see `cal_betadiv` function of `microtable` class for more details.

`group` default NULL; sample group used for manova, `betadisper` or group distance comparison.

*Returns:* measure, group and dataset stored in the object.

*Examples:*

```
data(dataset)
t1 <- trans_beta$new(dataset = dataset, measure = "bray", group = "Group")
```

**Method** `cal_ordination()`: Unconstrained ordination.

*Usage:*

```
trans_beta$cal_ordination(
  method = "PCoA",
  ncomp = 3,
  trans = FALSE,
  scale_species = FALSE,
  scale_species_ratio = 0.8,
  orthoI = NA,
  ordination = deprecated(),
  ...
)
```

*Arguments:*

`method` default "PCoA"; "PCoA", "NMDS", "PCA", "DCA", "PLS-DA" or "OPLS-DA". PCoA: principal coordinates analysis; NMDS: non-metric multidimensional scaling, PCA: principal component analysis; DCA: detrended correspondence analysis; PLS-DA: partial least squares discriminant analysis; OPLS-DA: orthogonal partial least squares discriminant analysis. For the methods details, please refer to the papers <doi:10.1111/j.1574-6941.2007.00375.x> (for PCoA, NMDS, PCA and DCA) and <doi:10.1186/s12859-019-3310-7> (for PLS-DA or OPLS-DA).

`ncomp` default 3; dimensions shown in the results (except method "NMDS").

`trans` default FALSE; whether species abundance will be square transformed; only available when method is "PCA" or "DCA".

`scale_species` default FALSE; whether species loading in PCA or DCA is scaled.

`scale_species_ratio` default 0.8; the ratio to scale up the loading; multiply by the maximum distance between samples and origin. Only available when `scale_species = TRUE`.



orthoI default NA; number of orthogonal components (for OPLS-DA only). Default NA means the number of orthogonal components is automatically computed. Please also see orthoI parameter in oplS function of ropS package.

ordination deprecated. Please use method argument instead.

... parameters passed to `vegan::rda` function when `method = "PCA"`, or `vegan::decorana` function when `method = "DCA"`, or `ape::pcoa` function when `method = "PCoA"`, or `vegan::metaMDS` function when `method = "NMDS"`, or `ropS::oplS` function when `method = "PLS-DA"` or `method = "OPLS-DA"`.

*Returns:* `res_ordination` stored in the object.

*Examples:*

```
t1$cal_ordination(method = "PCoA")
```

**Method** `plot_ordination()`: Plot the ordination result.

*Usage:*

```
trans_beta$plot_ordination(
  plot_type = "point",
  color_values = RColorBrewer::brewer.pal(8, "Dark2"),
  shape_values = c(16, 17, 7, 8, 15, 18, 11, 10, 12, 13, 9, 3, 4, 0, 1, 2, 14),
  plot_color = NULL,
  plot_shape = NULL,
  plot_group_order = NULL,
  add_sample_label = NULL,
  point_size = 3,
  point_alpha = 0.8,
  centroid_segment_alpha = 0.6,
  centroid_segment_size = 1,
  centroid_segment_linetype = 3,
  ellipse_chull_fill = TRUE,
  ellipse_chull_alpha = 0.1,
  ellipse_level = 0.9,
  ellipse_type = "t",
  NMDS_stress_pos = c(1, 1),
  NMDS_stress_text_prefix = "",
  loading_arrow = FALSE,
  loading_taxa_num = 10,
  loading_text_color = "black",
  loading_arrow_color = "grey30",
  loading_text_size = 3,
  loading_text_italic = FALSE
)
```

*Arguments:*

`plot_type` default "point"; one or more elements of "point", "ellipse", "chull" and "centroid".

**'point'** add sample points

**'ellipse'** add confidence ellipse for points of each group

**'chull'** add convex hull for points of each group

**'centroid'** add centroid line of each group

`color_values` default `RColorBrewer::brewer.pal(8, "Dark2")`; colors palette for different groups.

`shape_values` default `c(16, 17, 7, 8, 15, 18, 11, 10, 12, 13, 9, 3, 4, 0, 1, 2, 14)`; a vector for point shape types of groups, see `ggplot2` tutorial.

`plot_color` default `NULL`; a colname of `sample_table` to assign colors to different groups in plot.

`plot_shape` default `NULL`; a colname of `sample_table` to assign shapes to different groups in plot.

`plot_group_order` default `NULL`; a vector used to order the groups in the legend of plot.

`add_sample_label` default `NULL`; a column name in `sample_table`; If provided, show the point name in plot.

`point_size` default 3; point size when "point" is in `plot_type` parameter.

`point_alpha` default .8; point transparency in plot when "point" is in `plot_type` parameter.

`centroid_segment_alpha` default 0.6; segment transparency in plot when "centroid" is in `plot_type` parameter.

`centroid_segment_size` default 1; segment size in plot when "centroid" is in `plot_type` parameter.

`centroid_segment_linetype` default 3; the line type related with centroid in plot when "centroid" is in `plot_type` parameter.

`ellipse_chull_fill` default `TRUE`; whether fill colors to the area of ellipse or chull.

`ellipse_chull_alpha` default 0.1; color transparency in the ellipse or convex hull depending on whether "ellipse" or "centroid" is in `plot_type` parameter.

`ellipse_level` default .9; confidence level of ellipse when "ellipse" is in `plot_type` parameter.

`ellipse_type` default "t"; ellipse type when "ellipse" is in `plot_type` parameter; see type in `stat_ellipse`.

`NMDS_stress_pos` default `c(1, 1)`; a numerical vector with two values used to represent the insertion position of the stress text. The first one denotes the x-axis, while the second one corresponds to the y-axis. The assigned position is determined by multiplying the respective value with the maximum point on the corresponding coordinate axis. Thus, the x-axis position is equal to  $\max(\text{points of x axis}) * \text{NMDS\_stress\_pos}[1]$ , and the y-axis position is equal to  $\max(\text{points of y axis}) * \text{NMDS\_stress\_pos}[2]$ . Negative values can also be utilized for the negative part of the axis. `NMDS_stress_pos = NULL` denotes no stress text to show.

`NMDS_stress_text_prefix` default `""`; If `NMDS_stress_pos` is not `NULL`, this parameter can be used to add text in front of the stress value.

`loading_arrow` default `FALSE`; whether show the loading using arrow.

`loading_taxa_num` default 10; the number of taxa used for the loading. Only available when `loading_arrow = TRUE`.

`loading_text_color` default "black"; the color of taxa text. Only available when `loading_arrow = TRUE`.

`loading_arrow_color` default "grey30"; the color of taxa arrow. Only available when `loading_arrow = TRUE`.

`loading_text_size` default 3; the size of taxa text. Only available when `loading_arrow = TRUE`.

loading\_text\_italic default FALSE; whether using italic for the taxa text. Only available when loading\_arrow = TRUE.

Returns: ggplot.

Examples:

```
t1$plot_ordination(plot_type = "point")
t1$plot_ordination(plot_color = "Group", plot_shape = "Group", plot_type = "point")
t1$plot_ordination(plot_color = "Group", plot_type = c("point", "ellipse"))
t1$plot_ordination(plot_color = "Group", plot_type = c("point", "centroid"),
  centroid_segment_linetype = 1)
```

**Method** cal\_manova(): Calculate perMANOVA (Permutational Multivariate Analysis of Variance) based on the adonis2 function of vegan package <doi:10.1111/j.1442-9993.2001.01070.pp.x>.

Usage:

```
trans_beta$cal_manova(
  manova_all = TRUE,
  manova_set = NULL,
  group = NULL,
  by_group = NULL,
  p_adjust_method = "fdr",
  by = "terms",
  permutations = 999,
  ...
)
```

Arguments:

manova\_all default TRUE; TRUE represents test for all the groups, i.e. the overall test; FALSE represents test for all the paired groups.

manova\_set default NULL; other specified group set for manova, such as "Group + Type" and "Group\*Type". Please also see the formula parameter (only right-hand side) in adonis2 function of vegan package. The parameter manova\_set has higher priority than manova\_all parameter. If manova\_set is provided; manova\_all is disabled.

group default NULL; a column name of sample\_table used for manova. If NULL, search group variable stored in the object. Available when manova\_set is not provided.

by\_group default NULL; one column name in sample\_table; used to perform paired comparisons within each group. Only available when manova\_all = FALSE and manova\_set is not provided.

p\_adjust\_method default "fdr"; p.adjust method; available when manova\_all = FALSE; see method parameter of p.adjust function for available options.

by default "terms"; same with the by parameter in adonis2 function of vegan package.

permutations default 999; same with the permutations parameter in adonis2 function of vegan package.

... parameters passed to adonis2 function of vegan package.

Returns: res\_manova stored in object with data.frame class.

Examples:

```
t1$cal_manova(manova_all = TRUE)
```

**Method** `cal_anosim()`: Analysis of similarities (ANOSIM) based on the `anosim` function of `vegan` package.

*Usage:*

```
trans_beta$cal_anosim(
  paired = FALSE,
  group = NULL,
  by_group = NULL,
  p_adjust_method = "fdr",
  permutations = 999,
  ...
)
```

*Arguments:*

`paired` default FALSE; whether perform paired test between any two combined groups from all the input groups.

`group` default NULL; a column name of `sample_table`. If NULL, search group variable stored in the object.

`by_group` default NULL; one column name in `sample_table`; used to perform paired comparisons within each group. Only available when `paired = TRUE`.

`p_adjust_method` default "fdr"; `p.adjust` method; available when `paired = TRUE`; see method parameter of `p.adjust` function for available options.

`permutations` default 999; same with the `permutations` parameter in `anosim` function of `vegan` package.

... parameters passed to `anosim` function of `vegan` package.

*Returns:* `res_anosim` stored in object with `data.frame` class.

*Examples:*

```
t1$cal_anosim()
```

**Method** `cal_betadisper()`: Multivariate homogeneity test of groups dispersions (PERMDISP) based on `betadisper` function in `vegan` package.

*Usage:*

```
trans_beta$cal_betadisper(...)
```

*Arguments:*

... parameters passed to `betadisper` function.

*Returns:* `res_betadisper` stored in object.

*Examples:*

```
t1$cal_betadisper()
```

**Method** `cal_group_distance()`: Convert symmetric distance matrix to distance table of paired samples that are within groups or between groups.

*Usage:*

```
trans_beta$cal_group_distance(
  within_group = TRUE,
  by_group = NULL,
  ordered_group = NULL,
  sep = " vs "
)
```

*Arguments:*

`within_group` default TRUE; whether obtain distance table of paired samples within groups; if FALSE, obtain distances of paired samples between any two groups.

`by_group` default NULL; one colname name of `sample_table` in `microtable` object. If provided, transform distances by the provided `by_group` parameter. This is especially useful for ordering and filtering values further. When `within_group = TRUE`, the result of `by_group` parameter is the format of paired groups. When `within_group = FALSE`, the result of `by_group` parameter is the format same with the group information in `sample_table`.

`ordered_group` default NULL; a vector representing the ordered elements of group parameter; only useful when `within_group = FALSE`.

`sep` default TRUE; a character string to separate the group names after merging them into a new name.

*Returns:* `res_group_distance` stored in object.

*Examples:*

```
\donttest{
t1$cal_group_distance(within_group = TRUE)
}
```

**Method** `cal_group_distance_diff()`: Differential test of converted distances across groups.

*Usage:*

```
trans_beta$cal_group_distance_diff(
  group = NULL,
  by_group = NULL,
  by_ID = NULL,
  ...
)
```

*Arguments:*

`group` default NULL; a column name of `object$res_group_distance` used for the statistics; If NULL, use the group inside the object.

`by_group` default NULL; a column of `object$res_group_distance` used to perform the differential test among elements in `group` parameter for each element in `by_group` parameter. So `by_group` has a larger scale than `group` parameter. This `by_group` is very different from the `by_group` parameter in the `cal_group_distance` function.

`by_ID` default NULL; a column of `object$res_group_distance` used to perform paired t test or paired wilcox test for the paired data, such as the data of plant compartments for different plant species (ID). So `by_ID` should be the smallest unit of sample collection without any repetition in it.

... parameters passed to `cal_diff` function of `trans_alpha` class.

*Returns:* `res_group_distance_diff` stored in object.

*Examples:*

```
\donttest{
t1$cal_group_distance_diff()
}
```

**Method** `plot_group_distance()`: Plot the distances of paired groups within or between groups.

*Usage:*

```
trans_beta$plot_group_distance(plot_group_order = NULL, ...)
```

*Arguments:*

plot\_group\_order default NULL; a vector used to order the groups in the plot.

... parameters (except measure) passed to plot\_alpha function of [trans\\_alpha](#) class.

*Returns:* ggplot.

*Examples:*

```
\donttest{
t1$plot_group_distance()
}
```

**Method** plot\_clustering(): Plot clustering result based on the [ggdendro](#) package.

*Usage:*

```
trans_beta$plot_clustering(
  color_values = RColorBrewer::brewer.pal(8, "Dark2"),
  measure = NULL,
  group = NULL,
  replace_name = NULL
)
```

*Arguments:*

color\_values default RColorBrewer::brewer.pal(8, "Dark2"); color palette for the text.

measure default NULL; beta diversity index; If NULL, using the measure when creating object

group default NULL; if provided, use this group to assign color.

replace\_name default NULL; if provided, use this as label.

*Returns:* ggplot.

*Examples:*

```
t1$plot_clustering(group = "Group", replace_name = c("Saline", "Type"))
```

**Method** clone(): The objects of this class are cloneable with this method.

*Usage:*

```
trans_beta$clone(deep = FALSE)
```

*Arguments:*

deep Whether to make a deep clone.

**Examples**

```
## -----
## Method `trans_beta$new`
## -----

data(dataset)
t1 <- trans_beta$new(dataset = dataset, measure = "bray", group = "Group")

## -----
```

```

## Method `trans_beta$scal_ordination`
## -----

t1$scal_ordination(method = "PCoA")

## -----
## Method `trans_beta$plot_ordination`
## -----

t1$plot_ordination(plot_type = "point")
t1$plot_ordination(plot_color = "Group", plot_shape = "Group", plot_type = "point")
t1$plot_ordination(plot_color = "Group", plot_type = c("point", "ellipse"))
t1$plot_ordination(plot_color = "Group", plot_type = c("point", "centroid"),
  centroid_segment_linetype = 1)

## -----
## Method `trans_beta$scal_manova`
## -----

t1$scal_manova(manova_all = TRUE)

## -----
## Method `trans_beta$scal_anosim`
## -----

t1$scal_anosim()

## -----
## Method `trans_beta$scal_betadisper`
## -----

t1$scal_betadisper()

## -----
## Method `trans_beta$scal_group_distance`
## -----

t1$scal_group_distance(within_group = TRUE)

## -----
## Method `trans_beta$scal_group_distance_diff`
## -----

t1$scal_group_distance_diff()

## -----
## Method `trans_beta$plot_group_distance`
## -----

```

```
t1$plot_group_distance()

## -----
## Method `trans_beta$plot_clustering`
## -----

t1$plot_clustering(group = "Group", replace_name = c("Saline", "Type"))
```

---

trans_classifier	<i>Create trans_classifier object for machine-learning-based model prediction.</i>
------------------	--

---

## Description

This class is a wrapper for methods of machine-learning-based classification or regression models, including data pre-processing, feature selection, data split, model training, prediction, confusion-Matrix and ROC (Receiver Operator Characteristic) or PR (Precision-Recall) curve.

Author(s): Felipe Mansoldo and Chi Liu

## Methods

### Public methods:

- `trans_classifier$new()`
- `trans_classifier$cal_preProcess()`
- `trans_classifier$cal_feature_sel()`
- `trans_classifier$cal_split()`
- `trans_classifier$set_trainControl()`
- `trans_classifier$cal_train()`
- `trans_classifier$cal_feature_imp()`
- `trans_classifier$plot_feature_imp()`
- `trans_classifier$cal_predict()`
- `trans_classifier$plot_confusionMatrix()`
- `trans_classifier$cal_ROC()`
- `trans_classifier$plot_ROC()`
- `trans_classifier$cal_caretList()`
- `trans_classifier$cal_caretList_resamples()`
- `trans_classifier$plot_caretList_resamples()`
- `trans_classifier$clone()`

**Method** `new()`: Create a `trans_classifier` object.

*Usage:*



```
trans_classifier$new(
  dataset,
  x.predictors = "Genus",
  y.response = NULL,
  n.cores = 1
)
```

*Arguments:*

`dataset` an object of `microtable` class.

`x.predictors` default "Genus"; character string or data.frame; a character string represents selecting the corresponding data from `microtable$taxa_abund`; data.frame denotes other customized input. See the following available options:

**'Genus'** use Genus level table in `microtable$taxa_abund`, or other specific taxonomic rank, e.g., 'Phylum'. If an input level (e.g., ASV) is not found in the names of `taxa_abund` list, the function will use `otu_table` to calculate relative abundance of features.

**'all'** use all the levels stored in `microtable$taxa_abund`.

**other input** must be a data.frame object. It should have the same format with the tables in `microtable$taxa_abund`, i.e. rows are features; columns are samples with same names in `sample_table`.

`y.response` default NULL; the response variable in `sample_table` of input `microtable` object.

`n.cores` default 1; the CPU thread used.

*Returns:* `data_feature` and `data_response` stored in the object.

*Examples:*

```
\donttest{
data(dataset)
t1 <- trans_classifier$new(
  dataset = dataset,
  x.predictors = "Genus",
  y.response = "Group")
}
```

**Method** `cal_preProcess()`: Pre-process (centering, scaling etc.) of the feature data based on the `caret::preProcess` function. See <https://topepo.github.io/caret/pre-processing.html> for more details.

*Usage:*

```
trans_classifier$cal_preProcess(...)
```

*Arguments:*

... parameters pass to `preProcess` function of `caret` package.

*Returns:* preprocessed `data_feature` in the object.

*Examples:*

```
\dontrun{
# "nzv" removes near zero variance predictors
t1$cal_preProcess(method = c("center", "scale", "nzv"))
}
```

**Method** `cal_feature_sel()`: Perform feature selection. See <https://topepo.github.io/caret/feature-selection-overview.html> for more details.

*Usage:*

```
trans_classifier$cal_feature_sel(
  boruta.maxRuns = 300,
  boruta.pValue = 0.01,
  boruta.repetitions = 4,
  ...
)
```

*Arguments:*

`boruta.maxRuns` default 300; maximal number of importance source runs; passed to the `maxRuns` parameter in `Boruta` function of `Boruta` package.

`boruta.pValue` default 0.01; p value passed to the `pValue` parameter in `Boruta` function of `Boruta` package.

`boruta.repetitions` default 4; repetition runs for the feature selection.

... parameters pass to `Boruta` function of `Boruta` package.

*Returns:* optimized `data_feature` in the object.

*Examples:*

```
\dontrun{
t1$cal_feature_sel(boruta.maxRuns = 300, boruta.pValue = 0.01)
}
```

**Method** `cal_split()`: Split data for training and testing.

*Usage:*

```
trans_classifier$cal_split(prop.train = 3/4)
```

*Arguments:*

`prop.train` default 3/4; the ratio of the data used for the training.

*Returns:* `data_train` and `data_test` in the object.

*Examples:*

```
\dontrun{
t1$cal_split(prop.train = 3/4)
}
```

**Method** `set_trainControl()`: Control parameters for the following training. Please see `trainControl` function of `caret` package for details.

*Usage:*

```
trans_classifier$set_trainControl(
  method = "repeatedcv",
  classProbs = TRUE,
  savePredictions = TRUE,
  ...
)
```

*Arguments:*

method default 'repeatedcv'; 'repeatedcv': Repeated k-Fold cross validation; see method parameter in trainControl function of caret package for available options.

classProbs default TRUE; should class probabilities be computed for classification models?; see classProbs parameter in caret::trainControl function.

savePredictions default TRUE; see savePredictions parameter in caret::trainControl function.

... parameters pass to trainControl function of caret package.

*Returns:* trainControl in the object.

*Examples:*

```
\dontrun{
t1$set_trainControl(method = 'repeatedcv')
}
```

**Method cal\_train():** Run the model training. Please see <https://topepo.github.io/caret/available-models.html> for available models.

*Usage:*

```
trans_classifier$cal_train(method = "rf", max.mtry = 2, ntree = 500, ...)
```

*Arguments:*

method default "rf"; "rf": random forest; see method in train function of caret package for other options. For method = "rf", the tuneGrid is set: expand.grid(mtry = seq(from = 1, to = max.mtry))

max.mtry default 2; for method = "rf"; maximum mtry used in the tuneGrid to do hyperparameter tuning to optimize the model.

ntree default 500; for method = "rf"; Number of trees to grow. The default 500 is same with the ntree parameter in randomForest function in randomForest package. When it is a vector with more than one element, the function will try to optimize the model to select a best one, such as c(100, 500, 1000).

... parameters pass to caret::train function.

*Returns:* res\_train in the object.

*Examples:*

```
\dontrun{
# random forest
t1$cal_train(method = "rf")
# Support Vector Machines with Radial Basis Function Kernel
t1$cal_train(method = "svmRadial", tuneLength = 15)
}
```

**Method cal\_feature\_imp():** Get feature importance from the training model.

*Usage:*

```
trans_classifier$cal_feature_imp(rf_feature_sig = FALSE, ...)
```

*Arguments:*

rf\_feature\_sig default FALSE; whether calculate feature significance in 'rf' model using rfPermute package; only available for method = "rf" in cal\_train function.

... parameters pass to varImp function of caret package. If rf\_feature\_sig is TRUE and train\_method is "rf", the parameters will be passed to rfPermute function of rfPermute package.

*Returns:* res\_feature\_imp in the object. One row for each predictor variable. The column(s) are different importance measures. For the method 'rf', it is MeanDecreaseGini (classification) or IncNodePurity (regression) when rf\_feature\_sig = FALSE.

*Examples:*

```
\dontrun{
t1$cal_feature_imp()
}
```

**Method** plot\_feature\_imp(): Bar plot for feature importance.

*Usage:*

```
trans_classifier$plot_feature_imp(
  rf_sig_show = NULL,
  show_sig_group = FALSE,
  ...
)
```

*Arguments:*

rf\_sig\_show default NULL; "MeanDecreaseAccuracy" (Default) or "MeanDecreaseGini" for random forest classification; "%IncMSE" (Default) or "IncNodePurity" for random forest regression; Only available when rf\_feature\_sig = TRUE in function cal\_feature\_imp, which generate "MeanDecreaseGini" (and "MeanDecreaseAccuracy") or "%IncMSE" (and "IncNodePurity") in the column names of res\_feature\_imp; Function can also generate "Significance" according to the p value.

show\_sig\_group default FALSE; whether show the features with different significant groups; Only available when "Significance" is found in the data.

... parameters pass to plot\_diff\_bar function of trans\_diff package.

*Returns:* ggplot2 object.

*Examples:*

```
\dontrun{
t1$plot_feature_imp(use_number = 1:20, coord_flip = FALSE)
}
```

**Method** cal\_predict(): Run the prediction.

*Usage:*

```
trans_classifier$cal_predict(positive_class = NULL)
```

*Arguments:*

positive\_class default NULL; see positive parameter in confusionMatrix function of caret package; If positive\_class is NULL, use the first group in data as the positive class automatically.

*Returns:* res\_predict, res\_confusion\_fit and res\_confusion\_stats stored in the object. The res\_predict is the predicted result for data\_test. Several evaluation metrics in res\_confusion\_fit are defined as follows:

$$Accuracy = \frac{TP + TN}{TP + TN + FP + FN}$$

$$\text{Sensitivity} = \text{Recall} = \text{TPR} = \frac{TP}{TP + FN}$$

$$\text{Specificity} = \text{TNR} = 1 - \text{FPR} = \frac{TN}{TN + FP}$$

$$\text{Precision} = \frac{TP}{TP + FP}$$

$$\text{Prevalence} = \frac{TP + FN}{TP + TN + FP + FN}$$

$$\text{F1 - Score} = \frac{2 * \text{Precision} * \text{Recall}}{\text{Precision} + \text{Recall}}$$

$$\text{Kappa} = \frac{\text{Accuracy} - Pe}{1 - Pe}$$

where TP is true positive; TN is true negative; FP is false positive; and FN is false negative; FPR is False Positive Rate; TPR is True Positive Rate; TNR is True Negative Rate; Pe is the hypothetical probability of chance agreement on the classes for reference and prediction in the confusion matrix. Accuracy represents the ratio of correct predictions. Precision identifies how the model accurately predicted the positive classes. Recall (sensitivity) measures the ratio of actual positives that are correctly identified by the model. F1-score is the weighted average score of recall and precision. The value at 1 is the best performance and at 0 is the worst. Prevalence represents how often positive events occurred. Kappa identifies how well the model is predicting.

*Examples:*

```
\dontrun{
t1$cal_predict()
}
```

**Method** `plot_confusionMatrix()`: Plot the cross-tabulation of observed and predicted classes with associated statistics based on the results of function `cal_predict`.

*Usage:*

```
trans_classifier$plot_confusionMatrix(
  plot_confusion = TRUE,
  plot_statistics = TRUE
)
```

*Arguments:*

`plot_confusion` default TRUE; whether plot the confusion matrix.  
`plot_statistics` default TRUE; whether plot the statistics.

*Returns:* ggplot object.

*Examples:*

```
\dontrun{
t1$plot_confusionMatrix()
}
```

**Method** `cal_ROC()`: Get ROC (Receiver Operator Characteristic) curve data and the performance data.

*Usage:*

```
trans_classifier$cal_ROC(input = "pred")
```

*Arguments:*

input default "pred"; 'pred' or 'train'; 'pred' represents using prediction results; 'train' represents using training results.

*Returns:* a list res\_ROC stored in the object. It has two tables: res\_roc and res\_pr. AUC: Area Under the ROC Curve. For the definition of metrics, please refer to the return part of function cal\_predict.

*Examples:*

```
\dontrun{
t1$cal_ROC()
}
```

**Method plot\_ROC():** Plot ROC curve.*Usage:*

```
trans_classifier$plot_ROC(
  plot_type = c("ROC", "PR")[1],
  plot_group = "all",
  color_values = RColorBrewer::brewer.pal(8, "Dark2"),
  add_AUC = TRUE,
  plot_method = FALSE,
  ...
)
```

*Arguments:*

plot\_type default c("ROC", "PR")[1]; 'ROC' represents ROC (Receiver Operator Characteristic) curve; 'PR' represents PR (Precision-Recall) curve.

plot\_group default "all"; 'all' represents all the classes in the model; 'add' represents all adding micro-average and macro-average results, see [https://scikit-learn.org/stable/auto\\_examples/model\\_selection/](https://scikit-learn.org/stable/auto_examples/model_selection/) other options should be one or more class names, same with the names in Group column of res\_ROC\$res\_roc from cal\_ROC function.

color\_values default RColorBrewer::brewer.pal(8, "Dark2"); colors used in the plot.

add\_AUC default TRUE; whether add AUC in the legend.

plot\_method default FALSE; If TRUE, show the method in the legend though only one method is found.

... parameters pass to geom\_path function of ggplot2 package.

*Returns:* ggplot2 object.

*Examples:*

```
\dontrun{
t1$plot_ROC(size = 1, alpha = 0.7)
}
```

**Method cal\_caretList():** Use caretList function of caretEnsemble package to run multiple models. For the available models, please run names(getModelInfo()).*Usage:*

```
trans_classifier$cal_caretList(...)
```

*Arguments:*

... parameters pass to caretList function of caretEnsemble package.

*Returns:* res\_caretList\_models in the object.

*Examples:*

```
\dontrun{
t1$cal_caretList(methodList = c('rf', 'svmRadial'))
}
```

**Method** cal\_caretList\_resamples(): Use resamples function of caret package to collect the metric values based on the res\_caretList\_models data.

*Usage:*

```
trans_classifier$cal_caretList_resamples(...)
```

*Arguments:*

... parameters pass to resamples function of caret package.

*Returns:* res\_caretList\_resamples list and res\_caretList\_resamples\_reshaped table in the object.

*Examples:*

```
\dontrun{
t1$cal_caretList_resamples()
}
```

**Method** plot\_caretList\_resamples(): Visualize the metric values based on the res\_caretList\_resamples\_reshaped data.

*Usage:*

```
trans_classifier$plot_caretList_resamples(
  color_values = RColorBrewer::brewer.pal(8, "Dark2"),
  ...
)
```

*Arguments:*

color\_values default RColorBrewer::brewer.pal(8, "Dark2"); colors palette for the box.

... parameters pass to geom\_boxplot function of ggplot2 package.

*Returns:* ggplot object.

*Examples:*

```
\dontrun{
t1$plot_caretList_resamples()
}
```

**Method** clone(): The objects of this class are cloneable with this method.

*Usage:*

```
trans_classifier$clone(deep = FALSE)
```

*Arguments:*

deep Whether to make a deep clone.

**Examples**

```

## -----
## Method `trans_classifier$new`
## -----

data(dataset)
t1 <- trans_classifier$new(
  dataset = dataset,
  x.predictors = "Genus",
  y.response = "Group")

## -----
## Method `trans_classifier$cal_preProcess`
## -----

## Not run:
# "nzv" removes near zero variance predictors
t1$cal_preProcess(method = c("center", "scale", "nzv"))

## End(Not run)

## -----
## Method `trans_classifier$cal_feature_sel`
## -----

## Not run:
t1$cal_feature_sel(boruta.maxRuns = 300, boruta.pValue = 0.01)

## End(Not run)

## -----
## Method `trans_classifier$cal_split`
## -----

## Not run:
t1$cal_split(prop.train = 3/4)

## End(Not run)

## -----
## Method `trans_classifier$set_trainControl`
## -----

## Not run:
t1$set_trainControl(method = 'repeatedcv')

## End(Not run)

## -----
## Method `trans_classifier$cal_train`

```



```
## -----  
  
## Not run:  
# random forest  
t1$cal_train(method = "rf")  
# Support Vector Machines with Radial Basis Function Kernel  
t1$cal_train(method = "svmRadial", tuneLength = 15)  
  
## End(Not run)  
  
## -----  
## Method `trans_classifier$cal_feature_imp`  
## -----  
  
## Not run:  
t1$cal_feature_imp()  
  
## End(Not run)  
  
## -----  
## Method `trans_classifier$plot_feature_imp`  
## -----  
  
## Not run:  
t1$plot_feature_imp(use_number = 1:20, coord_flip = FALSE)  
  
## End(Not run)  
  
## -----  
## Method `trans_classifier$cal_predict`  
## -----  
  
## Not run:  
t1$cal_predict()  
  
## End(Not run)  
  
## -----  
## Method `trans_classifier$plot_confusionMatrix`  
## -----  
  
## Not run:  
t1$plot_confusionMatrix()  
  
## End(Not run)  
  
## -----  
## Method `trans_classifier$cal_ROC`  
## -----  
  
## Not run:  
t1$cal_ROC()
```

```

## End(Not run)

## -----
## Method `trans_classifier$plot_ROC`
## -----

## Not run:
t1$plot_ROC(size = 1, alpha = 0.7)

## End(Not run)

## -----
## Method `trans_classifier$cal_caretList`
## -----

## Not run:
t1$cal_caretList(methodList = c('rf', 'svmRadial'))

## End(Not run)

## -----
## Method `trans_classifier$cal_caretList_resamples`
## -----

## Not run:
t1$cal_caretList_resamples()

## End(Not run)

## -----
## Method `trans_classifier$plot_caretList_resamples`
## -----

## Not run:
t1$plot_caretList_resamples()

## End(Not run)

```

---

trans\_diff

---

*Create trans\_diff object for the differential analysis on the taxonomic abundance*


---

## Description

This class is a wrapper for a series of differential abundance test and indicator analysis methods, including LEfSe based on the Segata et al. (2011) <doi:10.1186/gb-2011-12-6-r60>, random forest <doi:10.1016/j.geoderma.2018.09.035>, metastat based on White et al. (2009) <doi:10.1371/journal.pcbi.1000352>, non-parametric Kruskal-Wallis Rank Sum Test, Dunn's Kruskal-Wallis Multiple Comparisons based on the FSA package, Wilcoxon Rank Sum and Signed Rank Tests, t-test, anova, Scheirer Ray Hare test, R package metagenomeSeq Paulson et al. (2013) <doi:10.1038/nmeth.2658>, R package

ANCOMBC <doi:10.1038/s41467-020-17041-7>, R package ALDEx2 <doi:10.1371/journal.pone.0067019; 10.1186/2049-2618-2-15>, R package MicrobiomeStat <doi:10.1186/s13059-022-02655-5>, beta regression <doi:10.18637/jss.v034.i02>, R package maaslin2, linear mixed-effects model and generalized linear mixed model.

## Methods

### Public methods:

- `trans_diff$new()`
- `trans_diff$plot_diff_abund()`
- `trans_diff$plot_diff_bar()`
- `trans_diff$plot_diff_cladogram()`
- `trans_diff$clone()`

### Method `new()`:

*Usage:*

```
trans_diff$new(
  dataset = NULL,
  method = c("lelse", "rf", "metastat", "metagenomeSeq", "KW", "KW_dunn", "wilcox",
    "t.test", "anova", "scheirerRayHare", "lm", "ancombc2", "ALDEx2_t", "ALDEx2_kw",
    "DESeq2", "edgeR", "linda", "maaslin2", "betareg", "lme", "glmm", "glmm_beta")[1],
  group = NULL,
  taxa_level = "all",
  filter_thres = 0,
  alpha = 0.05,
  p_adjust_method = "fdr",
  transformation = NULL,
  remove_unknown = TRUE,
  lelse_subgroup = NULL,
  lelse_min_subsam = 10,
  lelse_sub_strict = FALSE,
  lelse_sub_alpha = NULL,
  lelse_norm = 1e+06,
  nresam = 0.6667,
  boots = 30,
  rf_imp_type = 2,
  group_choose_paired = NULL,
  metagenomeSeq_count = 1,
  ALDEx2_sig = c("wi.eBH", "kw.eBH"),
  by_group = NULL,
  by_ID = NULL,
  beta_pseudo = .Machine$double.eps,
  ...
)
```

*Arguments:*

`dataset` default NULL; `microtable` object.

method default "lfeSe". Some methods (e.g., "lfeSe", "KW", "wilcox", "anova", "lm", "betareg", "glmm" and "glmm\_beta") invoke the taxa\_abund list (generally relative abundance data) of input microtable object for the analysis. Some (e.g., "metastat", "metagenomeSeq", "ALDEx2\_t", "DESeq2", "edgeR", "ancombc2" and "linda") use the otu\_table of input microtable object for the analysis. Available options include:

**'lfeSe'** LEfSe method based on Segata et al. (2011) <doi:10.1186/gb-2011-12-6-r60>

**'rf'** random forest and non-parametric test method based on An et al. (2019) <doi:10.1016/j.geoderma.2018.09.035>

**'metastat'** Metastat method for all paired groups based on White et al. (2009) <doi:10.1371/journal.pcbi.1000352>

**'metagenomeSeq'** zero-inflated log-normal model-based differential test method from metagenomeSeq package.

**'KW'** KW: Kruskal-Wallis Rank Sum Test for all groups ( $\geq 2$ )

**'KW\_dunn'** Dunn's Kruskal-Wallis Multiple Comparisons when group number  $> 2$ ; see dunnTest function in FSA package

**'wilcox'** Wilcoxon Rank Sum and Signed Rank Tests for all paired groups

**'t.test'** Student's t-Test for all paired groups

**'anova'** ANOVA for one-way or multi-factor analysis; see cal\_diff function of trans\_alpha class

**'scheirerRayHare'** Scheirer Ray Hare test for nonparametric test used for a two-way factorial experiment; see scheirerRayHare function of rcompanion package

**'lm'** Linear Model based on the lm function

**'ALDEx2\_t'** runs Welch's t and Wilcoxon tests with ALDEx2 package; see also the test parameter in ALDEx2::aldex function; ALDEx2 uses the centred log-ratio (clr) transformation and estimates per-feature technical variation within each sample using Monte-Carlo instances drawn from the Dirichlet distribution; Reference: <doi:10.1371/journal.pone.0067019> and <doi:10.1186/2049-2618-2-15>; require ALDEx2 package to be installed (<https://bioconductor.org/packages/release/bioc/html/ALDEx2.html>)

**'ALDEx2\_kw'** runs Kruskal-Wallis and generalized linear model (glm) test with ALDEx2 package; see also the test parameter in ALDEx2::aldex function.

**'DESeq2'** Differential expression analysis based on the Negative Binomial (a.k.a. Gamma-Poisson) distribution based on the DESeq2 package.

**'edgeR'** The exactTest method of edgeR package is implemented.

**'ancombc2'** Analysis of Compositions of Microbiomes with Bias Correction (ANCOM-BC) based on the ancombc2 function from ANCOMBC package. If the fix\_formula parameter is not provided, the function can automatically assign it by using group parameter. For this method, the group parameter is directly passed to the group parameter of ancombc2 function. Reference: <doi:10.1038/s41467-020-17041-7><doi:10.1038/s41592-023-02092-7>; Require ANCOMBC package to be installed (<https://bioconductor.org/packages/release/bioc/html/ANCOMBC.html>)

**'linda'** Linear Model for Differential Abundance Analysis of High-dimensional Compositional Data based on the linda function of MicrobiomeStat package. For linda method, please provide either the group parameter or the formula parameter. When the formula parameter is provided, it should start with '~' as it is directly used by the linda function. If the group parameter is used, the prefix '~' is not necessary as the function can automatically add it. The parameter feature.dat.type = 'count' has been fixed. Other parameters can be passed to the linda function. Reference: <doi:10.1186/s13059-022-02655-5>

**'maaslin2'** finding associations between metadata and potentially high-dimensional microbial multi-omics data based on the Maaslin2 package. Using this option can invoke the trans\_env\$cal\_cor function with cor\_method = "maaslin2".

- 'betareg'** Beta Regression based on the `betareg` package. Please see the `beta_pseudo` parameter for the use of pseudo value when there is 0 or 1 in the data
- 'lme'** Linear Mixed Effect Model based on the `lmerTest` package. In the return table, the significance of fixed factors are tested by function `anova`. The significance of 'Estimate' in each term of fixed factors comes from the model.
- 'glmm'** Generalized linear mixed model (GLMM) based on the `glmmTMB` package. The formula and family parameters are needed. Please refer to `glmmTMB` package to select the family function, e.g. `family = glmmTMB::lognormal(link = "log")`. The usage of formula is similar with that in 'lme' method. For more available parameters, please see `glmmTMB::glmmTMB` function and use parameter passing. In the result, Conditional R2 and Marginal R2 represent the variance explained by both fixed and random effects and the variance explained by fixed effects, respectively. For more details on R2 calculation, please refer to the article <doi: 10.1098/rsif.2017.0213>. The significance of fixed factors are tested by Chi-square test from function `car::Anova`. The significance of 'Estimate' in each term of fixed factors comes from the model.
- 'glmm\_beta'** Generalized linear mixed model with a family function of beta distribution, developed for the relative abundance (ranging from 0 to 1) of taxa specifically. This is an extension of the GLMM model in 'glmm' option. The only difference is in `glmm_beta` the family function is fixed with the beta distribution function, i.e. `family = glmmTMB::beta_family(link = "logit")`. Please see the `beta_pseudo` parameter for the use of pseudo value when there is 0 or 1 in the data
- `group` default NULL; sample group used for the comparison; a colname of input `microtable$sample_table`;  
It is necessary when method is not "anova" or method is "anova" but formula is not provided.  
Once group is provided, the return `res_abund` will have mean and sd values for group.
- `taxa_level` default "all"; 'all' represents using abundance data of all taxonomic ranks; For testing at a specific rank, provide taxonomic rank name, such as "Genus". If the provided taxonomic name is neither 'all' nor a colname in `tax_table` of input dataset (e.g., "ASV"), the function will use the features in input `microtable$otu_table` automatically. Note that a specific level (e.g., "ASV") should be provided for method: "metastat", "metagenomeSeq", "ALDEx2\_t", "DESeq2", "edgeR", "ancombc2", "linda", "maaslin2".
- `filter_thres` default 0; the abundance threshold, such as 0.0005 when the input is relative abundance; only available when method != "metastat". The features with abundances lower than `filter_thres` will be filtered.
- `alpha` default 0.05; significance threshold to select taxa when method is "lefse" or "rf"; or used to generate significance letters when method is 'anova' or 'KW\_dunn' like the alpha parameter in `cal_diff` of `trans_alpha` class.
- `p_adjust_method` default "fdr"; `p.adjust` method; see method parameter of `p.adjust` function for other available options; "none" means disable p value adjustment; So when `p_adjust_method = "none"`, `P.adj` is same with `P.unadj`.
- `transformation` default NULL; feature abundance transformation method in the class `trans_norm`, such as 'AST' for the arc sine square root transformation. Only available when method is one of "KW", "KW\_dunn", "wilcox", "t.test", "anova", "scheirerRayHare", "betareg" and "lme".
- `remove_unknown` default TRUE; whether remove unknown features that donot have clear classification information.
- `lefse_subgroup` default NULL; sample sub group used for sub-comparison in `lefse`; Segata et al. (2011) <doi:10.1186/gb-2011-12-6-r60>.

`lefse_min_subsam` default 10; sample numbers required in the subgroup test.

`lefse_sub_strict` default FALSE; whether remove the features strictly in the sub-checking. FALSE means only removing the features that have different orders of medians across sub-groups with those across groups and the statistics are also significant. TRUE means removing the features that are not significant in one (or more) sub-test or have different orders of medians across sub-groups with those across groups.

`lefse_sub_alpha` default NULL; The significance threshold in the test for lefse sub-groups. NULL means it is same with alpha.

`lefse_norm` default 1000000; normalization value used in lefse to scale abundances for each level. A `lefse_norm` value  $< 0$  (e.g., -1) means no normalization same with the LfSe python version.

`nresam` default 0.6667; sample number ratio used in each bootstrap for method = "lefse" or "rf".

`boots` default 30; bootstrap test number for method = "lefse" or "rf".

`rf_imp_type` default 2; the type of feature importance in random forest when method = "rf". Same with type parameter in importance function of randomForest package. 1=mean decrease in accuracy (MeanDecreaseAccuracy), 2=mean decrease in node impurity (MeanDecreaseGini).

`group_choose_paired` default NULL; a vector used for selecting the required groups for paired testing instead of all paired combinations across groups; Available when method is "metasat", "metagenomeSeq", "ALDEx2\_t" or "edgeR".

`metagenomeSeq_count` default 1; Filter features to have at least 'counts' counts.; see the count parameter in MRcoefs function of metagenomeSeq package.

`ALDEx2_sig` default c("wi.eBH", "kw.eBH"); which column of the final result is used as the significance asterisk assignment; applied to method = "ALDEx2\_t" or "ALDEx2\_kw"; the first element is provided to "ALDEx2\_t"; the second is provided to "ALDEx2\_kw"; for "ALDEx2\_t", the available choice is "wi.eBH" (Expected Benjamini-Hochberg corrected P value of Wilcoxon test) and "we.eBH" (Expected BH corrected P value of Welch's t test); for "ALDEx2\_kw"; for "ALDEx2\_t", the available choice is "kw.eBH" (Expected BH corrected P value of Kruskal-Wallis test) and "glm.eBH" (Expected BH corrected P value of glm test).

`by_group` default NULL; a column of sample\_table used to perform the differential test among groups (group parameter) for each group (by\_group parameter). So by\_group has a higher level than group parameter. Same with the by\_group parameter in trans\_alpha class. Only available when method is one of c("KW", "KW\_dunn", "wilcox", "t.test", "anova", "scheirerRayHare").

`by_ID` default NULL; a column of sample\_table used to perform paired t test or paired wilcox test for the paired data, such as the data of plant compartments for different plant species (ID). So by\_ID in sample\_table should be the smallest unit of sample collection without any repetition in it. Same with the by\_ID parameter in trans\_alpha class.

`beta_pseudo` default .Machine\$double.eps; the pseudo value used when the parameter method is 'betareg' or 'glm\_beta'. As the beta distribution function limits  $0 < \text{response value} < 1$ , a pseudo value will be added for the data that equal to 0. The data that equal to 1 will be replaced by  $1/(1 + \text{beta\_pseudo})$ .

... parameters passed to cal\_diff function of trans\_alpha class when method is one of "KW", "KW\_dunn", "wilcox", "t.test", "anova", "betareg", "lme", "glm" or "glm\_beta"; passed to randomForest::randomForest function when method = "rf"; passed to ANCOMBC::ancombc2

function when method is "ancombc2" (except tax\_level, global and fix\_formula parameters); passed to ALDEx2::aldex function when method = "ALDEx2\_t" or "ALDEx2\_kw"; passed to DESeq2::DESeq function when method = "DESeq2"; passed to MicrobiomeStat::linda function when method = "linda"; passed to trans\_env\$cal\_cor function when method = "maaslin2".

*Returns:* res\_diff and res\_abund.

**res\_abund** includes mean abundance of each taxa (Mean), standard deviation (SD), standard error (SE) and sample number (N) in the group (Group).

**res\_diff** is the detailed differential test result depending on the method choice, may containing: **"Comparison"**: The groups for the comparison, maybe all groups or paired groups. If this column is not found, all groups are used;

**"Group"**: Which group has the maximum median or mean value across the test groups; For non-parametric methods, median value; For t.test, mean value;

**"Taxa"**: which taxa is used in this comparison;

**"Method"**: Test method used in the analysis depending on the method input;

**"LDA" or others**: LDA: linear discriminant score in LEfSe; MeanDecreaseAccuracy and MeanDecreaseGini: mean decreasing in accuracy or in node impurity (gini index) in random forest;

**"P.unadj"**: original p value;

**"P.adj"**: adjusted p value;

**"Estimate" and "Std.Error"**: When method is "betareg", "lm", "lme" or "glmm", "Estimate" and "Std.Error" represent fitted coefficient and its standard error, respectively;

**Others**: qvalue: qvalue in metastat analysis.

*Examples:*

```
\donttest{
data(dataset)
t1 <- trans_diff$new(dataset = dataset, method = "lefse", group = "Group")
t1 <- trans_diff$new(dataset = dataset, method = "rf", group = "Group")
t1 <- trans_diff$new(dataset = dataset, method = "metastat", group = "Group", taxa_level = "Genus")
t1 <- trans_diff$new(dataset = dataset, method = "wilcox", group = "Group")
}
```

**Method** plot\_diff\_abund(): Plot the abundance of taxa.

The significance can be optionally added in the plot. The taxa displayed are based on the taxa in the 'res\_diff' table, selected using parameters. If the user filters out the non-significant taxa from the 'res\_diff' table, these taxa will also be filtered from the plot.

*Usage:*

```
trans_diff$plot_diff_abund(
  use_number = 1:10,
  color_values = RColorBrewer::brewer.pal(8, "Dark2"),
  select_taxa = NULL,
  simplify_names = TRUE,
  keep_prefix = TRUE,
  group_order = NULL,
  order_x_mean = TRUE,
  coord_flip = TRUE,
  add_sig = TRUE,
  xtext_angle = 45,
```

```

  xtext_size = 13,
  ytitle_size = 17,
  ...
)

```

*Arguments:*

`use_number` default 1:10; numeric vector; the sequences of taxa (1:n) selected in the plot; If n is larger than the number of total significant taxa, automatically use the total number as n.

`color_values` default `RColorBrewer::brewer.pal(8, "Dark2")`; color palette for groups.

`select_taxa` default NULL; character vector to provide taxa names. The taxa names should be same with the names shown in the plot, not the 'Taxa' column names in `object$res_diff$Taxa`.

`simplify_names` default TRUE; whether use the simplified taxonomic name.

`keep_prefix` default TRUE; whether retain the taxonomic prefix.

`group_order` default NULL; a vector to order groups, i.e. reorder the legend and colors in plot; If NULL, the function can first check whether the group column of `sample_table` is factor. If yes, use the levels in it. If provided, overlook the levels in the group of `sample_table`.

`order_x_mean` default TRUE; whether order x axis by the means of groups from large to small.

`coord_flip` default TRUE; whether flip cartesian coordinates so that horizontal becomes vertical, and vertical becomes horizontal.

`add_sig` default TRUE; whether add the significance label to the plot.

`xtext_angle` default 45; number (e.g. 45). Angle of text in x axis.

`xtext_size` default 13; x axis text size. NULL means the default size in ggplot2. If `coord_flip = TRUE`, it represents the text size of the y axis.

`ytitle_size` default 17; y axis title size. If `coord_flip = TRUE`, it represents the title size of the x axis (i.e. "Relative abundance").

... parameters passed to `plot_alpha` function of `trans_alpha` class.

*Returns:* ggplot.

*Examples:*

```

\donttest{
t1 <- trans_diff$new(dataset = dataset, method = "anova", group = "Group", taxa_level = "Genus")
t1$plot_diff_abund(use_number = 1:10)
t1$plot_diff_abund(use_number = 1:10, add_sig = TRUE)
t1 <- trans_diff$new(dataset = dataset, method = "wilcox", group = "Group")
t1$plot_diff_abund(use_number = 1:20)
t1$plot_diff_abund(use_number = 1:20, add_sig = TRUE)
t1 <- trans_diff$new(dataset = dataset, method = "lefse", group = "Group")
t1$plot_diff_abund(use_number = 1:20)
t1$plot_diff_abund(use_number = 1:20, add_sig = TRUE)
}

```

**Method** `plot_diff_bar()`: Bar plot for indicator index, such as LDA score and P value.

*Usage:*

```

trans_diff$plot_diff_bar(
  color_values = RColorBrewer::brewer.pal(8, "Dark2"),
  color_group_map = FALSE,
  use_number = 1:10,

```



```

threshold = NULL,
select_group = NULL,
keep_full_name = FALSE,
keep_prefix = TRUE,
group_order = NULL,
group_aggre = TRUE,
group_two_sep = TRUE,
coord_flip = TRUE,
add_sig = FALSE,
add_sig_increase = 0.1,
add_sig_text_size = 5,
xtext_angle = 45,
xtext_size = 10,
axis_text_y = 12,
heatmap_cell = "P.unadj",
heatmap_sig = "Significance",
heatmap_x = "Factors",
heatmap_y = "Taxa",
heatmap_lab_fill = "P value",
...
)

```

*Arguments:*

`color_values` default `RColorBrewer::brewer.pal(8, "Dark2")`; colors palette for different groups.

`color_group_map` default `FALSE`; whether match the colors to groups in order to fix the color in each group when part of groups are not shown in the plot. When `color_group_map = TRUE`, the `group_order` inside the object will be used as full groups set to guide the color extraction.

`use_number` default `1:10`; numeric vector; the taxa numbers used in the plot, i.e. `1:n`.

`threshold` default `NULL`; threshold value of indicators for selecting taxa, such as 3 for LDA score of LefSe.

`select_group` default `NULL`; this is used to select the paired group when multiple comparisons are generated; The input `select_group` must be one of `object$res_diff$Comparison`.

`keep_full_name` default `FALSE`; whether keep the taxonomic full lineage names.

`keep_prefix` default `TRUE`; whether retain the taxonomic prefix, such as "g\_\_".

`group_order` default `NULL`; a vector to order the legend and colors in plot; If `NULL`, the function can first determine whether the group column of `microtable$sample_table` is factor. If yes, use the levels in it. If provided, this parameter can overwrite the levels in the group of `microtable$sample_table`.

`group_aggre` default `TRUE`; whether aggregate the features for each group.

`group_two_sep` default `TRUE`; whether display the features of two groups on opposite sides of the coordinate axes when there are only two groups in total.

`coord_flip` default `TRUE`; whether flip cartesian coordinates so that horizontal becomes vertical, and vertical becomes horizontal.

`add_sig` default `FALSE`; whether add significance label (asterisk) above the bar.

`add_sig_increase` default `0.1`; the axis position (`Value + add_sig_increase * max(Value)`) from which to add the significance label; only available when `add_sig = TRUE`.

add\_sig\_text\_size default 5; the size of added significance label; only available when add\_sig = TRUE.

xtext\_angle default 45; number ranging from 0 to 90; used to make x axis text generate angle to reduce text overlap; only available when coord\_flip = FALSE.

xtext\_size default 10; the text size of x axis.

axis\_text\_y default 12; the size for the y axis text.

heatmap\_cell default "P.unadj"; the column of data for the cell of heatmap when formula with multiple factors is found in the method.

heatmap\_sig default "Significance"; the column of data for the significance label of heatmap.

heatmap\_x default "Factors"; the column of data for the x axis of heatmap.

heatmap\_y default "Taxa"; the column of data for the y axis of heatmap.

heatmap\_lab\_fill default "P value"; legend title of heatmap.

... parameters passing to geom\_bar for the bar plot or plot\_cor function in `trans_env` class for the heatmap of multiple factors when formula is found in the method.

*Returns:* ggplot.

*Examples:*

```
\donttest{
t1$plot_diff_bar(use_number = 1:20)
}
```

**Method** `plot_diff_cladogram()`: Plot the cladogram using taxa with significant difference.

*Usage:*

```
trans_diff$plot_diff_cladogram(
  color = RColorBrewer::brewer.pal(8, "Dark2"),
  group_order = NULL,
  use_taxa_num = 200,
  filter_taxa = NULL,
  use_feature_num = NULL,
  clade_label_level = 4,
  select_show_labels = NULL,
  only_select_show = FALSE,
  sep = "|",
  branch_size = 0.2,
  alpha = 0.2,
  clade_label_size = 2,
  clade_label_size_add = 5,
  clade_label_size_log = exp(1),
  node_size_scale = 1,
  node_size_offset = 1,
  annotation_shape = 22,
  annotation_shape_size = 5
)
```

*Arguments:*

color default `RColorBrewer::brewer.pal(8, "Dark2")`; color palette used in the plot.

group\_order default NULL; a vector to order the legend in plot; If NULL, the function can first check whether the group column of sample\_table is factor. If yes, use the levels in it. If provided, this parameter can overwrite the levels in the group of sample\_table. If the number of provided group\_order is less than the number of groups in res\_diff\$Group, the function will select the groups of group\_order automatically.

use\_taxa\_num default 200; integer; The taxa number used in the background tree plot; select the taxa according to the mean abundance .

filter\_taxa default NULL; The mean relative abundance used to filter the taxa with low abundance.

use\_feature\_num default NULL; integer; The feature number used in the plot; select the features according to the metric (method = "lefse" or "rf") from high to low.

clade\_label\_level default 4; the taxonomic level for marking the label with letters, root is the largest.

select\_show\_labels default NULL; character vector; The features to show in the plot with full label names, not the letters.

only\_select\_show default FALSE; whether only use the the select features in the parameter select\_show\_labels.

sep default "|"; the separate character in the taxonomic information.

branch\_size default 0.2; numeric, size of branch.

alpha default 0.2; shading of the color.

clade\_label\_size default 2; basic size for the clade label; please also see clade\_label\_size\_add and clade\_label\_size\_log.

clade\_label\_size\_add default 5; added basic size for the clade label; see the formula in clade\_label\_size\_log parameter.

clade\_label\_size\_log default exp(1); the base of log function for added size of the clade label; the size formula:  $clade\_label\_size + \log(clade\_label\_level + clade\_label\_size\_add, base = clade\_label\_size\_log)$ ; so use clade\_label\_size\_log, clade\_label\_size\_add and clade\_label\_size can totally control the label size for different taxonomic levels.

node\_size\_scale default 1; scale for the node size.

node\_size\_offset default 1; offset for the node size.

annotation\_shape default 22; shape used in the annotation legend.

annotation\_shape\_size default 5; size used in the annotation legend.

*Returns:* ggplot.

*Examples:*

```
\dontrun{
t1$plot_diff_cladogram(use_taxa_num = 100, use_feature_num = 30, select_show_labels = NULL)
}
```

**Method** clone(): The objects of this class are cloneable with this method.

*Usage:*

```
trans_diff$clone(deep = FALSE)
```

*Arguments:*

deep Whether to make a deep clone.

**Examples**

```

## -----
## Method `trans_diff$new`
## -----

data(dataset)
t1 <- trans_diff$new(dataset = dataset, method = "lefse", group = "Group")
t1 <- trans_diff$new(dataset = dataset, method = "rf", group = "Group")
t1 <- trans_diff$new(dataset = dataset, method = "metastat", group = "Group", taxa_level = "Genus")
t1 <- trans_diff$new(dataset = dataset, method = "wilcox", group = "Group")

## -----
## Method `trans_diff$plot_diff_abund`
## -----

t1 <- trans_diff$new(dataset = dataset, method = "anova", group = "Group", taxa_level = "Genus")
t1$plot_diff_abund(use_number = 1:10)
t1$plot_diff_abund(use_number = 1:10, add_sig = TRUE)
t1 <- trans_diff$new(dataset = dataset, method = "wilcox", group = "Group")
t1$plot_diff_abund(use_number = 1:20)
t1$plot_diff_abund(use_number = 1:20, add_sig = TRUE)
t1 <- trans_diff$new(dataset = dataset, method = "lefse", group = "Group")
t1$plot_diff_abund(use_number = 1:20)
t1$plot_diff_abund(use_number = 1:20, add_sig = TRUE)

## -----
## Method `trans_diff$plot_diff_bar`
## -----

t1$plot_diff_bar(use_number = 1:20)

## -----
## Method `trans_diff$plot_diff_cladogram`
## -----

## Not run:
t1$plot_diff_cladogram(use_taxa_num = 100, use_feature_num = 30, select_show_labels = NULL)

## End(Not run)

```

---

trans\_env

---

*Create trans\_env object to analyze the association between environmental factor and microbial community.*


---

## Description

This class is a wrapper for a series of operations associated with environmental measurements, including redundancy analysis, mantel test, correlation analysis and linear fitting.

## Methods

### Public methods:

- `trans_env$new()`
- `trans_env$scal_diff()`
- `trans_env$plot_diff()`
- `trans_env$scal_autocor()`
- `trans_env$scal_ordination()`
- `trans_env$scal_ordination_anova()`
- `trans_env$scal_ordination_envfit()`
- `trans_env$trans_ordination()`
- `trans_env$plot_ordination()`
- `trans_env$scal_mantel()`
- `trans_env$scal_cor()`
- `trans_env$plot_cor()`
- `trans_env$plot_scatterfit()`
- `trans_env$print()`
- `trans_env$clone()`

### Method `new()`:

*Usage:*

```
trans_env$new(
  dataset = NULL,
  env_cols = NULL,
  add_data = NULL,
  character2numeric = FALSE,
  standardize = FALSE,
  complete_na = FALSE
)
```

*Arguments:*

`dataset` the object of `microtable` Class.

`env_cols` default `NULL`; either numeric vector or character vector to select columns in `microtable$sample_table`, i.e. `dataset$sample_table`. This parameter should be used in the case that all the required environmental data is in `sample_table` of your `microtable` object. Otherwise, please use `add_data` parameter.

`add_data` default `NULL`; `data.frame` format; provide the environmental data in the format `data.frame`; `rownames` should be sample names. This parameter should be used when the `microtable$sample_table` object does not have environmental data. Under this circumstance, the `env_cols` parameter can not be used because no data can be selected.

`character2numeric` default `FALSE`; whether convert the characters or factors to numeric values.

standardize default FALSE; whether scale environmental variables to zero mean and unit variance.

complete\_na default FALSE; Whether fill the NA (missing value) in the environmental data; If TRUE, the function can run the interpolation with the mice package.

*Returns:* data\_env stored in the object.

*Examples:*

```
data(dataset)
data(env_data_16S)
t1 <- trans_env$new(dataset = dataset, add_data = env_data_16S[, 4:11])
```

**Method** cal\_diff(): Differential test of environmental variables across groups.

*Usage:*

```
trans_env$cal_diff(
  group = NULL,
  by_group = NULL,
  method = c("KW", "KW_dunn", "wilcox", "t.test", "anova", "scheirerRayHare", "lm",
    "lme", "glmm")[1],
  ...
)
```

*Arguments:*

group default NULL; a colname of sample\_table used to compare values across groups.

by\_group default NULL; perform differential test among groups (group parameter) within each group (by\_group parameter).

method default "KW"; see the following available options:

**'KW'** KW: Kruskal-Wallis Rank Sum Test for all groups ( $\geq 2$ )

**'KW\_dunn'** Dunn's Kruskal-Wallis Multiple Comparisons, see dunnTest function in FSA package

**'wilcox'** Wilcoxon Rank Sum and Signed Rank Tests for all paired groups

**'t.test'** Student's t-Test for all paired groups

**'anova'** Duncan's new multiple range test for one-way anova; see duncan.test function of agricolae package. For multi-factor anova, see aov

**'scheirerRayHare'** Scheirer Ray Hare test for nonparametric test used for a two-way factorial experiment; see scheirerRayHare function of rcompanion package

**'lm'** Linear model based on the lm function

**'lme'** lme: Linear Mixed Effect Model based on the lmerTest package. The formula parameter should be provided.

**'glmm'** Generalized linear mixed model (GLMM) based on the glmmTMB package. The formula and family parameters are needed. Please refer to glmmTMB package to select the family function, e.g. family = glmmTMB::lognormal(link = "log"). The usage of formula is similar with that in 'lme' method. For the details of return table, please refer to the help document of trans\_diff class.

... parameters passed to cal\_diff function of trans\_alpha class.

*Returns:* res\_diff stored in the object. In the data frame, 'Group' column means that the group has the maximum median or mean value across the test groups; For non-parametric methods, median value; For t.test, mean value.

*Examples:*

```
\donttest{
t1$cal_diff(group = "Group", method = "KW")
t1$cal_diff(group = "Group", method = "anova")
}
```

**Method** `plot_diff()`: Plot environmental variables across groups and add the significance label.

*Usage:*

```
trans_env$plot_diff(...)
```

*Arguments:*

... parameters passed to `plot_alpha` in `trans_alpha` class. Please see `plot_alpha` function of `trans_alpha` for all the available parameters.

**Method** `cal_autocor()`: Calculate the autocorrelations among environmental variables.

*Usage:*

```
trans_env$cal_autocor(
  group = NULL,
  ggpairs = TRUE,
  color_values = RColorBrewer::brewer.pal(8, "Dark2"),
  alpha = 0.8,
  ...
)
```

*Arguments:*

`group` default NULL; a colname of `sample_table`; used to perform calculations for different groups.

`ggpairs` default TRUE; whether use `GGally::ggpairs` function to plot the correlation results.

If `ggpairs = FALSE`, the function will output a table with all the values instead of a graph.

In this case, the function will call `cal_cor` to calculate autocorrelation instead of using the `ggpairs` function in `GGally`, so please use parameter passing to control more options.

`color_values` default `RColorBrewer::brewer.pal(8, "Dark2")`; colors palette.

`alpha` default 0.8; the alpha value to add transparency in colors; useful when group is not NULL.

... parameters passed to `GGally::ggpairs` when `ggpairs = TRUE` or passed to `cal_cor` of `trans_env` class when `ggpairs = FALSE`.

*Returns:* `ggmatrix` when `ggpairs = TRUE` or `data.frame` object when `ggpairs = FALSE`.

*Examples:*

```
\dontrun{
# Spearman correlation
t1$cal_autocor(upper = list(continuous = GGally::wrap("cor", method= "spearman")))
}
```

**Method** `cal_ordination()`: Redundancy analysis (RDA) and Correspondence Analysis (CCA) based on the `vegan` package.

*Usage:*

```
trans_env$cal_ordination(
  method = c("RDA", "dbRDA", "CCA")[1],
  feature_sel = FALSE,
  taxa_level = NULL,
  taxa_filter_thres = NULL,
  use_measure = NULL,
  add_matrix = NULL,
  ...
)
```

*Arguments:*

`method` default `c("RDA", "dbRDA", "CCA")[1]`; the ordination method.

`feature_sel` default `FALSE`; whether perform the feature selection based on forward selection method.

`taxa_level` default `NULL`; If use `RDA` or `CCA`, provide the taxonomic rank, such as "Phylum" or "Genus"; If use `otu_table`; please set `taxa_level = "OTU"`.

`taxa_filter_thres` default `NULL`; relative abundance threshold used to filter taxa when method is "RDA" or "CCA".

`use_measure` default `NULL`; a name of beta diversity matrix; only available when parameter `method = "dbRDA"`; If not provided, use the first beta diversity matrix in the `microtable$beta_diversity` automatically.

`add_matrix` default `NULL`; additional distance matrix provided, when the user does not want to use the beta diversity matrix within the dataset; only available when `method = "dbRDA"`.

... parameters passed to `dbrda`, `rda` or `cca` function according to the method parameter.

*Returns:* `res_ordination` and `res_ordination_R2` stored in the object.

*Examples:*

```
\donttest{
t1$cal_ordination(method = "dbRDA", use_measure = "bray")
t1$cal_ordination(method = "RDA", taxa_level = "Genus")
t1$cal_ordination(method = "CCA", taxa_level = "Genus")
}
```

**Method** `cal_ordination_anova()`: Use `anova` to test the significance of the terms and axis in ordination.

*Usage:*

```
trans_env$cal_ordination_anova(...)
```

*Arguments:*

... parameters passed to `anova` function.

*Returns:* `res_ordination_terms` and `res_ordination_axis` stored in the object.

*Examples:*

```
\donttest{
t1$cal_ordination_anova()
}
```

**Method** `cal_ordination_envfit()`: Fit each environmental vector onto the ordination to obtain the contribution of each variable.



*Usage:*

```
trans_env$cal_ordination_envfit(...)
```

*Arguments:*

... the parameters passed to `vegan::envfit` function.

*Returns:* `res_ordination_envfit` stored in the object.

*Examples:*

```
\donttest{
t1$cal_ordination_envfit()
}
```

**Method** `trans_ordination()`: Transform ordination results for the following plot.

*Usage:*

```
trans_env$trans_ordination(
  show_taxa = 10,
  adjust_arrow_length = FALSE,
  min_perc_env = 0.1,
  max_perc_env = 0.8,
  min_perc_tax = 0.1,
  max_perc_tax = 0.8
)
```

*Arguments:*

`show_taxa` default 10; taxa number shown in the plot.

`adjust_arrow_length` default FALSE; whether adjust the arrow length to be clearer.

`min_perc_env` default 0.1; used for scaling up the minimum of env arrow; multiply by the maximum distance between samples and origin.

`max_perc_env` default 0.8; used for scaling up the maximum of env arrow; multiply by the maximum distance between samples and origin.

`min_perc_tax` default 0.1; used for scaling up the minimum of tax arrow; multiply by the maximum distance between samples and origin.

`max_perc_tax` default 0.8; used for scaling up the maximum of tax arrow; multiply by the maximum distance between samples and origin.

*Returns:* `res_ordination_trans` stored in the object.

*Examples:*

```
\donttest{
t1$trans_ordination(adjust_arrow_length = TRUE, min_perc_env = 0.1, max_perc_env = 1)
}
```

**Method** `plot_ordination()`: plot ordination result.

*Usage:*

```
trans_env$plot_ordination(
  plot_color = NULL,
  plot_shape = NULL,
  color_values = RColorBrewer::brewer.pal(8, "Dark2"),
  shape_values = c(16, 17, 7, 8, 15, 18, 11, 10, 12, 13, 9, 3, 4, 0, 1, 2, 14),
```

```

env_text_color = "black",
env_arrow_color = "grey30",
taxa_text_color = "firebrick1",
taxa_arrow_color = "firebrick1",
env_text_size = 3.7,
taxa_text_size = 3,
taxa_text_italic = TRUE,
plot_type = "point",
point_size = 3,
point_alpha = 0.8,
centroid_segment_alpha = 0.6,
centroid_segment_size = 1,
centroid_segment_linetype = 3,
ellipse_chull_fill = TRUE,
ellipse_chull_alpha = 0.1,
ellipse_level = 0.9,
ellipse_type = "t",
add_sample_label = NULL,
env_nudge_x = NULL,
env_nudge_y = NULL,
taxa_nudge_x = NULL,
taxa_nudge_y = NULL,
...
)

```

*Arguments:*

`plot_color` default NULL; a colname of `sample_table` to assign colors to different groups.

`plot_shape` default NULL; a colname of `sample_table` to assign shapes to different groups.

`color_values` default `RColorBrewer::brewer.pal(8, "Dark2")`; color pallete for different groups.

`shape_values` default `c(16, 17, 7, 8, 15, 18, 11, 10, 12, 13, 9, 3, 4, 0, 1, 2, 14)`; a vector for point shape types of groups, see `ggplot2` tutorial.

`env_text_color` default "black"; environmental variable text color.

`env_arrow_color` default "grey30"; environmental variable arrow color.

`taxa_text_color` default "firebrick1"; taxa text color.

`taxa_arrow_color` default "firebrick1"; taxa arrow color.

`env_text_size` default 3.7; environmental variable text size.

`taxa_text_size` default 3; taxa text size.

`taxa_text_italic` default TRUE; "italic"; whether use "italic" style for the taxa text.

`plot_type` default "point"; plotting type of samples; one or more elements of "point", "ellipse", "chull", "centroid" and "none"; "none" denotes nothing.

- 'point'** add point
- 'ellipse'** add confidence ellipse for points of each group
- 'chull'** add convex hull for points of each group
- 'centroid'** add centroid line of each group

`point_size` default 3; point size in plot when "point" is in `plot_type`.

point\_alpha default .8; point transparency in plot when "point" is in plot\_type.

centroid\_segment\_alpha default 0.6; segment transparency in plot when "centroid" is in plot\_type.

centroid\_segment\_size default 1; segment size in plot when "centroid" is in plot\_type.

centroid\_segment\_linetype default 3; an integer; the line type related with centroid in plot when "centroid" is in plot\_type.

ellipse\_chull\_fill default TRUE; whether fill colors to the area of ellipse or chull.

ellipse\_chull\_alpha default 0.1; color transparency in the ellipse or convex hull depending on whether "ellipse" or "centroid" is in plot\_type.

ellipse\_level default .9; confidence level of ellipse when "ellipse" is in plot\_type.

ellipse\_type default "t"; ellipse type when "ellipse" is in plot\_type; see type parameter in stat\_ellipse function of ggplot2 package.

add\_sample\_label default NULL; the column name in sample table, if provided, show the point name in plot.

env\_nudge\_x default NULL; numeric vector to adjust the env text x axis position; passed to nudge\_x parameter of ggrepel::geom\_text\_repel function; default NULL represents automatic adjustment; the length must be same with the row number of object\$res\_ordination\_trans\$df\_arrows. For example, if there are 5 env variables, env\_nudge\_x should be something like c(0.1, 0, -0.2, 0, 0). Note that this parameter and env\_nudge\_y is generally used when the automatic text adjustment is not very well.

env\_nudge\_y default NULL; numeric vector to adjust the env text y axis position; passed to nudge\_y parameter of ggrepel::geom\_text\_repel function; default NULL represents automatic adjustment; the length must be same with the row number of object\$res\_ordination\_trans\$df\_arrows. For example, if there are 5 env variables, env\_nudge\_y should be something like c(0.1, 0, -0.2, 0, 0).

taxa\_nudge\_x default NULL; numeric vector to adjust the taxa text x axis position; passed to nudge\_x parameter of ggrepel::geom\_text\_repel function; default NULL represents automatic adjustment; the length must be same with the row number of object\$res\_ordination\_trans\$df\_arrows\_sp. For example, if 3 taxa are shown, taxa\_nudge\_x should be something like c(0.3, -0.2, 0).

taxa\_nudge\_y default NULL; numeric vector to adjust the taxa text y axis position; passed to nudge\_y parameter of ggrepel::geom\_text\_repel function; default NULL represents automatic adjustment; the length must be same with the row number of object\$res\_ordination\_trans\$df\_arrows\_sp. For example, if 3 taxa are shown, taxa\_nudge\_y should be something like c(-0.2, 0, 0.4).

... parameters passed to geom\_point for controlling sample points.

*Returns:* ggplot object.

*Examples:*

```
\donttest{
t1$cal_ordination(method = "RDA")
t1$trans_ordination(adjust_arrow_length = TRUE, max_perc_env = 1.5)
t1$plot_ordination(plot_color = "Group")
t1$plot_ordination(plot_color = "Group", plot_shape = "Group", plot_type = c("point", "ellipse"))
t1$plot_ordination(plot_color = "Group", plot_type = c("point", "chull"))
t1$plot_ordination(plot_color = "Group", plot_type = c("point", "centroid"),
  centroid_segment_linetype = 1)
t1$plot_ordination(plot_color = "Group", env_nudge_x = c(0.4, 0, 0, 0, 0, -0.2, 0, 0),
```

```

  env_nudge_y = c(0.6, 0, 0.2, 0.5, 0, 0.1, 0, 0.2))
}

```

**Method** `cal_mantel()`: Mantel test between beta diversity matrix and environmental data.

*Usage:*

```

trans_env$cal_mantel(
  partial_mantel = FALSE,
  add_matrix = NULL,
  use_measure = NULL,
  method = "pearson",
  p_adjust_method = "fdr",
  by_group = NULL,
  ...
)

```

*Arguments:*

`partial_mantel` default FALSE; whether use partial mantel test; If TRUE, use other all measurements as the zdis in each calculation.

`add_matrix` default NULL; additional distance matrix provided when the beta diversity matrix in the dataset is not used.

`use_measure` default NULL; a name of beta diversity matrix. If necessary and not provided, use the first beta diversity matrix.

`method` default "pearson"; one of "pearson", "spearman" and "kendall"; correlation method; see method parameter in `vegan::mantel` function.

`p_adjust_method` default "fdr"; p.adjust method; see method parameter of `p.adjust` function for available options.

`by_group` default NULL; one column name or number in `sample_table`; used to perform mantel test for different groups separately.

... parameters passed to `mantel` of `vegan` package.

*Returns:* `res_mantel` in object.

*Examples:*

```

\donttest{
t1$cal_mantel(use_measure = "bray")
t1$cal_mantel(partial_mantel = TRUE, use_measure = "bray")
}

```

**Method** `cal_cor()`: Calculate the correlations between taxonomic abundance and environmental variables. Actually, it can also be applied to other correlation between any two variables from two tables.

*Usage:*

```

trans_env$cal_cor(
  use_data = c("Genus", "all", "other")[1],
  cor_method = c("pearson", "spearman", "kendall", "maaslin2")[1],
  partial = FALSE,
  partial_fix = NULL,
  add_abund_table = NULL,

```

```

filter_thres = 0,
use_taxa_num = NULL,
other_taxa = NULL,
p_adjust_method = "fdr",
p_adjust_type = c("All", "Taxa", "Env")[1],
by_group = NULL,
group_use = NULL,
group_select = NULL,
taxa_name_full = TRUE,
tmp_input_maaslin2 = "tmp_input",
tmp_output_maaslin2 = "tmp_output",
...
)

```

*Arguments:*

`use_data` default "Genus"; "Genus", "all" or "other"; "Genus" or other taxonomic names (e.g., "Phylum", "ASV"): invoke taxonomic abundance table in `taxa_abund` list of the `microtable` object; "all": merge all the taxonomic abundance tables in `taxa_abund` list into one; "other": provide additional taxa names by assigning `other_taxa` parameter.

`cor_method` default "pearson"; "pearson", "spearman", "kendall" or "maaslin2"; correlation method. "pearson", "spearman" or "kendall" all refer to the correlation analysis based on the `cor.test` function in R. "maaslin2" is the method in `Maaslin2` package for finding associations between metadata and potentially high-dimensional microbial multi-omics data.

`partial` default FALSE; whether perform partial correlation based on the `ppcor` package.

`partial_fix` default NULL; selected environmental variable names used as third group of variables in all the partial correlations. If NULL; all the variables (except the one for correlation) in the environmental data will be used as the third group of variables. Otherwise, the function will control for the provided variables (one or more) in all the partial correlations, and the variables in `partial_fix` will not be employed anymore in the correlation analysis.

`add_abund_table` default NULL; additional data table to be used. Row names must be sample names.

`filter_thres` default 0; the abundance threshold, such as 0.0005 when the input is relative abundance. The features with abundances lower than `filter_thres` will be filtered. This parameter cannot be applied when `add_abund_table` parameter is provided.

`use_taxa_num` default NULL; integer; a number used to select high abundant taxa; only useful when `use_data` parameter is a taxonomic level, e.g., "Genus".

`other_taxa` default NULL; character vector containing a series of feature names; available when `use_data` = "other"; provided names should be standard full names used to select taxa from all the tables in `taxa_abund` list of the `microtable` object; please refer to the example.

`p_adjust_method` default "fdr"; p.adjust method; see method parameter of `p.adjust` function for available options. `p_adjust_method` = "none" can disable the p value adjustment.

`p_adjust_type` default "All"; "All", "Taxa" or "Env"; P value adjustment type. "Env": adjustment for each environmental variable separately; "Taxa": adjustment for each taxon separately; "All": adjustment for all the data together no matter whether `by_group` is provided.

`by_group` default NULL; one column name or number in `sample_table`; calculate correlations for different groups separately.

group\_use default NULL; numeric or character vector to select one column in sample\_table for selecting samples; together with group\_select.

group\_select default NULL; the group name used; remain samples within the group.

taxa\_name\_full default TRUE; Whether use the complete taxonomic name of taxa.

tmp\_input\_maaslin2 default "tmp\_input"; the temporary folder used to save the input files for Maaslin2.

tmp\_output\_maaslin2 default "tmp\_output"; the temporary folder used to save the output files of Maaslin2.

... parameters passed to Maaslin2 function of Maaslin2 package.

*Returns:* res\_cor stored in the object.

*Examples:*

```
\donttest{
t2 <- trans_diff$new(dataset = dataset, method = "rf", group = "Group", rf_taxa_level = "Genus")
t1 <- trans_env$new(dataset = dataset, add_data = env_data_16S[, 4:11])
t1$cal_cor(use_data = "other", p_adjust_method = "fdr", other_taxa = t2$res_diff$Taxa[1:40])
}
```

**Method** plot\_cor(): Plot correlation heatmap.

*Usage:*

```
trans_env$plot_cor(
  color_vector = c("#053061", "white", "#A50026"),
  color_palette = NULL,
  filter_feature = NULL,
  filter_env = NULL,
  ylab_type_italic = FALSE,
  keep_full_name = FALSE,
  keep_prefix = TRUE,
  text_y_order = NULL,
  text_x_order = NULL,
  xtext_angle = 30,
  xtext_size = 10,
  xtext_color = "black",
  ytext_size = NULL,
  ytext_color = "black",
  sig_label_size = 4,
  font_family = NULL,
  cluster_ggplot = "none",
  cluster_height_rows = 0.2,
  cluster_height_cols = 0.2,
  text_y_position = "right",
  na.value = "grey50",
  trans = "identity",
  ...
)
```

*Arguments:*

color\_vector default c("#053061", "white", "#A50026"); colors with only three values representing low, middle and high values.

color\_palette default NULL; a customized palette with more color values to be used instead of the parameter color\_vector.

filter\_feature default NULL; character vector; used to filter features that only have labels in the filter\_feature vector. For example, filter\_feature = "" can be used to remove features that only have "", no any "\*".

filter\_env default NULL; character vector; used to filter environmental variables that only have labels in the filter\_env vector. For example, filter\_env = "" can be used to remove features that only have "", no any "\*".

ylab\_type\_italic default FALSE; whether use italic type for y lab text.

keep\_full\_name default FALSE; whether use the complete taxonomic name.

keep\_prefix default TRUE; whether retain the taxonomic prefix.

text\_y\_order default NULL; character vector; customized text for y axis; shown in the plot from the top down. The input should be consistent with the feature names in the res\_cor table.

text\_x\_order default NULL; character vector; customized text for x axis.

xtext\_angle default 30; number ranging from 0 to 90; used to adjust x axis text angle.

xtext\_size default 10; x axis text size.

xtext\_color default "black"; x axis text color.

ytext\_size default NULL; y axis text size. NULL means default ggplot2 value.

ytext\_color default "black"; y axis text color.

sig\_label\_size default 4; the size of significance label shown in the cell.

font\_family default NULL; font family used.

cluster\_ggplot default "none"; add clustering dendrogram for ggplot2 based heatmap. Available options: "none", "row", "col" or "both". "none": no any clustering used; "row": add clustering for rows; "col": add clustering for columns; "both": add clustering for both rows and columns.

cluster\_height\_rows default 0.2, the dendrogram plot height for rows; available when cluster\_ggplot is not "none".

cluster\_height\_cols default 0.2, the dendrogram plot height for columns; available when cluster\_ggplot is not "none".

text\_y\_position default "right"; "left" or "right"; the y axis text position for ggplot2 based heatmap.

na.value default "grey50"; the color for the missing values.

trans default "identity"; the transformation for continuous scales in the legend; see the trans item in ggplot2::scale\_colour\_gradientn.

... parameters passed to ggplot2::geom\_tile.

*Returns:* ggplot2 object.

*Examples:*

```

\donttest{
t1$plot_cor()
}

```

**Method** plot\_scatterfit(): Scatter plot with fitted line based on the correlation or regression. The most important thing is to make sure that the input x and y have corresponding sample orders.

If one of  $x$  and  $y$  is a matrix, the other will be also transformed to matrix with Euclidean distance. Then, both of them are transformed to be vectors. If  $x$  or  $y$  is a vector with a single value,  $x$  or  $y$  will be assigned according to the column selection of the `data_env` in the object.

*Usage:*

```
trans_env$plot_scatterfit(
  x = NULL,
  y = NULL,
  group = NULL,
  group_order = NULL,
  color_values = RColorBrewer::brewer.pal(8, "Dark2"),
  shape_values = NULL,
  type = c("cor", "lm")[1],
  cor_method = "pearson",
  label_sep = ";",
  label.x.npc = "left",
  label.y.npc = "top",
  label.x = NULL,
  label.y = NULL,
  x_axis_title = "",
  y_axis_title = "",
  point_size = 5,
  point_alpha = 0.6,
  line_size = 0.8,
  line_color = "black",
  line_se = TRUE,
  line_se_color = "grey70",
  line_alpha = 0.5,
  pvalue_trim = 4,
  cor_coef_trim = 3,
  lm_equation = TRUE,
  lm_fir_trim = 2,
  lm_sec_trim = 2,
  lm_squ_trim = 2,
  ...
)
```

*Arguments:*

- `x` default NULL; a single numeric or character value, a vector, or a distance matrix used for the  $x$  axis. If  $x$  is a single value, it will be used to select the column of `data_env` in the object. If  $x$  is a distance matrix, it will be transformed to be a vector.
- `y` default NULL; a single numeric or character value, a vector, or a distance matrix used for the  $y$  axis. If  $y$  is a single value, it will be used to select the column of `data_env` in the object. If  $y$  is a distance matrix, it will be transformed to be a vector.
- `group` default NULL; a character vector; if length is 1, must be a colname of `sample_table` in the input dataset; Otherwise, `group` should be a vector having same length with  $x/y$  (for vector) or column number of  $x/y$  (for matrix).
- `group_order` default NULL; a vector used to order groups, i.e. reorder the legend and colors in plot when `group` is not NULL; If `group_order` is NULL and `group` is provided, the function



can first check whether the group column of `sample_table` is factor. If `group_order` is provided, disable the group orders or factor levels in the group column of `sample_table`.  
`color_values` default `RColorBrewer::brewer.pal(8, "Dark2")`; color palette for different groups.

`shape_values` default `NULL`; a numeric vector for point shape types of groups when group is not `NULL`, see `ggplot2` tutorial.

`type` default `c("cor", "lm")[1]`; "cor": correlation; "lm" for regression.

`cor_method` default "pearson"; one of "pearson", "kendall" and "spearman"; correlation method.

`label_sep` default ";"; the separator string between different label parts.

`label.x.npc` default "left"; can be numeric or character vector of the same length as the number of groups and/or panels. If too short, they will be recycled.

**numeric** value should be between 0 and 1. Coordinates to be used for positioning the label, expressed in "normalized parent coordinates"

**character** allowed values include: i) one of `c('right', 'left', 'center', 'centre', 'middle')` for x-axis; ii) and one of `c('bottom', 'top', 'center', 'centre', 'middle')` for y-axis.

`label.y.npc` default "top"; same usage with `label.x.npc`; also see `label.y.npc` parameter of `ggpubr::stat_cor` function.

`label.x` default `NULL`; x axis absolute position for adding the statistic label.

`label.y` default `NULL`; x axis absolute position for adding the statistic label.

`x_axis_title` default ""; the title of x axis.

`y_axis_title` default ""; the title of y axis.

`point_size` default 5; point size value.

`point_alpha` default 0.6; alpha value for the point color transparency.

`line_size` default 0.8; line size value.

`line_color` default "black"; fitted line color; only available when `group = NULL`.

`line_se` default `TRUE`; Whether show the confidence interval for the fitting.

`line_se_color` default "grey70"; the color to fill the confidence interval when `line_se = TRUE`.

`line_alpha` default 0.5; alpha value for the color transparency of line confidence interval.

`pvalue_trim` default 4; trim the decimal places of p value.

`cor_coef_trim` default 3; trim the decimal places of correlation coefficient.

`lm_equation` default `TRUE`; whether include the equation in the label when `type = "lm"`.

`lm_fir_trim` default 2; trim the decimal places of first coefficient in regression.

`lm_sec_trim` default 2; trim the decimal places of second coefficient in regression.

`lm_squ_trim` default 2; trim the decimal places of R square in regression.

... other arguments passed to `geom_text` or `geom_label`.

*Returns:* `ggplot`.

*Examples:*

```
\donttest{
t1$plot_scatterfit(x = 1, y = 2, type = "cor")
t1$plot_scatterfit(x = 1, y = 2, type = "lm", point_alpha = .3)
t1$plot_scatterfit(x = "pH", y = "TOC", type = "lm", group = "Group", line_se = FALSE)
t1$plot_scatterfit(x =
  dataset$beta_diversity$bray[rownames(t1$data_env), rownames(t1$data_env)], y = "pH")
}
```

**Method print():** Print the trans\_env object.

*Usage:*

```
trans_env$print()
```

**Method clone():** The objects of this class are cloneable with this method.

*Usage:*

```
trans_env$clone(deep = FALSE)
```

*Arguments:*

deep Whether to make a deep clone.

## Examples

```
## -----
## Method `trans_env$new`
## -----

data(dataset)
data(env_data_16S)
t1 <- trans_env$new(dataset = dataset, add_data = env_data_16S[, 4:11])

## -----
## Method `trans_env$cal_diff`
## -----

t1$cal_diff(group = "Group", method = "KW")
t1$cal_diff(group = "Group", method = "anova")

## -----
## Method `trans_env$cal_autocor`
## -----

## Not run:
# Spearman correlation
t1$cal_autocor(upper = list(continuous = GGally::wrap("cor", method= "spearman")))

## End(Not run)

## -----
## Method `trans_env$cal_ordination`
## -----

t1$cal_ordination(method = "dbRDA", use_measure = "bray")
t1$cal_ordination(method = "RDA", taxa_level = "Genus")
t1$cal_ordination(method = "CCA", taxa_level = "Genus")

## -----
## Method `trans_env$cal_ordination_anova`
```

```

## -----

t1$scal_ordination_anova()

## -----
## Method `trans_env$scal_ordination_envfit`
## -----

t1$scal_ordination_envfit()

## -----
## Method `trans_env$trans_ordination`
## -----

t1$trans_ordination(adjust_arrow_length = TRUE, min_perc_env = 0.1, max_perc_env = 1)

## -----
## Method `trans_env$plot_ordination`
## -----

t1$scal_ordination(method = "RDA")
t1$trans_ordination(adjust_arrow_length = TRUE, max_perc_env = 1.5)
t1$plot_ordination(plot_color = "Group")
t1$plot_ordination(plot_color = "Group", plot_shape = "Group", plot_type = c("point", "ellipse"))
t1$plot_ordination(plot_color = "Group", plot_type = c("point", "chull"))
t1$plot_ordination(plot_color = "Group", plot_type = c("point", "centroid"),
  centroid_segment_linetype = 1)
t1$plot_ordination(plot_color = "Group", env_nudge_x = c(0.4, 0, 0, 0, 0, -0.2, 0, 0),
  env_nudge_y = c(0.6, 0, 0.2, 0.5, 0, 0.1, 0, 0.2))

## -----
## Method `trans_env$scal_mantel`
## -----

t1$scal_mantel(use_measure = "bray")
t1$scal_mantel(partial_mantel = TRUE, use_measure = "bray")

## -----
## Method `trans_env$scal_cor`
## -----

t2 <- trans_diff$new(dataset = dataset, method = "rf", group = "Group", rf_taxa_level = "Genus")

```

```

t1 <- trans_env$new(dataset = dataset, add_data = env_data_16S[, 4:11])
t1$cal_cor(use_data = "other", p_adjust_method = "fdr", other_taxa = t2$res_diff$Taxa[1:40])

## -----
## Method `trans_env$plot_cor`
## -----

t1$plot_cor()

## -----
## Method `trans_env$plot_scatterfit`
## -----

t1$plot_scatterfit(x = 1, y = 2, type = "cor")
t1$plot_scatterfit(x = 1, y = 2, type = "lm", point_alpha = .3)
t1$plot_scatterfit(x = "pH", y = "TOC", type = "lm", group = "Group", line_se = FALSE)
t1$plot_scatterfit(x =
  dataset$beta_diversity$bray[rownames(t1$data_env), rownames(t1$data_env)], y = "pH")

```

---

trans\_func

---

*Create trans\_func object for functional prediction.*


---

## Description

This class is a wrapper for a series of functional prediction analysis on species and communities, including the prokaryotic trait prediction based on Louca et al. (2016) <doi:10.1126/science.aaf4507> and Lim et al. (2020) <10.1038/s41597-020-0516-5>, or fungal trait prediction based on Nguyen et al. (2016) <10.1016/j.funeco.2015.06.006> and Polme et al. (2020) <doi:10.1007/s13225-020-00466-2>; functional redundancy calculation and metabolic pathway abundance prediction Abhauer et al. (2015) <10.1093/bioinformatics/btv287>.

## Active bindings

func\_group\_list store and show the function group list

## Methods

### Public methods:

- [trans\\_func\\$new\(\)](#)
- [trans\\_func\\$cal\\_spe\\_func\(\)](#)
- [trans\\_func\\$cal\\_spe\\_func\\_perc\(\)](#)
- [trans\\_func\\$show\\_prok\\_func\(\)](#)
- [trans\\_func\\$trans\\_spe\\_func\\_perc\(\)](#)

- `trans_func$plot_spe_func_perc()`
- `trans_func$cal_tax4fun2()`
- `trans_func$cal_tax4fun2_FRI()`
- `trans_func$clone()`

**Method** `new()`: Create the `trans_func` object. This function can identify the data type for Prokaryotes or Fungi automatically.

*Usage:*

```
trans_func$new(dataset = NULL)
```

*Arguments:*

`dataset` the object of `microtable` Class.

*Returns:* `for_what`: "prok" or "fungi" or NA, "prok" represent prokaryotes. "fungi" represent fungi. NA stand for unknown according to the Kingdom information. In this case, if the user still want to use the function to identify species traits, please provide "prok" or "fungi" manually, e.g. `t1$for_what <- "prok"`.

*Examples:*

```
data(dataset)
t1 <- trans_func$new(dataset = dataset)
```

**Method** `cal_spe_func()`: Identify traits of each feature by matching taxonomic assignments to functional database.

*Usage:*

```
trans_func$cal_spe_func(
  prok_database = c("FAPROTAX", "NJC19")[1],
  fungi_database = c("FUNGuild", "FungalTraits")[1],
  FUNGuild_confidence = c("Highly Probable", "Probable", "Possible")
)
```

*Arguments:*

`prok_database` default "FAPROTAX"; "FAPROTAX" or "NJC19"; select a prokaryotic trait database:

**'FAPROTAX'** FAPROTAX; Reference: Louca et al. (2016). Decoupling function and taxonomy in the global ocean microbiome. *Science*, 353(6305), 1272. <doi:10.1126/science.aaf4507>

**'NJC19'** NJC19: Lim et al. (2020). Large-scale metabolic interaction network of the mouse and human gut microbiota. *Scientific Data*, 7(1). <10.1038/s41597-020-0516-5>. Note that the matching in this database is performed at the species level, hence utilizing it demands a higher level of precision in regards to the assignments of species in the taxonomic information table.

`fungi_database` default "FUNGuild"; "FUNGuild" or "FungalTraits"; select a fungal trait database:

**'FUNGuild'** Nguyen et al. (2016) FUNGuild: An open annotation tool for parsing fungal community datasets by ecological guild. *Fungal Ecology*, 20(1), 241-248, <doi:10.1016/j.funeco.2015.06.006>

**'FungalTraits'** version: `FungalTraits_1.2_ver_16Dec_2020V.1.2`; Polme et al. Fungal-Traits: a user-friendly traits database of fungi and fungus-like stramenopiles. *Fungal Diversity* 105, 1-16 (2020). <doi:10.1007/s13225-020-00466-2>

FUNGuild\_confidence default c("Highly Probable", "Probable", "Possible"). Selected 'confidenceRanking' when fungi\_database = "FUNGuild".

*Returns:* res\_spe\_func stored in object.

*Examples:*

```
\donttest{
t1$cal_spe_func(prok_database = "FAPROTAX")
}
```

**Method** cal\_spe\_func\_perc(): Calculating the percentages of species with specific trait in communities. The percentages of the taxa with specific trait can reflect corresponding functional potential in the community. So this method is one representation of functional redundancy (FR) without the consideration of phylogenetic distance among taxa. The FR is defined:

$$FR_{kj}^{unweighted} = \frac{N_j}{N_k}$$

$$FR_{kj}^{weighted} = \frac{\sum_{i=1}^{N_j} A_i}{\sum_{i=1}^{N_k} A_i}$$

where  $FR_{kj}$  denotes the FR for sample k and function j.  $N_k$  is the species number in sample k.  $N_j$  is the number of species with function j in sample k.  $A_i$  is the abundance (counts) of species i in sample k.

*Usage:*

```
trans_func$cal_spe_func_perc(abundance_weighted = FALSE, perc = TRUE, dec = 2)
```

*Arguments:*

abundance\_weighted default FALSE; whether use abundance of taxa. If FALSE, calculate the functional population percentage. If TRUE, calculate the functional individual percentage.  
perc default TRUE; whether to use percentages in the result. If TRUE, value is bounded between 0 and 100. If FALSE, the result is relative proportion ('abundance\_weighted = FALSE') or relative abundance ('abundance\_weighted = TRUE') bounded between 0 and 1.

dec default 2; remained decimal places.

*Returns:* res\_spe\_func\_perc stored in the object.

*Examples:*

```
\donttest{
t1$cal_spe_func_perc(abundance_weighted = TRUE)
}
```

**Method** show\_prok\_func(): Show the annotation information for a function of prokaryotes from FAPROTAX database.

*Usage:*

```
trans_func$show_prok_func(use_func = NULL)
```

*Arguments:*

use\_func default NULL; the function name.

*Returns:* None.

*Examples:*

```
\donttest{
t1$show_prok_func(use_func = "methanotrophy")
}
```

**Method** trans\_spe\_func\_perc(): Transform the res\_spe\_func\_perc table to the long table format for the following visualization. Also add the group information if the database has hierarchical groups.

*Usage:*

```
trans_func$trans_spe_func_perc()
```

*Returns:* res\_spe\_func\_perc\_trans stored in the object.

*Examples:*

```
\donttest{
t1$trans_spe_func_perc()
}
```

**Method** plot\_spe\_func\_perc(): Plot the percentages of species with specific trait in communities.

*Usage:*

```
trans_func$plot_spe_func_perc(
  add_facet = TRUE,
  order_x = NULL,
  color_gradient_low = "#00008B",
  color_gradient_high = "#9E0142"
)
```

*Arguments:*

add\_facet default TRUE; whether use group names as the facets in the plot, see trans\_func\$func\_group\_list object.

order\_x default NULL; character vector; to sort the x axis text; can be also used to select partial samples to show.

color\_gradient\_low default "#00008B"; the color used as the low end in the color gradient.

color\_gradient\_high default "#9E0142"; the color used as the high end in the color gradient.

*Returns:* ggplot2.

*Examples:*

```
\donttest{
t1$plot_spe_func_perc()
}
```

**Method** cal\_tax4fun2(): Predict functional potential of communities with Tax4Fun2 method. The function was adapted from the raw Tax4Fun2 package to make it compatible with the microtable object. Please cite: Tax4Fun2: prediction of habitat-specific functional profiles and functional redundancy based on 16S rRNA gene sequences. Environmental Microbiome 15, 11 (2020). <doi:10.1186/s40793-020-00358-7>

*Usage:*

```

trans_func$cal_tax4fun2(
  blast_tool_path = NULL,
  path_to_reference_data = "Tax4Fun2_ReferenceData_v2",
  path_to_temp_folder = NULL,
  database_mode = "Ref99NR",
  normalize_by_copy_number = T,
  min_identity_to_reference = 97,
  use_uproc = T,
  num_threads = 1,
  normalize_pathways = F
)

```

*Arguments:*

`blast_tool_path` default NULL; the folder path, e.g., ncbi-blast-2.5.0+/bin ; blast tools folder downloaded from "ftp://ftp.ncbi.nlm.nih.gov/blast/executables/blast+" ; e.g., ncbi-blast-2.5.0+-x64-win64.tar.gz for windows system; if `blast_tool_path` is NULL, search the tools in the environmental path variable.

`path_to_reference_data` default "Tax4Fun2\_ReferenceData\_v2"; the path that points to files used in the prediction; The directory must contain the Ref99NR or Ref100NR folder; download Ref99NR.zip from "https://cloudstor.aarnet.edu.au/plus/s/DkoZIyZpMNbrzSw/download" or Ref100NR.zip from "https://cloudstor.aarnet.edu.au/plus/s/jIByczak9ZAFUB4/download".

`path_to_temp_folder` default NULL; The temporary folder to store the logfile, intermediate file and result files; if NULL, use the default temporary in the computer system.

`database_mode` default 'Ref99NR'; "Ref99NR" or "Ref100NR"; Ref99NR: 99% clustering reference database; Ref100NR: no clustering.

`normalize_by_copy_number` default TRUE; whether normalize the result by the 16S rRNA copy number in the genomes.

`min_identity_to_reference` default 97; the sequences identity threshold used for finding the nearest species.

`use_uproc` default TRUE; whether use UProC to functionally anotate the genomes in the reference data.

`num_threads` default 1; the threads used in the blastn.

`normalize_pathways` default FALSE; Different to Tax4Fun, when converting from KEGG functions to KEGG pathways, Tax4Fun2 does not equally split KO gene abundances between pathways a functions is affiliated to. The full predicted abundance is affiliated to each pathway. Use TRUE to split the abundances (default is FALSE).

*Returns:* `res_tax4fun2_KO` and `res_tax4fun2_pathway` in object.

*Examples:*

```

\dontrun{
t1$cal_tax4fun2(blast_tool_path = "ncbi-blast-2.5.0+/bin",
  path_to_reference_data = "Tax4Fun2_ReferenceData_v2")
}

```

**Method** `cal_tax4fun2_FRI()`: Calculate (multi-) functional redundancy index (FRI) of prokaryotic community with Tax4Fun2 method. This function is used to calculating aFRI and rFRI use the intermediate files generated by the function `cal_tax4fun2()`. please also cite: Tax4Fun2: prediction of habitat-specific functional profiles and functional redundancy based on 16S rRNA gene sequences. Environmental Microbiome 15, 11 (2020). <doi:10.1186/s40793-020-00358-7>



*Usage:*

```
trans_func$cal_tax4fun2_FRI()
```

*Returns:* res\_tax4fun2\_aFRI and res\_tax4fun2\_rFRI in object.

*Examples:*

```
\dontrun{
t1$cal_tax4fun2_FRI()
}
```

**Method** clone(): The objects of this class are cloneable with this method.

*Usage:*

```
trans_func$clone(deep = FALSE)
```

*Arguments:*

deep Whether to make a deep clone.

**Examples**

```
## -----
## Method `trans_func$new`
## -----

data(dataset)
t1 <- trans_func$new(dataset = dataset)

## -----
## Method `trans_func$cal_spe_func`
## -----

t1$cal_spe_func(prok_database = "FAPROTAX")

## -----
## Method `trans_func$cal_spe_func_perc`
## -----

t1$cal_spe_func_perc(abundance_weighted = TRUE)

## -----
## Method `trans_func$show_prok_func`
## -----

t1$show_prok_func(use_func = "methanotrophy")

## -----
## Method `trans_func$trans_spe_func_perc`
## -----
```

```

t1$trans_spe_func_perc()

## -----
## Method `trans_func$plot_spe_func_perc`
## -----

t1$plot_spe_func_perc()

## -----
## Method `trans_func$cal_tax4fun2`
## -----

## Not run:
t1$cal_tax4fun2(blast_tool_path = "ncbi-blast-2.5.0+/bin",
  path_to_reference_data = "Tax4Fun2-ReferenceData_v2")

## End(Not run)

## -----
## Method `trans_func$cal_tax4fun2_FRI`
## -----

## Not run:
t1$cal_tax4fun2_FRI()

## End(Not run)

```

---

trans\_network

*Create trans\_network object for network analysis.*


---

## Description

This class is a wrapper for a series of network analysis methods, including the network construction, topological attributes analysis, eigengene analysis, network subsetting, node and edge properties, network visualization and other operations.

## Methods

### Public methods:

- [trans\\_network\\$new\(\)](#)
- [trans\\_network\\$cal\\_network\(\)](#)
- [trans\\_network\\$cal\\_module\(\)](#)
- [trans\\_network\\$save\\_network\(\)](#)
- [trans\\_network\\$cal\\_network\\_attr\(\)](#)

- `trans_network$get_node_table()`
- `trans_network$get_edge_table()`
- `trans_network$get_adjacency_matrix()`
- `trans_network$plot_network()`
- `trans_network$cal_eigen()`
- `trans_network$plot_taxa_roles()`
- `trans_network$subset_network()`
- `trans_network$cal_powerlaw()`
- `trans_network$cal_sum_links()`
- `trans_network$plot_sum_links()`
- `trans_network$random_network()`
- `trans_network$trans_comm()`
- `trans_network$print()`
- `trans_network$clone()`

**Method** `new()`: Create the `trans_network` object, store the important intermediate data and calculate correlations if `cor_method` parameter is not `NULL`.

*Usage:*

```
trans_network$new(
  dataset = NULL,
  cor_method = NULL,
  use_WGCNA_pearson_spearman = FALSE,
  use_NetCoMi_pearson_spearman = FALSE,
  use_sparcc_method = c("NetCoMi", "SpiecEasi")[1],
  taxa_level = "OTU",
  filter_thres = 0,
  nThreads = 1,
  SparCC_simu_num = 100,
  env_cols = NULL,
  add_data = NULL,
  ...
)
```

*Arguments:*

`dataset` default `NULL`; the object of `microtable` class. Default `NULL` means customized analysis.

`cor_method` default `NULL`; `NULL` or one of "bray", "pearson", "spearman", "sparcc", "bi-cor", "cclasso" and "ccrepe"; All the methods referred to `NetCoMi` package are performed based on `netConstruct` function of `NetCoMi` package and require `NetCoMi` to be installed from Github (<https://github.com/stefpeschel/NetCoMi>); For the algorithm details, please see Peschel et al. 2020 Brief. Bioinform <doi: 10.1093/bib/bbaa290>;

**NULL** `NULL` denotes non-correlation network, i.e. do not use correlation-based network.

If so, the return `res_cor_p` list will be `NULL`.

**'bray'** 1-B, where B is Bray-Curtis dissimilarity; based on `vegan::vegdist` function

**'pearson'** Pearson correlation; If `use_WGCNA_pearson_spearman` and `use_NetCoMi_pearson_spearman` are both `FALSE`, use the function `cor.test` in R; `use_WGCNA_pearson_spearman` =

TRUE invoke corAndPvalue function of WGCNA package; use\_NetCoMi\_pearson\_spearman = TRUE invoke netConstruct function of NetCoMi package

**'spearman'** Spearman correlation; other details are same with the 'pearson' option

**'sparcc'** SparCC algorithm (Friedman & Alm, PLoS Comp Biol, 2012, <doi:10.1371/journal.pcbi.1002687>);

use NetCoMi package when use\_sparcc\_method = "NetCoMi"; use SpiecEasi package when use\_sparcc\_method = "SpiecEasi" and require SpiecEasi to be installed from Github (<https://github.com/zdk123/SpiecEasi>)

**'bicolor'** Calculate biweight midcorrelation efficiently for matrices based on WGCNA::bicolor function; This option can invoke netConstruct function of NetCoMi package; Make sure WGCNA and NetCoMi packages are both installed

**'cclasso'** Correlation inference of Composition data through Lasso method based on netConstruct function of NetCoMi package; for details, see NetCoMi::cclasso function

**'ccrepe'** Calculates compositionality-corrected p-values and q-values for compositional data using an arbitrary distance metric based on NetCoMi::netConstruct function; also see NetCoMi::ccrepe function

use\_WGCNA\_pearson\_spearman default FALSE; whether use WGCNA package to calculate correlation when cor\_method = "pearson" or "spearman".

use\_NetCoMi\_pearson\_spearman default FALSE; whether use NetCoMi package to calculate correlation when cor\_method = "pearson" or "spearman". The important difference between NetCoMi and others is the features of zero handling and data normalization; See <doi: 10.1093/bib/bbaa290>.

use\_sparcc\_method default c("NetCoMi", "SpiecEasi")[1]; use NetCoMi package or SpiecEasi package to perform SparCC when cor\_method = "sparcc".

taxa\_level default "OTU"; taxonomic rank; 'OTU' denotes using feature abundance table; other available options should be one of the colnames of tax\_table of input dataset.

filter\_thres default 0; the relative abundance threshold.

nThreads default 1; the CPU thread number; available when use\_WGCNA\_pearson\_spearman = TRUE or use\_sparcc\_method = "SpiecEasi".

SparCC\_simu\_num default 100; SparCC simulation number for bootstrap when use\_sparcc\_method = "SpiecEasi".

env\_cols default NULL; numeric or character vector to select the column names of environmental data in dataset\$sample\_table; the environmental data can be used in the correlation network (as the nodes) or FlashWeave network.

add\_data default NULL; provide environmental variable table additionally instead of env\_cols parameter; rownames must be sample names.

... parameters pass to NetCoMi::netConstruct for other operations, such as zero handling and/or data normalization when cor\_method and other parameters refer to NetCoMi package.

*Returns:* res\_cor\_p list with the correlation (association) matrix and p value matrix. Note that when cor\_method and other parameters refer to NetCoMi package, the p value table are all zero as the significant associations have been selected.

*Examples:*

```
\donttest{
data(dataset)
# for correlation network
```

```
t1 <- trans_network$new(dataset = dataset, cor_method = "pearson",
  taxa_level = "OTU", filter_thres = 0.0002)
# for non-correlation network
t1 <- trans_network$new(dataset = dataset, cor_method = NULL)
}
```

**Method** cal\_network(): Construct network based on the igraph package or SpiecEasi package or julia FlashWeave package or beamStatic package.

*Usage:*

```
trans_network$cal_network(
  network_method = c("COR", "SpiecEasi", "gcod", "FlashWeave", "beamStatic")[1],
  COR_p_thres = 0.01,
  COR_p_adjust = "fdr",
  COR_weight = TRUE,
  COR_cut = 0.6,
  COR_optimization = FALSE,
  COR_optimization_low_high = c(0.01, 0.8),
  COR_optimization_seq = 0.01,
  SpiecEasi_method = "mb",
  FlashWeave_tempdir = NULL,
  FlashWeave_meta_data = FALSE,
  FlashWeave_other_para = "alpha=0.01,sensitive=true,heterogeneous=true",
  FlashWeave_gml = NULL,
  beamStatic_t_strength = 0.001,
  beamStatic_t_stab = 0.8,
  add_taxa_name = "Phylum",
  delete_unlinked_nodes = TRUE,
  username_rawtaxa_notOTU = FALSE,
  ...
)
```

*Arguments:*

network\_method default "COR"; "COR", "SpiecEasi", "gcod", "FlashWeave" or "beamStatic";  
network\_method = NULL means skipping the network construction for the customized use.  
The option details:

- 'COR' correlation-based network; use the correlation and p value matrices in res\_cor\_p list stored in the object; See Deng et al. (2012) <doi:10.1186/1471-2105-13-113> for other details
- 'SpiecEasi' SpiecEasi network; relies on algorithms of sparse neighborhood and inverse covariance selection; belong to the category of conditional dependence and graphical models; see <https://github.com/zdk123/SpiecEasi> for installing the R package; see Kurtz et al. (2015) <doi:10.1371/journal.pcbi.1004226> for the algorithm details
- 'gcod' hypothesize the logistic normal distribution of microbiome data; use penalized maximum likelihood method to estimate the sparse structure of inverse covariance for latent normal variables to address the high dimensionality of the microbiome data; belong to the category of conditional dependence and graphical models; depend on the R NetCoMi package <https://github.com/stefpeschel/NetCoMi>; see FANG et al. (2017) <doi:10.1089/cmb.2017.0054> for the algorithm details

- 'FlashWeave'** FlashWeave network; Local-to-global learning framework; belong to the category of conditional dependence and graphical models; good performance on heterogeneous datasets to find direct associations among taxa; see <https://github.com/meringlab/FlashWeave.jl> for installing julia language and FlashWeave package; julia must be in the computer system env path, otherwise the program can not find it; see Tackmann et al. (2019) <doi:10.1016/j.cels.2019.08.002> for the algorithm details
- 'beemStatic'** beemStatic network; extend generalized Lotka-Volterra model to cases of cross-sectional datasets to infer interaction among taxa based on expectation-maximization algorithm; see <https://github.com/CSB5/BEEM-static> for installing the R package; see Li et al. (2021) <doi:10.1371/journal.pcbi.1009343> for the algorithm details
- COR\_p\_thres** default 0.01; the p value threshold for the correlation-based network.
- COR\_p\_adjust** default "fdr"; p value adjustment method, see method parameter of p.adjust function for available options, in which COR\_p\_adjust = "none" means giving up the p value adjustment.
- COR\_weight** default TRUE; whether use correlation coefficient as the weight of edges; FALSE represents weight = 1 for all edges.
- COR\_cut** default 0.6; correlation coefficient threshold for the correlation network.
- COR\_optimization** default FALSE; whether use random matrix theory (RMT) based method to determine the correlation coefficient; see <https://doi.org/10.1186/1471-2105-13-113>
- COR\_optimization\_low\_high** default c(0.01, 0.8); the low and high value threshold used for the RMT optimization; only useful when COR\_optimization = TRUE.
- COR\_optimization\_seq** default 0.01; the interval of correlation coefficient used for RMT optimization; only useful when COR\_optimization = TRUE.
- SpiecEasi\_method** default "mb"; either 'glasso' or 'mb'; see spiec.easi function in package SpiecEasi and <https://github.com/zdk123/SpiecEasi>.
- FlashWeave\_tempdir** default NULL; The temporary directory used to save the temporary files for running FlashWeave; If not assigned, use the system user temp.
- FlashWeave\_meta\_data** default FALSE; whether use env data for the optimization, If TRUE, the function automatically find the env\_data in the object and generate a file for meta\_data\_path parameter of FlashWeave package.
- FlashWeave\_other\_para** default "alpha=0.01, sensitive=true, heterogeneous=true"; the parameters passed to julia FlashWeave package; user can change the parameters or add more according to FlashWeave help document; An exception is meta\_data\_path parameter as it is generated based on the data inside the object, see FlashWeave\_meta\_data parameter for the description.
- FlashWeave\_gml** default NULL; The path of FlashWeave output gml file for customized usage. This parameter is provided for some customized needs. For instance, it can be cumbersome to input bacterial and fungal abundances as separate input files for network analysis using the above parameter. Users can run FlashWeave on their own, and then provide the resulting gml file to this parameter, which allows them to continue using other functions.
- beemStatic\_t\_strength** default 0.001; for network\_method = "beemStatic"; the threshold used to limit the number of interactions (strength); same with the t\_strength parameter in showInteraction function of beemStatic package.
- beemStatic\_t\_stab** default 0.8; for network\_method = "beemStatic"; the threshold used to limit the number of interactions (stability); same with the t\_stab parameter in showInteraction function of beemStatic package.

add\_taxa\_name default "Phylum"; one or more taxonomic rank name; used to add taxonomic rank name to network node properties.

delete\_unlinked\_nodes default TRUE; whether delete the nodes without any link.

username\_rawtaxa\_notOTU default FALSE; whether use OTU name as representatives of taxa when taxa\_level != "OTU". Default FALSE means using taxonomic information of taxa\_level instead of OTU name.

... parameters pass to SpiecEasi::spiec.easi when network\_method = "SpiecEasi"; pass to NetCoMi::netConstruct when network\_method = "gcoda"; pass to beemStatic::func.EM when network\_method = "beemStatic".

*Returns:* res\_network stored in object.

*Examples:*

```
\dontrun{
# for correlation network
t1 <- trans_network$new(dataset = dataset, cor_method = "pearson",
taxa_level = "OTU", filter_thres = 0.001)
t1$cal_network(COR_p_thres = 0.05, COR_cut = 0.6)
t1 <- trans_network$new(dataset = dataset, cor_method = NULL, filter_thres = 0.003)
t1$cal_network(network_method = "SpiecEasi", SpiecEasi_method = "mb")
t1 <- trans_network$new(dataset = dataset, cor_method = NULL, filter_thres = 0.005)
t1$cal_network(network_method = "beemStatic")
t1 <- trans_network$new(dataset = dataset, cor_method = NULL, filter_thres = 0.001)
t1$cal_network(network_method = "FlashWeave")
}
```

**Method** cal\_module(): Calculate network modules and add module names to the network node properties.

*Usage:*

```
trans_network$cal_module(
  method = "cluster_fast_greedy",
  module_name_prefix = "M"
)
```

*Arguments:*

method default "cluster\_fast\_greedy"; the method used to find the optimal community structure of a graph; the following are available functions (options) from igraph package: "cluster\_fast\_greedy", "cluster\_walktrap", "cluster\_edge\_betweenness", "cluster\_infomap", "cluster\_label\_prop", "cluster\_leading\_eigen", "cluster\_louvain", "cluster\_spinglass", "cluster\_optimal".

For the details of these functions, please see the help document, such as help(cluster\_fast\_greedy); Note that the default "cluster\_fast\_greedy" method can not be applied to directed network. If directed network is provided, the function can automatically switch the default method from "cluster\_fast\_greedy" to "cluster\_walktrap".

module\_name\_prefix default "M"; the prefix of module names; module names are made of the module\_name\_prefix and numbers; numbers are assigned according to the sorting result of node numbers in modules with decreasing trend.

*Returns:* res\_network with modules, stored in object.

*Examples:*

```
\donttest{
t1 <- trans_network$new(dataset = dataset, cor_method = "pearson",
taxa_level = "OTU", filter_thres = 0.0002)
t1$cal_network(COR_p_thres = 0.01, COR_cut = 0.6)
t1$cal_module(method = "cluster_fast_greedy")
}
```

**Method** save\_network(): Save network as gexf style, which can be opened by Gephi (<https://gephi.org/>).

*Usage:*

```
trans_network$save_network(filepath = "network.gexf", ...)
```

*Arguments:*

filepath default "network.gexf"; file path to save the network.

... parameters pass to gexf function of rgexf package except for nodes, edges, edgesLabel, edgesWeight, nodesAtt, edgesAtt and meta.

*Returns:* None

*Examples:*

```
\dontrun{
t1$save_network(filepath = "network.gexf")
}
```

**Method** cal\_network\_attr(): Calculate network properties.

*Usage:*

```
trans_network$cal_network_attr()
```

*Returns:* res\_network\_attr stored in object.

*Examples:*

```
\donttest{
t1$cal_network_attr()
}
```

**Method** get\_node\_table(): Get the node property table. The properties include the node names, modules allocation, degree, betweenness, abundance, taxonomy, within-module connectivity ( $z_i$ ) and among-module connectivity ( $P_i$ ) <doi:10.1186/1471-2105-13-113; 10.1016/j.geoderma.2022.115866>.

*Usage:*

```
trans_network$get_node_table(node_roles = TRUE)
```

*Arguments:*

node\_roles default TRUE; whether calculate the node roles <doi:10.1038/nature03288; 10.1186/1471-2105-13-113>. The role of node  $i$  is characterized by its within-module connectivity ( $z_i$ ) and among-module connectivity ( $P_i$ ) as follows

$$z_i = \frac{k_{ib} - \bar{k}_b}{\sigma_{k_b}}$$

$$P_i = 1 - \sum_{c=1}^{N_M} \left( \frac{k_{ic}}{k_i} \right)^2$$



where  $k_{ib}$  is the number of links of node  $i$  to other nodes in its module  $b$ ,  $\bar{k}_b$  and  $\sigma_{k_b}$  are the average and standard deviation of within-module connectivity, respectively over all the nodes in module  $b$ ,  $k_i$  is the number of links of node  $i$  in the whole network,  $k_{ic}$  is the number of links from node  $i$  to nodes in module  $c$ , and  $N_M$  is the number of modules in the network.

*Returns:* res\_node\_table in object; Abundance expressed as a percentage; betweenness centrality: betweenness centrality; betweenness centrality: closeness centrality; eigenvector centrality: eigenvector centrality; z: within-module connectivity; p: among-module connectivity.

*Examples:*

```
\donttest{
t1$get_node_table(node_roles = TRUE)
}
```

**Method** get\_edge\_table(): Get the edge property table, including connected nodes, label and weight.

*Usage:*

```
trans_network$get_edge_table()
```

*Returns:* res\_edge\_table in object.

*Examples:*

```
\donttest{
t1$get_edge_table()
}
```

**Method** get\_adjacency\_matrix(): Get the adjacency matrix from the network graph.

*Usage:*

```
trans_network$get_adjacency_matrix(...)
```

*Arguments:*

... parameters passed to as\_adjacency\_matrix function of igraph package.

*Returns:* res\_adjacency\_matrix in object.

*Examples:*

```
\donttest{
t1$get_adjacency_matrix(attr = "weight")
}
```

**Method** plot\_network(): Plot the network based on a series of methods from other packages, such as igraph, ggraph and networkD3. The networkD3 package provides dynamic network. It is especially useful for a glimpse of the whole network structure and finding the interested nodes and edges in a large network. In contrast, the igraph and ggraph methods are suitable for relatively small network.

*Usage:*

```
trans_network$plot_network(
  method = c("igraph", "ggraph", "networkD3")[1],
  node_label = "name",
  node_color = NULL,
```

```

ggraph_layout = "fr",
ggraph_node_size = 2,
ggraph_node_text = TRUE,
ggraph_text_color = NULL,
ggraph_text_size = 3,
networkD3_node_legend = TRUE,
networkD3_zoom = TRUE,
...
)

```

*Arguments:*

method default "igraph"; The available options:

**'igraph'** call `plot.igraph` function in `igraph` package for a static network; see `plot.igraph` for the parameters

**'ggraph'** call `ggraph` function in `ggraph` package for a static network

**'networkD3'** use `forceNetwork` function in `networkD3` package for a dynamic network; see `forceNetwork` function for the parameters

`node_label` default "name"; node label shown in the plot for `method = "ggraph"` or `method = "networkD3"`; Please see the column names of `object$res_node_table`, which is the returned table of function `object$get_node_table`; User can select other column names in `res_node_table`.

`node_color` default NULL; node color assignment for `method = "ggraph"` or `method = "networkD3"`; Select a column name of `object$res_node_table`, such as "module".

`ggraph_layout` default "fr"; for `method = "ggraph"`; see `layout` parameter of `create_layout` function in `ggraph` package.

`ggraph_node_size` default 2; for `method = "ggraph"`; the node size.

`ggraph_node_text` default TRUE; for `method = "ggraph"`; whether show the label text of nodes.

`ggraph_text_color` default NULL; for `method = "ggraph"`; a column name of `object$res_node_table` used to assign label text colors.

`ggraph_text_size` default 3; for `method = "ggraph"`; the node label text size.

`networkD3_node_legend` default TRUE; used for `method = "networkD3"`; logical value to enable node colour legends; Please see the `legend` parameter in `networkD3::forceNetwork` function.

`networkD3_zoom` default TRUE; used for `method = "networkD3"`; logical value to enable (TRUE) or disable (FALSE) zooming; Please see the `zoom` parameter in `networkD3::forceNetwork` function.

... parameters passed to `plot.igraph` function when `method = "igraph"` or `forceNetwork` function when `method = "networkD3"`.

*Returns:* network plot.

*Examples:*

```

\donttest{
t1$plot_network(method = "igraph", layout = layout_with_kk)
t1$plot_network(method = "ggraph", node_color = "module")
t1$plot_network(method = "networkD3", node_color = "module")
}

```

**Method** `cal_eigen()`: Calculate eigengenes of modules, i.e. the first principal component based on PCA analysis, and the percentage of variance <doi:10.1186/1471-2105-13-113>.

*Usage:*

```
trans_network$cal_eigen()
```

*Returns:* `res_eigen` and `res_eigen_expla` in object.

*Examples:*

```
\donttest{
t1$cal_eigen()
}
```

**Method** `plot_taxa_roles()`: Plot the roles or metrics of nodes based on the `res_node_table` data (coming from function `get_node_table`) stored in the object.

*Usage:*

```
trans_network$plot_taxa_roles(
  use_type = c(1, 2)[1],
  roles_color_background = FALSE,
  roles_color_values = NULL,
  add_label = FALSE,
  add_label_group = c("Network hubs", "Module hubs", "Connectors"),
  add_label_text = "name",
  label_text_size = 4,
  label_text_color = "grey50",
  label_text_italic = FALSE,
  label_text_parse = FALSE,
  plot_module = FALSE,
  x_lim = c(0, 1),
  use_level = "Phylum",
  show_value = c("z", "p"),
  show_number = 1:10,
  plot_color = "Phylum",
  plot_shape = "taxa_roles",
  plot_size = "Abundance",
  color_values = RColorBrewer::brewer.pal(12, "Paired"),
  shape_values = c(16, 17, 7, 8, 15, 18, 11, 10, 12, 13, 9, 3, 4, 0, 1, 2, 14),
  ...
)
```

*Arguments:*

`use_type` default 1; 1 or 2; 1 represents taxa roles plot (node roles include Module hubs, Network hubs, Connectors and Peripherals <doi:10.1038/nature03288; 10.1186/1471-2105-13-113>). The 'p' column (Pi, among-module connectivity) in `res_node_table` table is used in x-axis. The 'z' column (Zi, within-module connectivity) is used in y-axis; 2 represents the layered plot with taxa as x axis and the index (e.g., Zi and Pi) as y axis. Please refer to `res_node_table` data stored in the object for the detailed information.

`roles_color_background` default FALSE; for `use_type=1`; TRUE: use background colors for each area; FALSE: use classic point colors.

`roles_color_values` default NULL; for `use_type=1`; color palette for background or points.

add\_label default FALSE; for use\_type = 1; whether add labels for the points.  
 add\_label\_group default c("Network hubs", "Module hubs", "Connectors"); If add\_label = TRUE, which part in taxa\_roles column is used to show labels; character vectors.  
 add\_label\_text default "name"; If add\_label = TRUE; which column of object\$res\_node\_table is used to label the text.  
 label\_text\_size default 4; The text size of the label.  
 label\_text\_color default "grey50"; The text color of the label.  
 label\_text\_italic default FALSE; whether use italic style for the label text.  
 label\_text\_parse default FALSE; whether parse the label text. See the parse parameter in ggrepel::geom\_text\_repel function.  
 plot\_module default FALSE; for use\_type=1; whether plot the modules information.  
 x\_lim default c(0, 1); for use\_type=1; x axis range when roles\_color\_background = FALSE.  
 use\_level default "Phylum"; for use\_type=2; used taxonomic level in x axis.  
 show\_value default c("z", "p"); for use\_type=2; indexes used in y axis. Please see res\_node\_table in the object for other available indexes.  
 show\_number default 1:10; for use\_type=2; showed number in x axis, sorting according to the nodes number.  
 plot\_color default "Phylum"; for use\_type=2; variable for color.  
 plot\_shape default "taxa\_roles"; for use\_type=2; variable for shape.  
 plot\_size default "Abundance"; for use\_type=2; used for point size; a fixed number (e.g. 5) is also acceptable.  
 color\_values default RColorBrewer::brewer.pal(12, "Paired"); for use\_type=2; color vector.  
 shape\_values default c(16, 17, 7, 8, 15, 18, 11, 10, 12, 13, 9, 3, 4, 0, 1, 2, 14); for use\_type=2; shape vector, see ggplot2 tutorial for the shape meaning.  
 ... parameters pass to geom\_point function of ggplot2 package.

*Returns:* ggplot.

*Examples:*

```

\donttest{
t1$plot_taxa_roles(roles_color_background = FALSE)
}

```

**Method** subset\_network(): Subset of the network.

*Usage:*

```

trans_network$subset_network(
  node = NULL,
  edge = NULL,
  rm_single = TRUE,
  node_alledges = FALSE,
  return_igraph = TRUE
)

```

*Arguments:*

node default NULL; provide the node names that will be used in the sub-network.  
 edge default NULL; provide the edge label or numbers that need to be remained. For the edge label, it should must be "+" or "-". For the numbers, they should fall within the range of rows in res\_edge\_table of the object.

`rm_single` default TRUE; whether remove the nodes without any edge in the sub-network. So this function can also be used to remove the nodes without any edge when node and edge are both NULL.

`node_alledges` default FALSE; whether remain the nodes and edges that related to the nodes provided in node parameter.

`return_igraph` default TRUE; whether return the network with igraph format. If FALSE, return trans\_network object.

*Returns:* a new network

*Examples:*

```
\donttest{
t1$subset_network(node = t1$res_node_table %>% base::subset(module == "M1") %>%
  rownames, rm_single = TRUE)
# return a sub network that contains all nodes of module M1
}
```

**Method** `cal_powerlaw()`: Fit degrees to a power law distribution. First, perform a bootstrapping hypothesis test to determine whether degrees follow a power law distribution. If the distribution follows power law, then fit degrees to power law distribution and return the parameters.

*Usage:*

```
trans_network$cal_powerlaw(...)
```

*Arguments:*

... parameters pass to `bootstrap_p` function in `powerLaw` package.

*Returns:* `res_powerlaw_p` and `res_powerlaw_fit`; see `powerLaw::bootstrap_p` function for the bootstrapping p value details; see `igraph::fit_power_law` function for the power law fit return details.

*Examples:*

```
\donttest{
t1$cal_powerlaw()
}
```

**Method** `cal_sum_links()`: This function is used to sum the links number from one taxa to another or in the same taxa, for example, at Phylum level. This is very useful to fast see how many nodes are connected between different taxa or within the taxa.

*Usage:*

```
trans_network$cal_sum_links(taxa_level = "Phylum")
```

*Arguments:*

`taxa_level` default "Phylum"; taxonomic rank.

*Returns:* `res_sum_links_pos` and `res_sum_links_neg` in object.

*Examples:*

```
\donttest{
t1$cal_sum_links(taxa_level = "Phylum")
}
```

**Method** `plot_sum_links()`: Plot the summed linkages among taxa.

*Usage:*

```
trans_network$plot_sum_links(
  plot_pos = TRUE,
  plot_num = NULL,
  color_values = RColorBrewer::brewer.pal(8, "Dark2"),
  method = c("chorddiag", "circlize")[1],
  ...
)
```

*Arguments:*

`plot_pos` default TRUE; If TRUE, plot the summed positive linkages; If FALSE, plot the summed negative linkages.

`plot_num` default NULL; number of taxa presented in the plot.

`color_values` default RColorBrewer::brewer.pal(8, "Dark2"); colors palette for taxa.

`method` default c("chorddiag", "circlize")[1]; chorddiag package <<https://github.com/mattflor/chorddiag>> or circlize package.

... pass to chorddiag::chorddiag function when method = "chorddiag" or circlize::chordDiagram function when method = "circlize". Note that for circlize::chordDiagram function, keep.diagonal, symmetric and self.link parameters have been fixed to fit the input data.

*Returns:* please see the invoked function.

*Examples:*

```
\dontrun{
test1$plot_sum_links(method = "chorddiag", plot_pos = TRUE, plot_num = 10)
test1$plot_sum_links(method = "circlize", transparency = 0.2,
  annotationTrackHeight = circlize::mm_h(c(5, 5)))
}
```

**Method** random\_network(): Generate random networks, compare them with the empirical network and get the p value of topological properties. The generation of random graph is based on the erdos.renyi.game function of igraph package. The numbers of vertices and edges in the random graph are same with the empirical network stored in the object.

*Usage:*

```
trans_network$random_network(runs = 100, output_sim = FALSE)
```

*Arguments:*

`runs` default 100; simulation number of random network.

`output_sim` default FALSE; whether output each simulated network result.

*Returns:* a data.frame with the following components:

Observed Topological properties of empirical network

Mean\_sim Mean of properties of simulated networks

SD\_sim SD of properties of simulated networks

p\_value Significance, i.e. p values

When output\_sim = TRUE, the columns from the five to the last are each simulated result.

*Examples:*

```
\dontrun{
t1$random_network(runs = 100)
}
```

**Method** trans\_comm(): Transform classified features to community-like microtable object for further analysis, such as module-taxa table.

*Usage:*

```
trans_network$trans_comm(use_col = "module", abundance = TRUE)
```

*Arguments:*

use\_col default "module"; which column to use as the 'community'; must be one of the name of res\_node\_table from function get\_node\_table.

abundance default TRUE; whether sum abundance of taxa. TRUE: sum the abundance for a taxon across all samples; FALSE: sum the frequency for a taxon across all samples.

*Returns:* a new [microtable](#) class.

*Examples:*

```
\donttest{
t2 <- t1$trans_comm(use_col = "module")
}
```

**Method** print(): Print the trans\_network object.

*Usage:*

```
trans_network$print()
```

**Method** clone(): The objects of this class are cloneable with this method.

*Usage:*

```
trans_network$clone(deep = FALSE)
```

*Arguments:*

deep Whether to make a deep clone.

## Examples

```
## -----
## Method `trans_network$new`
## -----

data(dataset)
# for correlation network
t1 <- trans_network$new(dataset = dataset, cor_method = "pearson",
taxa_level = "OTU", filter_thres = 0.0002)
# for non-correlation network
t1 <- trans_network$new(dataset = dataset, cor_method = NULL)

## -----
## Method `trans_network$cal_network`
## -----
```

```

## Not run:
# for correlation network
t1 <- trans_network$new(dataset = dataset, cor_method = "pearson",
taxa_level = "OTU", filter_thres = 0.001)
t1$cal_network(COR_p_thres = 0.05, COR_cut = 0.6)
t1 <- trans_network$new(dataset = dataset, cor_method = NULL, filter_thres = 0.003)
t1$cal_network(network_method = "SpiecEasi", SpiecEasi_method = "mb")
t1 <- trans_network$new(dataset = dataset, cor_method = NULL, filter_thres = 0.005)
t1$cal_network(network_method = "beemStatic")
t1 <- trans_network$new(dataset = dataset, cor_method = NULL, filter_thres = 0.001)
t1$cal_network(network_method = "FlashWeave")

## End(Not run)

## -----
## Method `trans_network$cal_module`
## -----

t1 <- trans_network$new(dataset = dataset, cor_method = "pearson",
taxa_level = "OTU", filter_thres = 0.0002)
t1$cal_network(COR_p_thres = 0.01, COR_cut = 0.6)
t1$cal_module(method = "cluster_fast_greedy")

## -----
## Method `trans_network$save_network`
## -----

## Not run:
t1$save_network(filepath = "network.gexf")

## End(Not run)

## -----
## Method `trans_network$cal_network_attr`
## -----

t1$cal_network_attr()

## -----
## Method `trans_network$get_node_table`
## -----

t1$get_node_table(node_roles = TRUE)

## -----
## Method `trans_network$get_edge_table`

```



```
## -----

t1$get_edge_table()

## -----
## Method `trans_network$get_adjacency_matrix`
## -----

t1$get_adjacency_matrix(attr = "weight")

## -----
## Method `trans_network$plot_network`
## -----

t1$plot_network(method = "igraph", layout = layout_with_kk)
t1$plot_network(method = "ggraph", node_color = "module")
t1$plot_network(method = "networkD3", node_color = "module")

## -----
## Method `trans_network$scal_eigen`
## -----

t1$scal_eigen()

## -----
## Method `trans_network$plot_taxa_roles`
## -----

t1$plot_taxa_roles(roles_color_background = FALSE)

## -----
## Method `trans_network$subset_network`
## -----

t1$subset_network(node = t1$res_node_table %>% base::subset(module == "M1") %>%
  rownames, rm_single = TRUE)
# return a sub network that contains all nodes of module M1

## -----
## Method `trans_network$scal_powerlaw`
## -----
```

```

t1$scal_powerlaw()

## -----
## Method `trans_network$scal_sum_links`
## -----

t1$scal_sum_links(taxa_level = "Phylum")

## -----
## Method `trans_network$plot_sum_links`
## -----

## Not run:
test1$plot_sum_links(method = "chorddiag", plot_pos = TRUE, plot_num = 10)
test1$plot_sum_links(method = "circlize", transparency = 0.2,
  annotationTrackHeight = circlize::mm_h(c(5, 5)))

## End(Not run)

## -----
## Method `trans_network$random_network`
## -----

## Not run:
t1$random_network(runs = 100)

## End(Not run)

## -----
## Method `trans_network$trans_comm`
## -----

t2 <- t1$trans_comm(use_col = "module")

```

---

trans\_norm

*Feature abundance normalization/transformation.*


---

### Description

Feature abundance normalization/transformation for a microtable object or data.frame object.

## Methods

### Public methods:

- `trans_norm$new()`
- `trans_norm$norm()`
- `trans_norm$clone()`

**Method** `new()`: Get a transposed abundance table if the input is microtable object. In the table, rows are samples, and columns are features. This can make the further operations same with the traditional ecological methods.

*Usage:*

```
trans_norm$new(dataset = NULL)
```

*Arguments:*

`dataset` the `microtable` object or `data.frame` object. If it is `data.frame` object, please make sure that rows are samples, and columns are features.

*Returns:* `data_table`, stored in the object.

*Examples:*

```
library(microeco)
data(dataset)
t1 <- trans_norm$new(dataset = dataset)
```

**Method** `norm()`: Normalization/transformation methods.

*Usage:*

```
trans_norm$norm(
  method = "rarefy",
  sample.size = NULL,
  rngseed = 123,
  replace = TRUE,
  pseudocount = 1,
  intersect.no = 10,
  ct.min = 1,
  condition = NULL,
  MARGIN = NULL,
  logbase = 2,
  ...
)
```

*Arguments:*

`method` default "rarefy"; See the following available options.

Methods for normalization:

- "rarefy": classic rarefaction based on R sample function.
- "SRS": scaling with ranked subsampling method based on the SRS package provided by Lukas Beule and Petr Karlovsky (2020) <doi:10.7717/peerj.9593>.

- "clr": Centered log-ratio normalization <ISBN:978-0-412-28060-3> <doi: 10.3389/fmicb.2017.02224>. It is defined:

$$clr_{ki} = \log \frac{x_{ki}}{g(x_i)}$$

where  $x_{ki}$  is the abundance of  $k$ th feature in sample  $i$ ,  $g(x_i)$  is the geometric mean of abundances for sample  $i$ . A pseudocount need to be added to deal with the zero. For more information, please see the 'clr' method in decostand function of vegan package.

- "rclr": Robust centered log-ratio normalization <doi:10.1128/msystems.00016-19>. It is defined:

$$rclr_{ki} = \log \frac{x_{ki}}{g(x_i > 0)}$$

where  $x_{ki}$  is the abundance of  $k$ th feature in sample  $i$ ,  $g(x_i > 0)$  is the geometric mean of abundances ( $> 0$ ) for sample  $i$ . In rclr, zero values are kept as zeroes, and not taken into account.

- "GMPR": Geometric mean of pairwise ratios <doi: 10.7717/peerj.4600>. For a given sample  $i$ , the size factor  $s_i$  is defined:

$$s_i = \left( \prod_{j=1}^n \text{Median}_{k|c_{ki}c_{kj} \neq 0} \left\{ \frac{c_{ki}}{c_{kj}} \right\} \right)^{1/n}$$

where  $k$  denotes all the features, and  $n$  denotes all the samples. For sample  $i$ ,  $GMPR = \frac{x_i}{s_i}$ , where  $x_i$  is the feature abundances of sample  $i$ .

- "CSS": Cumulative sum scaling normalization based on the metagenomeSeq package <doi:10.1038/nmeth.2658>. For a given sample  $j$ , the scaling factor  $s_j^l$  is defined:

$$s_j^l = \sum_{i|c_{ij} \leq q_j^l} c_{ij}$$

where  $q_j^l$  is the  $l$ th quantile of sample  $j$ , that is, in sample  $j$  there are  $l$  features with counts smaller than  $q_j^l$ .  $c_{ij}$  denotes the count (abundance) of feature  $i$  in sample  $j$ . For  $l = 0.95m$  (feature number),  $q_j^l$  corresponds to the 95th percentile of the count distribution for sample  $j$ . Normalized counts  $\tilde{c}_{ij} = \frac{c_{ij}}{s_j^l}(N)$ , where  $N$  is an appropriately chosen normalization constant.

- "TSS": Total sum scaling. Abundance is divided by the sequencing depth. For a given sample  $j$ , normalized counts is defined:

$$\tilde{c}_{ij} = \frac{c_{ij}}{\sum_{i=1}^{N_j} c_{ij}}$$

where  $c_{ij}$  is the counts of feature  $i$  in sample  $j$ , and  $N_j$  is the feature number of sample  $j$ .

- "eBay": Empirical Bayes approach to normalization <10.1186/s12859-020-03552-z>. The implemented method is not tree-related. In the output, the sum of each sample is 1.
- "TMM": Trimmed mean of M-values method based on the normLibSizes function of edgeR package <doi: 10.1186/gb-2010-11-3-r25>.
- "DESeq2": Median ratio of gene counts relative to geometric mean per gene based on the DESeq function of DESeq2 package <doi: 10.1186/s13059-014-0550-8>. This option

can invoke the `trans_diff` class and extract the normalized data from the original result. Note that either `group` or `formula` should be provided. The scaling factor is defined:

$$s_j = \text{Median}_i \frac{c_{ij}}{(\prod_{j=1}^n c_{ij})^{1/n}}$$

where  $c_{ij}$  is the counts of feature  $i$  in sample  $j$ , and  $n$  is the total sample number.

- "wrench": Group-wise and sample-wise compositional bias factor <doi: 10.1186/s12864-018-5160-5>. Note that condition parameter is necessary to be passed to condition parameter in `wrench` function of `Wrench` package. As the input data must be microtable object, so the input condition parameter can be a column name of `sample_table`. The scaling factor is defined:

$$s_j = \frac{1}{p} \sum_{ij} W_{ij} \frac{X_{ij}}{\bar{X}_i}$$

where  $X_{ij}$  represents the relative abundance (proportion) for feature  $i$  in sample  $j$ ,  $\bar{X}_i$  is the average proportion of feature  $i$  across the dataset,  $W_{ij}$  represents a weight specific to each technique, and  $p$  is the feature number in sample.

- "rle": Relative log expression.

Methods based on `decostand` function of `vegan` package:

- "total": divide by margin total (default `MARGIN = 1`, i.e. rows - samples).
- "max": divide by margin maximum (default `MARGIN = 2`, i.e. columns - features).
- "normalize": make margin sum of squares equal to one (default `MARGIN = 1`).
- "range": standardize values into range 0...1 (default `MARGIN = 2`). If all values are constant, they will be transformed to 0.
- "standardize": scale  $x$  to zero mean and unit variance (default `MARGIN = 2`).
- "pa": scale  $x$  to presence/absence scale (0/1).
- "log": logarithmic transformation.

Other methods for transformation:

- "ast": Arc sine square root transformation.

`sample.size` default NULL; library size for rarefaction when method = "rarefy" or "SRS".

If not provided, use the minimum number across all samples. For "SRS" method, this parameter is passed to `Cmin` parameter of `SRS` function of `SRS` package.

`rngseed` default 123; random seed. Available when method = "rarefy" or "SRS".

`replace` default TRUE; see [sample](#) for the random sampling; Available when method = "rarefy".

`pseudocount` default 1; add pseudocount for those features with 0 abundance when method = "clr".

`intersect.no` default 10; the intersecting taxa number between paired sample for method = "GMPR".

`ct.min` default 1; the minimum number of counts required to calculate ratios for method = "GMPR".

`condition` default NULL; Only available when method = "wrench". This parameter is passed to the `condition` parameter of `wrench` function in `Wrench` package. It must be a column name of `sample_table` or a vector with same length of samples.

`MARGIN` default NULL; 1 = samples, and 2 = features of abundance table; only available when method comes from `decostand` function of `vegan` package. If `MARGIN` is NULL, use the default value in `decostand` function.

logbase default 2; The logarithm base.

... parameters pass to `vegan::decostand`, or `metagenomeSeq::cumNorm` when method = "CSS", or `edgeR::normLibSizes` when method = "TMM" or "RLE", or `trans_diff` class when method = "DESeq2", or `wrench` function of `Wrench` package when method = "Wrench".

*Returns:* new microtable object or data.frame object.

*Examples:*

```
newdataset <- t1$norm(method = "clr")
newdataset <- t1$norm(method = "log")
```

**Method** `clone()`: The objects of this class are cloneable with this method.

*Usage:*

```
trans_norm$clone(deep = FALSE)
```

*Arguments:*

`deep` Whether to make a deep clone.

## Examples

```
## -----
## Method `trans_norm$new`
## -----

library(microeco)
data(dataset)
t1 <- trans_norm$new(dataset = dataset)

## -----
## Method `trans_norm$norm`
## -----

newdataset <- t1$norm(method = "clr")
newdataset <- t1$norm(method = "log")
```

---

trans\_nullmodel

*Create trans\_nullmodel object for null model related analysis.*

---

## Description

This class is a wrapper for a series of null model related approaches, including the mantel correlogram analysis of phylogenetic signal, beta nearest taxon index (betaNTI), beta net relatedness index (betaNRI), NTI, NRI and RCbray (Raup–Crick Bray–Curtis) calculations. See <doi:10.1111/j.1600-0587.2010.06548.x; 10.1890/ES10-00117.1; 10.1038/ismej.2013.93; 10.1038/s41598-017-17736-w> for the algorithms and applications.

**Methods****Public methods:**

- `trans_nullmodel$new()`
- `trans_nullmodel$scal_mantel_corr()`
- `trans_nullmodel$plot_mantel_corr()`
- `trans_nullmodel$scal_betampd()`
- `trans_nullmodel$scal_betamntd()`
- `trans_nullmodel$scal_ses_betampd()`
- `trans_nullmodel$scal_ses_betamntd()`
- `trans_nullmodel$scal_rcbray()`
- `trans_nullmodel$scal_process()`
- `trans_nullmodel$scal_NRI()`
- `trans_nullmodel$scal_NTI()`
- `trans_nullmodel$scal_Cscore()`
- `trans_nullmodel$scal_NST()`
- `trans_nullmodel$scal_NST_test()`
- `trans_nullmodel$scal_NST_convert()`
- `trans_nullmodel$clone()`

**Method new():***Usage:*

```
trans_nullmodel$new(
  dataset = NULL,
  filter_thres = 0,
  taxa_number = NULL,
  group = NULL,
  select_group = NULL,
  env_cols = NULL,
  add_data = NULL,
  complete_na = FALSE
)
```

*Arguments:*

`dataset` the object of `microtable` Class.

`filter_thres` default 0; the relative abundance threshold.

`taxa_number` default NULL; how many taxa the user want to keep, if provided, `filter_thres` parameter will be forcible invalid.

`group` default NULL; which column name in `sample_table` is selected as the group for the following selection.

`select_group` default NULL; one or more elements in `group`, used to select samples.

`env_cols` default NULL; number or name vector to select the environmental data in `dataset$sample_table`.

`add_data` default NULL; provide environmental data table additionally.

`complete_na` default FALSE; whether fill the NA in environmental data based on the method in `mice` package.

*Returns:* data\_comm and data\_tree in object.

*Examples:*

```
data(dataset)
data(env_data_16S)
t1 <- trans_nullmodel$new(dataset, filter_thres = 0.0005, add_data = env_data_16S)
```

**Method** cal\_mantel\_corr(): Calculate mantel correlogram.

*Usage:*

```
trans_nullmodel$cal_mantel_corr(
  use_env = NULL,
  break.pts = seq(0, 1, 0.02),
  cutoff = FALSE,
  ...
)
```

*Arguments:*

use\_env default NULL; numeric or character vector to select env\_data; if provide multiple variables or NULL, use PCA (principal component analysis) to reduce dimensionality.

break.pts default seq(0, 1, 0.02); see break.pts parameter in mantel.correlog of vegan package.

cutoff default FALSE; see cutoff parameter in mantel.correlog.

... parameters pass to mantel.correlog function in vegan package.

*Returns:* res\_mantel\_corr in object.

*Examples:*

```
\dontrun{
t1$cal_mantel_corr(use_env = "pH")
}
```

**Method** plot\_mantel\_corr(): Plot mantel correlogram.

*Usage:*

```
trans_nullmodel$plot_mantel_corr(point_shape = 22, point_size = 3)
```

*Arguments:*

point\_shape default 22; the number for selecting point shape type; see ggplot2 manual for the number meaning.

point\_size default 3; the point size.

*Returns:* ggplot.

*Examples:*

```
\dontrun{
t1$plot_mantel_corr()
}
```

**Method** cal\_betampd(): Calculate betaMPD (mean pairwise distance). Same with picante::comdist function, but faster.

*Usage:*



```
trans_nullmodel$cal_betampd(abundance.weighted = TRUE)
```

*Arguments:*

abundance.weighted default TRUE; whether use abundance-weighted method.

*Returns:* res\_betampd in object.

*Examples:*

```
\donttest{
t1$cal_betampd(abundance.weighted = TRUE)
}
```

**Method** cal\_betamntd(): Calculate betaMNTD (mean nearest taxon distance). Same with picante::comdistnt function, but faster.

*Usage:*

```
trans_nullmodel$cal_betamntd(
  abundance.weighted = TRUE,
  exclude.conspecifics = FALSE,
  use_iCAMP = FALSE,
  use_iCAMP_force = TRUE,
  iCAMP_tempdir = NULL,
  ...
)
```

*Arguments:*

abundance.weighted default TRUE; whether use abundance-weighted method.

exclude.conspecifics default FALSE; see exclude.conspecifics parameter in comdistnt function of picante package.

use\_iCAMP default FALSE; whether use bmntd.big function of iCAMP package to calculate betaMNTD. This method can store the phylogenetic distance matrix on the disk to lower the memory spending and perform the calculation parallelly.

use\_iCAMP\_force default FALSE; whether use bmntd.big function of iCAMP package automatically when the feature number is large.

iCAMP\_tempdir default NULL; the temporary directory used to place the large tree file; If NULL; use the system user tempdir.

... parameters pass to iCAMP::pdist.big function.

*Returns:* res\_betamntd in object.

*Examples:*

```
\donttest{
t1$cal_betamntd(abundance.weighted = TRUE)
}
```

**Method** cal\_ses\_betampd(): Calculate standardized effect size of betaMPD, i.e. beta net relatedness index (betaNRI).

*Usage:*

```
trans_nullmodel$cal_ses_betampd(
  runs = 1000,
  null.model = c("taxa.labels", "richness", "frequency", "sample.pool", "phylogeny.pool",
```

```

    "independentswap", "trialswap")[1],
  abundance.weighted = TRUE,
  iterations = 1000
)

```

*Arguments:*

runs default 1000; simulation runs.

null.model default "taxa.labels"; The available options include "taxa.labels", "richness", "frequency", "sample.pool", "phylogeny.pool", "independentswap" and "trialswap"; see null.model parameter of ses.mntd function in picante package for the algorithm details.

abundance.weighted default TRUE; whether use weighted abundance.

iterations default 1000; iteration number for part null models to perform; see iterations parameter of picante::randomizeMatrix function.

Returns: res\_ses\_betampd in object.

*Examples:*

```

\dontrun{
# only run 50 times for the example; default 1000
t1$cal_ses_betampd(runs = 50, abundance.weighted = TRUE)
}

```

**Method** cal\_ses\_betamntd(): Calculate standardized effect size of betaMNTD, i.e. beta nearest taxon index (betaNTI).

*Usage:*

```

trans_nullmodel$cal_ses_betamntd(
  runs = 1000,
  null.model = c("taxa.labels", "richness", "frequency", "sample.pool", "phylogeny.pool",
    "independentswap", "trialswap")[1],
  abundance.weighted = TRUE,
  exclude.conspecifics = FALSE,
  use_iCAMP = FALSE,
  use_iCAMP_force = TRUE,
  iCAMP_tempdir = NULL,
  nworker = 2,
  iterations = 1000
)

```

*Arguments:*

runs default 1000; simulation number of null model.

null.model default "taxa.labels"; The available options include "taxa.labels", "richness", "frequency", "sample.pool", "phylogeny.pool", "independentswap" and "trialswap"; see null.model parameter of ses.mntd function in picante package for the algorithm details.

abundance.weighted default TRUE; whether use abundance-weighted method.

exclude.conspecifics default FALSE; see comdistnt in picante package.

use\_iCAMP default FALSE; whether use bmntd.big function of iCAMP package to calculate betaMNTD. This method can store the phylogenetic distance matrix on the disk to lower the memory spending and perform the calculation parallelly.

use\_iCAMP\_force default FALSE; whether to make use\_iCAMP to be TRUE when the feature number is large.

iCAMP\_tempdir default NULL; the temporary directory used to place the large tree file; If NULL; use the system user tempdir.

nworker default 2; the CPU thread number.

iterations default 1000; iteration number for part null models to perform; see iterations parameter of `picante::randomizeMatrix` function.

*Returns:* `res_ses_betamntd` in object.

*Examples:*

```
\dontrun{
# only run 50 times for the example; default 1000
t1$cal_ses_betamntd(runs = 50, abundance.weighted = TRUE, exclude.conspecifics = FALSE)
}
```

**Method** `cal_rcbray()`: Calculate Bray–Curtis-based Raup–Crick (RCbray) <doi: 10.1890/ES10-00117.1>.

*Usage:*

```
trans_nullmodel$cal_rcbray(
  runs = 1000,
  verbose = TRUE,
  null.model = "independentswap"
)
```

*Arguments:*

`runs` default 1000; simulation runs.

`verbose` default TRUE; whether show the calculation process message.

`null.model` default "independentswap"; see more available options in `randomizeMatrix` function of `picante` package.

*Returns:* `res_rcbray` in object.

*Examples:*

```
\dontrun{
# only run 50 times for the example; default 1000
t1$cal_rcbray(runs = 50)
}
```

**Method** `cal_process()`: Infer the ecological processes according to `ses.betaMNTD`/`ses.betaMPD` and `rcbray`.

*Usage:*

```
trans_nullmodel$cal_process(use_betamntd = TRUE, group = NULL)
```

*Arguments:*

`use_betamntd` default TRUE; whether use `ses.betaMNTD`; if false, use `ses.betaMPD`.

`group` default NULL; a column name in `sample_table` of `microtable` object. If provided, the analysis will be performed for each group instead of the whole.

*Returns:* `res_process` in object.

*Examples:*

```
\dontrun{
t1$cal_process(use_betamtd = TRUE)
}
```

**Method** `cal_NRI()`: Calculates Nearest Relative Index (NRI), equivalent to -1 times the standardized effect size of MPD.

*Usage:*

```
trans_nullmodel$cal_NRI(
  null.model = "taxa.labels",
  abundance.weighted = FALSE,
  runs = 999,
  ...
)
```

*Arguments:*

`null.model` default "taxa.labels"; Null model to use; see `null.model` parameter in `ses.mpd` function of `picante` package for available options.

`abundance.weighted` default FALSE; Should mean nearest relative distances for each species be weighted by species abundance?

`runs` default 999; Number of randomizations.

... parameters pass to `ses.mpd` function in `picante` package.

*Returns:* `res_NRI` in object, equivalent to -1 times `ses.mpd`.

*Examples:*

```
\donttest{
# only run 50 times for the example; default 999
t1$cal_NRI(null.model = "taxa.labels", abundance.weighted = FALSE, runs = 50)
}
```

**Method** `cal_NTI()`: Calculates Nearest Taxon Index (NTI), equivalent to -1 times the standardized effect size of MNTD.

*Usage:*

```
trans_nullmodel$cal_NTI(
  null.model = "taxa.labels",
  abundance.weighted = FALSE,
  runs = 999,
  ...
)
```

*Arguments:*

`null.model` default "taxa.labels"; Null model to use; see `null.model` parameter in `ses.mntd` function of `picante` package for available options.

`abundance.weighted` default FALSE; Should mean nearest taxon distances for each species be weighted by species abundance?

`runs` default 999; Number of randomizations.

... parameters pass to `ses.mntd` function in `picante` package.

*Returns:* res\_NTI in object, equivalent to -1 times ses.mntd.

*Examples:*

```
\donttest{
# only run 50 times for the example; default 999
t1$cal_NTI(null.model = "taxa.labels", abundance.weighted = TRUE, runs = 50)
}
```

**Method** cal\_Cscore(): Calculates the (normalised) mean number of checkerboard combinations (C-score) using C.score function in bipartite package.

*Usage:*

```
trans_nullmodel$cal_Cscore(by_group = NULL, ...)
```

*Arguments:*

by\_group default NULL; one column name or number in sample\_table; calculate C-score for different groups separately.

... parameters pass to bipartite::C.score function.

*Returns:* vector.

*Examples:*

```
\dontrun{
t1$cal_Cscore(normalise = FALSE)
t1$cal_Cscore(by_group = "Group", normalise = FALSE)
}
```

**Method** cal\_NST(): Calculate normalized stochasticity ratio (NST) based on the NST package.

*Usage:*

```
trans_nullmodel$cal_NST(method = "tNST", group, ...)
```

*Arguments:*

method default "tNST"; 'tNST' or 'pNST'. See the help document of tNST or pNST function in NST package for more details.

group a colname of sample\_table in microtable object; the function can select the data from sample\_table to generate a one-column (n x 1) matrix and provide it to the group parameter of tNST or pNST function.

... parameters pass to NST::tNST or NST::pNST function; see the document of corresponding function for more details.

*Returns:* res\_NST stored in the object.

*Examples:*

```
\dontrun{
t1$cal_NST(group = "Group", dist.method = "bray", output.rand = TRUE, SES = TRUE)
}
```

**Method** cal\_NST\_test(): Test the significance of NST difference between each pair of groups.

*Usage:*

```
trans_nullmodel$cal_NST_test(method = "nst.boot", ...)
```

*Arguments:*

method default "nst.boot"; "nst.boot" or "nst.panova"; see NST::nst.boot function or NST::nst.panova function for the details.

... parameters pass to NST::nst.boot when method = "nst.boot" or NST::nst.panova when method = "nst.panova".

*Returns:* list. See the Return part of NST::nst.boot function or NST::nst.panova function in NST package.

*Examples:*

```
\dontrun{
t1$cal_NST_test()
}
```

**Method** cal\_NST\_convert(): Convert NST paired long format table to symmetric matrix form.

*Usage:*

```
trans_nullmodel$cal_NST_convert(column = 10)
```

*Arguments:*

column default 10; which column is selected for the conversion. See the columns of res\_NST\$index.pair stored in the object.

*Returns:* symmetric matrix.

*Examples:*

```
\dontrun{
t1$cal_NST_convert(column = 10)
}
```

**Method** clone(): The objects of this class are cloneable with this method.

*Usage:*

```
trans_nullmodel$clone(deep = FALSE)
```

*Arguments:*

deep Whether to make a deep clone.

## Examples

```
## -----
## Method `trans_nullmodel$new`
## -----

data(dataset)
data(env_data_16S)
t1 <- trans_nullmodel$new(dataset, filter_thres = 0.0005, add_data = env_data_16S)

## -----
## Method `trans_nullmodel$cal_mantel_corr`
## -----

## Not run:
t1$cal_mantel_corr(use_env = "pH")
```

```
## End(Not run)

## -----
## Method `trans_nullmodel$plot_mantel_corr`
## -----

## Not run:
t1$plot_mantel_corr()

## End(Not run)

## -----
## Method `trans_nullmodel$scal_betampd`
## -----

t1$scal_betampd(abundance.weighted = TRUE)

## -----
## Method `trans_nullmodel$scal_betamntd`
## -----

t1$scal_betamntd(abundance.weighted = TRUE)

## -----
## Method `trans_nullmodel$scal_ses_betampd`
## -----

## Not run:
# only run 50 times for the example; default 1000
t1$scal_ses_betampd(runs = 50, abundance.weighted = TRUE)

## End(Not run)

## -----
## Method `trans_nullmodel$scal_ses_betamntd`
## -----

## Not run:
# only run 50 times for the example; default 1000
t1$scal_ses_betamntd(runs = 50, abundance.weighted = TRUE, exclude.conspecifics = FALSE)

## End(Not run)

## -----
## Method `trans_nullmodel$scal_rcbray`
## -----

## Not run:
# only run 50 times for the example; default 1000
```

```

t1$cal_rcbray(runs = 50)

## End(Not run)

## -----
## Method `trans_nullmodel$cal_process`
## -----

## Not run:
t1$cal_process(use_betamntd = TRUE)

## End(Not run)

## -----
## Method `trans_nullmodel$cal_NRI`
## -----

# only run 50 times for the example; default 999
t1$cal_NRI(null.model = "taxa.labels", abundance.weighted = FALSE, runs = 50)

## -----
## Method `trans_nullmodel$cal_NTI`
## -----

# only run 50 times for the example; default 999
t1$cal_NTI(null.model = "taxa.labels", abundance.weighted = TRUE, runs = 50)

## -----
## Method `trans_nullmodel$cal_Cscore`
## -----

## Not run:
t1$cal_Cscore(normalise = FALSE)
t1$cal_Cscore(by_group = "Group", normalise = FALSE)

## End(Not run)

## -----
## Method `trans_nullmodel$cal_NST`
## -----

## Not run:
t1$cal_NST(group = "Group", dist.method = "bray", output.rand = TRUE, SES = TRUE)

## End(Not run)

## -----
## Method `trans_nullmodel$cal_NST_test`
## -----

```



```

## Not run:
t1$cal_NST_test()

## End(Not run)

## -----
## Method `trans_nullmodel$cal_NST_convert`
## -----

## Not run:
t1$cal_NST_convert(column = 10)

## End(Not run)

```

---

trans_venn	<i>Create trans_venn object for the Venn diagram, petal plot and UpSet plot.</i>
------------	--

---

## Description

This class is a wrapper for a series of intersection analysis related methods, including 2- to 5-way venn diagram, more than 5-way petal or UpSet plot and intersection transformations based on David et al. (2012) <doi:10.1128/AEM.01459-12>.

## Methods

### Public methods:

- `trans_venn$new()`
- `trans_venn$plot_venn()`
- `trans_venn$plot_bar()`
- `trans_venn$trans_comm()`
- `trans_venn$print()`
- `trans_venn$clone()`

### Method `new()`:

#### Usage:

```
trans_venn$new(dataset, ratio = NULL, name_joint = "&")
```

#### Arguments:

`dataset` the object of `microtable` class or a matrix-like table (data.frame or matrix object). If `dataset` is a matrix-like table, features must be rows.

`ratio` default NULL; NULL, "numratio" or "seqratio"; "numratio": calculate the percentage of feature number; "seqratio": calculate the percentage of feature abundance; NULL: no additional percentage.

`name_joint` default "&"; the joint mark for generating multi-sample names.

*Returns:* data\_details and data\_summary stored in the object.

*Examples:*

```
\donttest{
data(dataset)
t1 <- dataset$merge_samples("Group")
t1 <- trans_venn$new(dataset = t1, ratio = "numratio")
}
```

**Method** plot\_venn(): Plot venn diagram.

*Usage:*

```
trans_venn$plot_venn(
  color_circle = RColorBrewer::brewer.pal(8, "Dark2"),
  fill_color = TRUE,
  text_size = 4.5,
  text_name_size = 6,
  text_name_position = NULL,
  alpha = 0.3,
  linesize = 1.1,
  petal_plot = FALSE,
  petal_color = "#BEAED4",
  petal_color_center = "#BEBADA",
  petal_a = 4,
  petal_r = 1,
  petal_use_lim = c(-12, 12),
  petal_center_size = 40,
  petal_move_xy = 4,
  petal_move_k = 2.3,
  petal_move_k_count = 1.3,
  petal_text_move = 40,
  other_text_show = NULL,
  other_text_position = c(2, 2),
  other_text_size = 5
)
```

*Arguments:*

color\_circle default RColorBrewer::brewer.pal(8, "Dark2"); color palette.

fill\_color default TRUE; whether fill the area color.

text\_size default 4.5; text size in plot.

text\_name\_size default 6; name size in plot.

text\_name\_position default NULL; name position in plot.

alpha default .3; alpha for transparency.

linesize default 1.1; cycle line size.

petal\_plot default FALSE; whether use petal plot.

petal\_color default "#BEAED4"; color of the petals; If petal\_color only has one color value, all the petals will be assigned with this color value. If petal\_color has multiple colors, and the number of color values is smaller than the petal number, the function can append more colors automatically with the color interpolation.

petal\_color\_center default "#BEBADA"; color of the center in the petal plot.  
 petal\_a default 4; the length of the ellipse.  
 petal\_r default 1; scaling up the size of the ellipse.  
 petal\_use\_lim default c(-12, 12); the width of the plot.  
 petal\_center\_size default 40; petal center circle size.  
 petal\_move\_xy default 4; the distance of text to circle.  
 petal\_move\_k default 2.3; the distance of title to circle.  
 petal\_move\_k\_count default 1.3; the distance of data text to circle.  
 petal\_text\_move default 40; the distance between two data text.  
 other\_text\_show default NULL; other characters used to show in the plot.  
 other\_text\_position default c(1, 1); the text position for text in other\_text\_show.  
 other\_text\_size default 5; the text size for text in other\_text\_show.

*Returns:* ggplot.

*Examples:*

```

\donttest{
t1$plot_venn()
}

```

**Method** plot\_bar(): Plot the intersections using histogram, i.e. UpSet plot. Especially useful when samples > 5.

*Usage:*

```

trans_venn$plot_bar(
  left_plot = TRUE,
  sort_samples = FALSE,
  up_y_title = "Intersection size",
  up_y_title_size = 15,
  up_y_text_size = 8,
  up_bar_fill = "grey70",
  up_bar_width = 0.9,
  bottom_y_text_size = 12,
  bottom_height = 1,
  bottom_point_size = 3,
  bottom_point_color = "black",
  bottom_background_fill = "grey95",
  bottom_background_alpha = 1,
  bottom_line_width = 0.5,
  bottom_line_colour = "black",
  left_width = 0.3,
  left_bar_fill = "grey70",
  left_bar_alpha = 1,
  left_bar_width = 0.9,
  left_x_text_size = 10,
  left_background_fill = "white",
  left_background_alpha = 1
)

```

*Arguments:*

`left_plot` default TRUE; whether add the left bar plot to show the feature number of each sample.  
`sort_samples` default FALSE; TRUE is used to sort samples according to the number of features in each sample. FALSE means the sample order is same with that in `sample_table` of the raw dataset.  
`up_y_title` default "Intersection set"; y axis title of upper plot.  
`up_y_title_size` default 15; y axis title size of upper plot.  
`up_y_text_size` default 4; y axis text size of upper plot.  
`up_bar_fill` default "grey70"; bar fill color of upper plot.  
`up_bar_width` default 0.9; bar width of upper plot.  
`bottom_y_text_size` default 12; y axis text size, i.e. sample name size, of bottom sample plot.  
`bottom_height` default 1; bottom plot height relative to the upper bar plot. 1 represents the height of bottom plot is same with the upper bar plot.  
`bottom_point_size` default 3; point size of bottom plot.  
`bottom_point_color` default "black"; point color of bottom plot.  
`bottom_background_fill` default "grey95"; fill color for the striped background in the bottom sample plot. If the parameter length is 1, use "white" to distinguish the color stripes. If the parameter length is greater than 1, use all provided colors.  
`bottom_background_alpha` default 1; the color transparency for the parameter `bottom_background_fill`.  
`bottom_line_width` default 0.5; the line width in the bottom plot.  
`bottom_line_colour` default "black"; the line color in the bottom plot.  
`left_width` default 0.3; left bar plot width relative to the right bottom plot.  
`left_bar_fill` default "grey70"; fill color for the left bar plot presenting feature number.  
`left_bar_alpha` default 1; the color transparency for the parameter `left_bar_fill`.  
`left_bar_width` default 0.9; bar width of left plot.  
`left_x_text_size` default 10; x axis text size of the left bar plot.  
`left_background_fill` default "white"; fill color for the striped background in the left plot. If the parameter length is 1, use "white" to distinguish the color stripes. If the parameter length is greater than 1, use all provided colors.  
`left_background_alpha` default 1; the color transparency for the parameter `left_background_fill`.

*Returns:* a ggplot2 object.

*Examples:*

```

\donttest{
t2 <- t1$plot_bar()
}

```

**Method** `trans_comm()`: Transform intersection result to community-like microtable object for further composition analysis.

*Usage:*

```
trans_venn$trans_comm(use_frequency = TRUE)
```

*Arguments:*

use\_frequency default TRUE; whether only use OTUs occurrence frequency, i.e. presence/absence data; if FALSE, use abundance data.

*Returns:* a new `microtable` class.

*Examples:*

```
\donttest{
t2 <- t1$trans_comm(use_frequency = TRUE)
}
```

**Method** `print()`: Print the `trans_venn` object.

*Usage:*

```
trans_venn$print()
```

**Method** `clone()`: The objects of this class are cloneable with this method.

*Usage:*

```
trans_venn$clone(deep = FALSE)
```

*Arguments:*

`deep` Whether to make a deep clone.

## Examples

```
## -----
## Method `trans_venn$new`
## -----

data(dataset)
t1 <- dataset$merge_samples("Group")
t1 <- trans_venn$new(dataset = t1, ratio = "numratio")

## -----
## Method `trans_venn$plot_venn`
## -----

t1$plot_venn()

## -----
## Method `trans_venn$plot_bar`
## -----

t2 <- t1$plot_bar()

## -----
## Method `trans_venn$trans_comm`
## -----
```

```
t2 <- t1$trans_comm(use_frequency = TRUE)
```

# Index

- \* **Description**
  - microeco, [5](#)
- \* **R6**
  - dataset, [3](#)
- \* **data.frame**
  - env\_data\_16S, [4](#)
  - fungi\_func\_FungalTraits, [5](#)
  - fungi\_func\_FUNGuild, [5](#)
  - otu\_table\_16S, [18](#)
  - otu\_table\_ITS, [18](#)
  - phylo\_tree\_16S, [18](#)
  - prok\_func\_FAPROTAX, [19](#)
  - prok\_func\_NJC19\_list, [19](#)
  - sample\_info\_16S, [19](#)
  - sample\_info\_ITS, [19](#)
  - taxonomy\_table\_16S, [20](#)
  - taxonomy\_table\_ITS, [20](#)
- \* **list**
  - Tax4Fun2\_KEGG, [20](#)
- \* **object**
  - dataset, [3](#)
- aov, [34](#)
- clone, [2](#)
- data.frame, [21](#)
- dataset, [3](#)
- dropallfactors, [4](#)
- env\_data\_16S, [4](#)
- fungi\_func\_FungalTraits, [5](#)
- fungi\_func\_FUNGuild, [5](#)
- grepl, [13](#)
- microeco, [5](#)
- microtable, [5](#), [6](#), [23](#), [33](#), [40](#), [49](#), [59](#), [69](#), [85](#),  
[91](#), [103](#), [107](#), [111](#), [121](#), [125](#)
- otu\_table\_16S, [18](#)
- otu\_table\_ITS, [18](#)
- phylo\_tree\_16S, [18](#)
- prok\_func\_FAPROTAX, [19](#)
- prok\_func\_NJC19\_list, [19](#)
- sample, [109](#)
- sample\_info\_16S, [19](#)
- sample\_info\_ITS, [19](#)
- Tax4Fun2\_KEGG, [20](#)
- taxonomy\_table\_16S, [20](#)
- taxonomy\_table\_ITS, [20](#)
- tidy\_taxonomy, [21](#)
- trans\_abund, [5](#), [22](#)
- trans\_alpha, [5](#), [32](#), [45](#), [46](#), [64](#), [70](#), [71](#)
- trans\_beta, [5](#), [39](#)
- trans\_classifier, [6](#), [48](#)
- trans\_diff, [5](#), [58](#)
- trans\_env, [6](#), [38](#), [66](#), [68](#)
- trans\_func, [6](#), [84](#)
- trans\_network, [5](#), [90](#)
- trans\_norm, [6](#), [9](#), [61](#), [106](#)
- trans\_nullmodel, [5](#), [110](#)
- trans\_venn, [5](#), [121](#)
- write.table, [11–13](#)