

# Package ‘pequod’

October 14, 2022

**Type** Package

**Title** Moderated Regression Package

**Version** 0.0-5

**Date** 2016-2-28

**Author** Alberto Mirisola & Luciano Seta

**Depends** ggplot2, car

**Imports** methods

**Maintainer** Alberto Mirisola <alberto.mirisola@gmail.com>

**Description** Moderated regression with mean and residual centering and simple slopes analysis.

**License** GPL-2

**LazyLoad** yes

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2016-02-29 01:28:20

## R topics documented:

lmres . . . . .	2
PlotSlope . . . . .	4
simpleSlope . . . . .	7
summary.lmres . . . . .	9
summary.simpleSlope . . . . .	10

<b>Index</b>	<b>12</b>
--------------	-----------



beta.Stepfin	a named vector of standardized coefficients for the x (max(x)=3) order regression
StepI	a lm object for the first order regression
StepII	(only where relevant) a lm object for the second order regression
Stepfin	a lm object for the x (max(x)=3) order regression
F_change	is a list containing F change statistics

**Author(s)**

Alberto Mirisola and Luciano Seta

**References**

Little, T. D., Bovaird, J. A., & Widaman, K. F. (2006). On the Merits of Orthogonalizing Powered and Product Terms: Implications for Modeling Interactions Among Latent Variables. *Structural Equation Modeling*, 13(4), 497-519.

Cohen, J., Cohen, P., West, S. G., & Aiken, L. S. (2003). *Applied multiple regression/correlation analysis for the behavioral sciences* (3rd ed.). Mahwah, NJ: Lawrence Erlbaum Associates, Inc.

**See Also**

“summary.lmres”

**Examples**

```
## moderated regression with mean centering
library(car)
data(Ginzberg)
model1<-lmres(adjdep~adjsimp*adjfatal, centered=c("adjsimp", "adjfatal"),
data=Ginzberg)

## moderated regression with mean centering
library(car)
data(Ginzberg)
model1<-lmres(adjdep~adjsimp*adjfatal, centered=c("adjsimp", "adjfatal"),
data=Ginzberg)
## moderated regression with mean centering
model2<-lmres(adjdep~adjsimp*adjfatal, residual_centering=TRUE,
centered=c("adjsimp", "adjfatal"), data=Ginzberg)
## three way interaction with mean centering
library(car)
data(Highway1)
model3<-lmres(rate~len*trks*sigs1, centered=c("len", "trks", "sigs1"), data=Highway1)

## The function is currently defined as
function (formula, data, centered, ...)
UseMethod("lmres")
```

---

PlotSlope

*Simple slopes plot*

---

### Description

Simple slope plot for two and three way interactions.

### Usage

```
PlotSlope(object, namemod = "default", namex = "default",  
namey = "default", limitx = "default", limity = "default")
```

### Arguments

object	an object of class "simpleSlope".
namemod	a character vector of the moderator points. If "default" is used, default setting is printed.
namex	name of the predictor. If "default" is used, the predictor name in the dataframe is printed.
namey	name of the dependent variable. If "default" is used, the dataframe name is printed.
limitx	a numeric vector for setting limits of x axis.
limity	a numeric vector for setting limits of y axis.

### Details

Plot for Simple slope analysis.

### Value

PlotSlope returns an object of class "ggplot".

### Author(s)

Alberto Mirisola and Luciano Seta

### Examples

```
## Default plot for three way interaction  
  
library(car)  
data(Highway1)  
model3<-lmres(rate~len*trks*sigs1, centered=c("len", "trks", "sigs1"),data=Highway1)  
S_slopes<-simpleSlope(model3,pred="len",mod1="trks", mod2="sigs1")  
Plot<-PlotSlope(S_slopes)
```

```

## Personalized plot for three way interaction

library(car)
data(Highway1)
model3<-lmres(rate~len*trks*sigs1, centered=c("len", "trks", "sigs1"),data=Highway1)
S_slopes<-simpleSlope(model3,pred="len",mod1="trks", mod2="sigs1")
Plot<-PlotSlope(S_slopes, namemod=c("Low truck volume (-1SD),
Low number of signals per mile (-1 SD)", "Low truck volume (-1SD),
High number of signals per mile (+1 SD)", "High truck volume (+1SD),
Low number of signals per mile (-1 SD)", "High truck volume (+1SD),
High number of signals per mile (+1 SD)"),
namex="length of the Highway1\n segment in miles",
namey="1973 accident rate \n per million vehicle miles",
limitx=c(-9,9), limity=c(-2,9))

## The function is currently defined as
function(object, namemod = "default",
namex = "default", namey = "default", limitx = "default",
limity = "default") {

pmatr <- object$Points
nomY <- object$nomY
nomX <- object$nomX
X_1L <- object$X_1L
X_1H <- object$X_1H

if (object$orde == 2) {
nam <- dimnames(object$simple_slope)[1]
nam <- nam[[1]]
r1 <- nam[1]
r2 <- nam[2]

xini <- rep(X_1L, 4)
xend <- rep(X_1H, 4)
fact <- c(5, 6)
mat <- cbind(fact, xini, pmatr[, 1], xend, pmatr[, 2])
mat <- as.data.frame(mat)
names(mat) <- c("fact", "xini", "yini", "xend", "yend")
p <- ggplot(mat, aes(x = xini, y = yini))
p1 <- p + geom_segment(aes(xend = xend, yend = yend))
p1 <- p1 + scale_x_continuous(nomX) + scale_y_continuous(nomY)
p1 <- p1 + geom_point(size = 3, aes(shape = factor(fact))) +
geom_point(aes(x = xend, y = yend, shape = factor(fact)),
size = 3)

if (length(namemod) == 1) {
p1 <- p1 + scale_shape(name = "Moderator", breaks = c(5,
6), labels = c(r1, r2))
}
if (length(namemod) > 1) {
if (length(namemod) != 2) {
stop("length of namemod vector must be = 2")
}
}
}

```

```

    }
  p1 <- p1 + scale_shape(name = "Moderator", breaks = c(5,
6), labels = namemod)
  }

  if (namex != "default") {
  if (length(limitx) == 2) {
  p1 <- p1 + scale_x_continuous(namex, limits = limitx)
  }
  else {
  p1 <- p1 + scale_x_continuous(namex)
  }
  }

  if (namey != "default") {
  if (length(limity) == 2) {
  p1 <- p1 + scale_y_continuous(namey, limits = limity)
  }
  else {
  p1 <- p1 + scale_y_continuous(namey)
  }
  }

  return(p1)
  }

  if (object$orde == 3) {

  nam <- dimnames(object$simple_slope)[1]
  nam <- nam[[1]]
  r1 <- nam[1]
  r2 <- nam[2]
  r3 <- nam[3]
  r4 <- nam[4]

  xini <- rep(X_1L, 4)
  xend <- rep(X_1H, 4)
  fact <- c(5, 6, 7, 8)
  mat <- cbind(fact, xini, pmatr[, 1], xend, pmatr[, 2])
  mat <- as.data.frame(mat)
  names(mat) <- c("fact", "xini", "yini", "xend", "yend")
  p <- ggplot(mat, aes(x = xini, y = yini))
  p1 <- p + geom_segment(aes(xend = xend, yend = yend))
  p1 <- p1 + scale_x_continuous(nomX) + scale_y_continuous(nomY)
  p1 <- p1 + geom_point(size = 3, aes(shape = factor(fact))) +
  geom_point(aes(x = xend, y = yend, shape = factor(fact)),
  size = 3)
  if (length(namemod) == 1) {
  p1 <- p1 + scale_shape(name = "Moderators Combination",

```

```

breaks = c(5, 6, 7, 8), labels = c(r1, r2, r3,
r4))
}
if (length(namemod) > 1) {
if (length(namemod) != 4) {
stop("length of namemod vector must be = 4")
}
p1 <- p1 + scale_shape(name = "Moderators Combination",
breaks = c(5, 6, 7, 8), labels = namemod)
}
p2 <- p1

if (namex != "default") {
if (length(limitx) == 2) {
p2 <- p2 + scale_x_continuous(namex, limits = limitx)
}
else {
p2 <- p2 + scale_x_continuous(namex)
}
}

if (namey != "default") {
if (length(limity) == 2) {
p2 <- p2 + scale_y_continuous(namey, limits = limity)
}
else {
p2 <- p2 + scale_y_continuous(namey)
}
}

return(p2)
}
}

```

---

simpleSlope

*Simple slopes analysis for Moderated regression*


---

### Description

Simple slope analysis according to Cohen, Cohen, West, & Aiken (2003); Bauer & Curran, (2005); and Dawson and Richter (2006) approaches.

### Usage

```

simpleSlope(object, pred, mod1, mod2, coded, ...)
## Default S3 method:
simpleSlope(object, pred, mod1, mod2="none", coded = "none", ...)

```

**Arguments**

object	an object of class "lmres": a moderated regression function.
pred	name of the predictor variable
mod1	name of the first moderator variable
mod2	name of the second moderator variable. Default "none" is used in order to analyzing two way interaction,
coded	a character vector of coded variables
...	

**Details**

Simple slope analysis for moderated regression. If two way interaction is analyzed, the function computes simple slope analysis and region of significance( Bauer & Curran, 2005). If three way interaction is analyzed, the function compute simple slope analysis and difference slope test (Dawson and Richter, 2006).

**Value**

simpleSlope returns an object of class "simpleSlope".

An object of class "simpleSlope" is a list containing at least the following components:

nomY	the name of dependent variable
orde	it's 2 for two way interaction, it's 3 for three way interaction
points	Estimated points of dependent variable as a function of levels of moderators and predictor
simple_slope	a matrix summarizing simple slopes results
delta_slope	(only for three way interaction)a matrix summarizing difference slope tests
Df	degree of freedom
conf95	(only for two way interaction)confidence interval of moderator region of significance

**Author(s)**

Alberto Mirisola and Luciano Seta

**References**

-Bauer, D. J., & Curran, P. J. (2005). Probing Interactions in Fixed and Multilevel Regression: Inferential and Graphical Techniques. *Multivariate Behavioral Research*, 40(3), 373-400. -Cohen, J., Cohen, P., West, S. G., & Aiken, L. S. (2003). *Applied multiple regression/correlation analyses for the behavioral sciences* (3rd ed.). Mahwah, NJ: Lawrence Erlbaum Associates, Inc. - Dawson, J. F., and Richter, W. (2006) Probing Three-Way interactions in moderated multiple regression: Development and application of a slope difference test. *Journal of Applied Psychology*, 4, 917-926.



**See Also**

“summary.simpleSlope”

**Examples**

```
## simple slope for three way interaction

library(car)
data(Highway1)
model3<-lmres(rate~len*trks*sigs1, centered=c("len", "trks", "sigs1"), data=Highway1)
  S_slopes<-simpleSlope(model3, pred="len", mod1="trks", mod2="sigs1")

## The function is currently defined as
function (object, pred, mod1, mod2, coded, ...)
  UseMethod("simpleSlope")
```

---

summary.lmres	<i>summary for lmres object</i>
---------------	---------------------------------

---

**Description**

return simple and nested summaries

**Usage**

```
## S3 method for class 'lmres'
summary(object, type = "default", ...)
```

**Arguments**

object	a lmres object
type	"default" generate a lm output, "nested" generate a hierarchical regression output
...	

**Value**

The function summary is used to obtain a simple of nested summary of the results.

**Author(s)**

Alberto Mirisola and Luciano Seta

**Examples**

```
library(car)
data(Ginzberg)
model1<-lmres(adjdep~adjsimp*adjfatal, centered=c("adjsimp", "adjfatal"),
data=Ginzberg)

summary(model1)
summary(model1, type="nested")

## The function is currently defined as
function (object, type = "default", ...)
```

---

summary.simpleSlope     *summary for simpleSlope object*

---

**Description**

return summaries for simpleSlope object

**Usage**

```
## S3 method for class 'simpleSlope'
summary(object,...)
```

**Arguments**

object,...     a simpleSlope object

**Value**

The function summary is used to obtain the summary of the simpleSlope results.

**Author(s)**

Alberto Mirisola and Luciano Seta

**Examples**

```
library(car)
data(Highway1)
model3<-lmres(rate~len*trks*sigs1, centered=c("len","trks","sigs1"),data=Highway1)
  S_slopes<-simpleSlope(model3,pred="len",mod1="trks", mod2="sigs1")
  summary(S_slopes)

## The function is currently defined as
```

```
function (object,...)
```

# Index

`lmres`, [2](#)

`PlotSlope`, [4](#)

`print.lmres(lmres)`, [2](#)

`print.simpleSlope(simpleSlope)`, [7](#)

`print.summary.lmres(summary.lmres)`, [9](#)

`print.summary.simpleSlope`  
`(summary.simpleSlope)`, [10](#)

`simpleSlope`, [7](#)

`summary.lmres`, [9](#)

`summary.simpleSlope`, [10](#)